

FORD - FPV

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

FALCON (BA)

Model Detail	4.0 TURBO F6 TYPHOON	Year	2004-05	Chassis	BA MKII				
ZR12.094.01	FRONT	STANDARD	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.02	FRONT	S6	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.03	FRONT	S12	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.04	FRONT	DDS	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.063.01	REAR	STANDARD	303	51	70.5	16	14.5	5	
ZR12.063.02	REAR	S6	303	51	70.5	16	14.5	5	
ZR12.063.03	REAR	S12	303	51	70.5	16	14.5	5	
ZR12.063.04	REAR	DDS	303	51	70.5	16	14.5	5	

Model Detail	5.4 GT	Year	2002-05	Chassis	BA				
ZR12.094.01	FRONT	STANDARD	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.02	FRONT	S6	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.03	FRONT	S12	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.04	FRONT	DDS	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.063.01	REAR	STANDARD	303	51	70.5	16	14.5	5	
ZR12.063.02	REAR	S6	303	51	70.5	16	14.5	5	
ZR12.063.03	REAR	S12	303	51	70.5	16	14.5	5	
ZR12.063.04	REAR	DDS	303	51	70.5	16	14.5	5	

Model Detail	5.4 PURSUIT UTE	Year	2003-05	Chassis	BA				
ZR12.094.01	FRONT	STANDARD	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.02	FRONT	S6	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.03	FRONT	S12	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.04	FRONT	DDS	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.063.01	REAR	STANDARD	303	51	70.5	16	14.5	5	
ZR12.063.02	REAR	S6	303	51	70.5	16	14.5	5	
ZR12.063.03	REAR	S12	303	51	70.5	16	14.5	5	
ZR12.063.04	REAR	DDS	303	51	70.5	16	14.5	5	

Model Detail	4.0 TURBO F6 TORNADO UTE	Year	2004-05	Chassis	BA MKII				
ZR12.094.01	FRONT	STANDARD	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.02	FRONT	S6	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.03	FRONT	S12	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.094.04	FRONT	DDS	325	45.3	71.5	32	30	5	BLUE 2 PISTON CALIPER
ZR12.063.01	REAR	STANDARD	303	51	70.5	16	14.5	5	
ZR12.063.02	REAR	S6	303	51	70.5	16	14.5	5	
ZR12.063.03	REAR	S12	303	51	70.5	16	14.5	5	
ZR12.063.04	REAR	DDS	303	51	70.5	16	14.5	5	
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5	
ZR12.089.02	REAR	S6	328	59	71	26	24	5	
ZR12.089.03	REAR	S12	328	59	71	26	24	5	
ZR12.089.04	REAR	DDS	328	59	71	26	24	5	

Model Detail	5.4 GT-P	Year	2003-05	Chassis	BA				
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.097.01	REAR	STANDARD	330	51	70.5	28	26	5	
ZR12.097.02	REAR	S6	330	51	70.5	28	26	5	
ZR12.097.03	REAR	S12	330	51	70.5	28	26	5	
ZR12.097.04	REAR	DDS	330	51	70.5	28	26	5	

FALCON (BF)

FORD - FPV

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
Model Detail 5.4 GT-P					Year 2005-08		Chassis BF		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.097.01	REAR	STANDARD	330	51	70.5	28	26	5	
ZR12.097.02	REAR	S6	330	51	70.5	28	26	5	
ZR12.097.03	REAR	S12	330	51	70.5	28	26	5	
ZR12.097.04	REAR	DDS	330	51	70.5	28	26	5	
Model Detail 5.4 GT					Year 2005-08		Chassis BF		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5	
ZR12.089.02	REAR	S6	328	59	71	26	24	5	
ZR12.089.03	REAR	S12	328	59	71	26	24	5	
ZR12.089.04	REAR	DDS	328	59	71	26	24	5	
Model Detail 5.4 PURSUIT UTE					Year 2005-08		Chassis BF		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5	
ZR12.089.02	REAR	S6	328	59	71	26	24	5	
ZR12.089.03	REAR	S12	328	59	71	26	24	5	
ZR12.089.04	REAR	DDS	328	59	71	26	24	5	
Model Detail 4.0 TURBO F6 TORNADO UTE					Year 2005-08		Chassis BF		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5	
ZR12.089.02	REAR	S6	328	59	71	26	24	5	
ZR12.089.03	REAR	S12	328	59	71	26	24	5	
ZR12.089.04	REAR	DDS	328	59	71	26	24	5	
Model Detail 4.0 TURBO F6 TYPHOON					Year 2005-08		Chassis BF		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5	
ZR12.089.02	REAR	S6	328	59	71	26	24	5	
ZR12.089.03	REAR	S12	328	59	71	26	24	5	
ZR12.089.04	REAR	DDS	328	59	71	26	24	5	
FALCON (FG)									
Model Detail 5.0 GT-P					Year 2008-10		Chassis FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE

FORD - FPV

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>	
ZR12.097.01	REAR	STANDARD	330	51	70.5	28	26	5		
ZR12.097.02	REAR	S6	330	51	70.5	28	26	5		
ZR12.097.03	REAR	S12	330	51	70.5	28	26	5		
ZR12.097.04	REAR	DDS	330	51	70.5	28	26	5		
Model Detail 5.0 GT-E										
					Year	2008-10	Chassis	FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE	
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE	
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE	
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 6 PISTON CALIPE	
ZR12.097.01	REAR	STANDARD	330	51	70.5	28	26	5		
ZR12.097.02	REAR	S6	330	51	70.5	28	26	5		
ZR12.097.03	REAR	S12	330	51	70.5	28	26	5		
ZR12.097.04	REAR	DDS	330	51	70.5	28	26	5		
Model Detail 4.0 TURBO F6										
					Year	2008-10	Chassis	FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5		
ZR12.089.02	REAR	S6	328	59	71	26	24	5		
ZR12.089.03	REAR	S12	328	59	71	26	24	5		
ZR12.089.04	REAR	DDS	328	59	71	26	24	5		
Model Detail 4.0 TURBO F6 UTE										
					Year	2008-10	Chassis	FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5		
ZR12.089.02	REAR	S6	328	59	71	26	24	5		
ZR12.089.03	REAR	S12	328	59	71	26	24	5		
ZR12.089.04	REAR	DDS	328	59	71	26	24	5		
Model Detail 5.0 GT										
					Year	2008-10	Chassis	FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5		
ZR12.089.02	REAR	S6	328	59	71	26	24	5		
ZR12.089.03	REAR	S12	328	59	71	26	24	5		
ZR12.089.04	REAR	DDS	328	59	71	26	24	5		
Model Detail 4.0 TURBO F6 E										
					Year	2008-10	Chassis	FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5		
ZR12.089.02	REAR	S6	328	59	71	26	24	5		
ZR12.089.03	REAR	S12	328	59	71	26	24	5		
ZR12.089.04	REAR	DDS	328	59	71	26	24	5		
Model Detail 5.0 GS										
					Year	2009-	Chassis	FG		
ZR12.092.01	FRONT	STANDARD	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	
ZR12.092.02	FRONT	S6	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE	

FORD - FPV

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR12.092.03	FRONT	S12	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.092.04	FRONT	DDS	355	50.5	71.8	32	30	5	BREMBO 4 PISTON CALIPE
ZR12.089.01	REAR	STANDARD	328	59	71	26	24	5	
ZR12.089.02	REAR	S6	328	59	71	26	24	5	
ZR12.089.03	REAR	S12	328	59	71	26	24	5	
ZR12.089.04	REAR	DDS	328	59	71	26	24	5	