

## HONDA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### ACCORD

<b>Model Detail 1.8</b>					<b>Year</b> 1984-86	<b>Chassis</b> AC-AD ER-EY			
ZR15.016.01	FRONT	STANDARD	242	50	61	19	17	4	
ZR15.016.02	FRONT	S6	242	50	61	19	17	4	
ZR15.016.03	FRONT	S12	242	50	61	19	17	4	
ZR15.016.04	FRONT	DDS	242	50	61	19	17	4	

<b>Model Detail 1.8</b>					<b>Year</b> 1987-89	<b>Chassis</b> CA1			
ZR15.016.01	FRONT	STANDARD	242	50	61	19	17	4	
ZR15.016.02	FRONT	S6	242	50	61	19	17	4	
ZR15.016.03	FRONT	S12	242	50	61	19	17	4	
ZR15.016.04	FRONT	DDS	242	50	61	19	17	4	

<b>Model Detail 1.8</b>					<b>Year</b> 1987-89	<b>Chassis</b> CA2			
ZR15.016.01	FRONT	STANDARD	242	50	61	19	17	4	
ZR15.016.02	FRONT	S6	242	50	61	19	17	4	
ZR15.016.03	FRONT	S12	242	50	61	19	17	4	
ZR15.016.04	FRONT	DDS	242	50	61	19	17	4	

<b>Model Detail 2.0</b>					<b>Year</b> 1985-89	<b>Chassis</b> CA3			
ZR15.001.01	FRONT	STANDARD	262	51	64	21	19	4	+ABS
ZR15.001.02	FRONT	S6	262	51	64	21	19	4	+ABS
ZR15.001.03	FRONT	S12	262	51	64	21	19	4	+ABS
ZR15.001.04	FRONT	DDS	262	51	64	21	19	4	+ABS
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4	+ABS
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4	+ABS
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4	+ABS
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4	+ABS

<b>Model Detail 2.0</b>					<b>Year</b> 1986-91	<b>Chassis</b> CA5/6			
ZR15.001.01	FRONT	STANDARD	262	51	64	21	19	4	+ABS
ZR15.001.02	FRONT	S6	262	51	64	21	19	4	+ABS
ZR15.001.03	FRONT	S12	262	51	64	21	19	4	+ABS
ZR15.001.04	FRONT	DDS	262	51	64	21	19	4	+ABS
ZR15.016.01	FRONT	STANDARD	242	50	61	19	17	4	
ZR15.016.02	FRONT	S6	242	50	61	19	17	4	
ZR15.016.03	FRONT	S12	242	50	61	19	17	4	
ZR15.016.04	FRONT	DDS	242	50	61	19	17	4	
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4	+ABS
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4	+ABS
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4	+ABS
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4	+ABS

<b>Model Detail 2.0</b>					<b>Year</b> 1989-92	<b>Chassis</b> CB3			
ZR15.018.01	FRONT	STANDARD	260	34	92	23	21	4	
ZR15.018.02	FRONT	S6	260	34	92	23	21	4	
ZR15.018.03	FRONT	S12	260	34	92	23	21	4	
ZR15.018.04	FRONT	DDS	260	34	92	23	21	4	
ZR15.027.01	REAR	STANDARD	260	48.5	64	10	8	4	
ZR15.027.02	REAR	S6	260	48.5	64	10	8	4	
ZR15.027.03	REAR	S12	260	48.5	64	10	8	4	
ZR15.027.04	REAR	DDS	260	48.5	64	10	8	4	

<b>Model Detail 2.2</b>					<b>Year</b> 1993-97	<b>Chassis</b> CD5			
ZR15.018.01	FRONT	STANDARD	260	34	92	23	21	4	
ZR15.018.02	FRONT	S6	260	34	92	23	21	4	
ZR15.018.03	FRONT	S12	260	34	92	23	21	4	

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.018.04	FRONT	DDS	260	34	92	23	21	4	
ZR15.027.01	REAR	STANDARD	260	48.5	64	10	8	4	
ZR15.027.02	REAR	S6	260	48.5	64	10	8	4	
ZR15.027.03	REAR	S12	260	48.5	64	10	8	4	
ZR15.027.04	REAR	DDS	260	48.5	64	10	8	4	

### Model Detail 3.0 Year 1998-03 Chassis CG

ZR15.037.01	FRONT	STANDARD	282	47	64	25	23	5	
ZR15.037.02	FRONT	S6	282	47	64	25	23	5	
ZR15.037.03	FRONT	S12	282	47	64	25	23	5	
ZR15.037.04	FRONT	DDS	282	47	64	25	23	5	
ZR15.013.01	REAR	STANDARD	260	64	64	10	8	4	
ZR15.013.02	REAR	S6	260	64	64	10	8	4	
ZR15.013.03	REAR	S12	260	64	64	10	8	4	
ZR15.013.04	REAR	DDS	260	64	64	10	8	4	

### Model Detail 2.3 Year 1998-03 Chassis CG

ZR15.036.01	FRONT	STANDARD	282	47	64	23	21	5	
ZR15.036.02	FRONT	S6	282	47	64	23	21	5	
ZR15.036.03	FRONT	S12	282	47	64	23	21	5	
ZR15.036.04	FRONT	DDS	282	47	64	23	21	5	
ZR15.035.01	REAR	STANDARD	260	48	64	9	8	5	
ZR15.035.02	REAR	S6	260	48	64	9	8	5	
ZR15.035.03	REAR	S12	260	48	64	9	8	5	
ZR15.035.04	REAR	DDS	260	48	64	9	8	5	

### Model Detail 2.0 SiR Year 2001-03 Chassis CF4

ZR15.032.01	FRONT	STANDARD	282	48	64	23	21	4	
ZR15.032.02	FRONT	S6	282	48	64	23	21	4	
ZR15.032.03	FRONT	S12	282	48	64	23	21	4	
ZR15.032.04	FRONT	DDS	282	48	64	23	21	4	

### Model Detail 2.4 EURO Year 2003-07 Chassis CL9

ZR15.044.01	FRONT	STANDARD	300	48	64	28	26	5	28mm Thick
ZR15.044.02	FRONT	S6	300	48	64	28	26	5	28mm Thick
ZR15.044.03	FRONT	S12	300	48	64	28	26	5	28mm Thick
ZR15.044.04	FRONT	DDS	300	48	64	28	26	5	28mm Thick
ZR15.045.01	FRONT	STANDARD	300	47.1	64	25	23	5	25mm Thick
ZR15.045.02	FRONT	S6	300	47.1	64	25	23	5	25mm Thick
ZR15.045.03	FRONT	S12	300	47.1	64	25	23	5	25mm Thick
ZR15.045.04	FRONT	DDS	300	47.1	64	25	23	5	25mm Thick
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 3.0 Year 2003-07 Chassis CM6

ZR15.036.01	FRONT	STANDARD	282	47	64	23	21	5	
ZR15.036.02	FRONT	S6	282	47	64	23	21	5	
ZR15.036.03	FRONT	S12	282	47	64	23	21	5	
ZR15.036.04	FRONT	DDS	282	47	64	23	21	5	
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 2.2 VTEC SiR Year 1993-97 Chassis CD6

ZR15.019.01	FRONT	STANDARD	282	35	92	25	23	4	
-------------	-------	----------	-----	----	----	----	----	---	--

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.019.02	FRONT	S6	282	35	92	25	23	4	
ZR15.019.03	FRONT	S12	282	35	92	25	23	4	
ZR15.019.04	FRONT	DDS	282	35	92	25	23	4	
ZR15.024.01	REAR	STANDARD	260	43	64	10	8	4	
ZR15.024.02	REAR	S6	260	43	64	10	8	4	
ZR15.024.03	REAR	S12	260	43	64	10	8	4	
ZR15.024.04	REAR	DDS	260	43	64	10	8	4	

### Model Detail 2.2 EURO R Year 2000-01 Chassis CL1

ZR15.034.01	FRONT	STANDARD	300	47.5	70	28	26	5	
ZR15.034.02	FRONT	S6	300	47.5	70	28	26	5	
ZR15.034.03	FRONT	S12	300	47.5	70	28	26	5	
ZR15.034.04	FRONT	DDS	300	47.5	70	28	26	5	
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 2.0 EURO R Year 2003-07 Chassis CL7

ZR15.044.01	FRONT	STANDARD	300	48	64	28	26	5	28MM THICK
ZR15.044.02	FRONT	S6	300	48	64	28	26	5	28MM THICK
ZR15.044.03	FRONT	S12	300	48	64	28	26	5	28MM THICK
ZR15.044.04	FRONT	DDS	300	48	64	28	26	5	28MM THICK
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 2.4 WAGON Year 2002-07 Chassis CM2

ZR15.044.01	FRONT	STANDARD	300	48	64	28	26	5	28mm Thick
ZR15.044.02	FRONT	S6	300	48	64	28	26	5	28mm Thick
ZR15.044.03	FRONT	S12	300	48	64	28	26	5	28mm Thick
ZR15.044.04	FRONT	DDS	300	48	64	28	26	5	28mm Thick
ZR15.045.01	FRONT	STANDARD	300	47.1	64	25	23	5	25mm Thick
ZR15.045.02	FRONT	S6	300	47.1	64	25	23	5	25mm Thick
ZR15.045.03	FRONT	S12	300	47.1	64	25	23	5	25mm Thick
ZR15.045.04	FRONT	DDS	300	47.1	64	25	23	5	25mm Thick
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 2.3 Year 1998-02 Chassis CF8

ZR15.023.01	FRONT	STANDARD	260	47	64	23	21	4	
ZR15.023.02	FRONT	S6	260	47	64	23	21	4	
ZR15.023.03	FRONT	S12	260	47	64	23	21	4	
ZR15.023.04	FRONT	DDS	260	47	64	23	21	4	
ZR15.027.01	REAR	STANDARD	260	48.5	64	10	8	4	
ZR15.027.02	REAR	S6	260	48.5	64	10	8	4	
ZR15.027.03	REAR	S12	260	48.5	64	10	8	4	
ZR15.027.04	REAR	DDS	260	48.5	64	10	8	4	

## ASCOT

### Model Detail 2.0 Year 1989-95 Chassis CB3

ZR15.018.01	FRONT	STANDARD	260	34	92	23	21	4	
ZR15.018.02	FRONT	S6	260	34	92	23	21	4	
ZR15.018.03	FRONT	S12	260	34	92	23	21	4	

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.018.04	FRONT	DDS	260	34	92	23	21	4	
ZR15.027.01	REAR	STANDARD	260	48.5	64	10	8	4	
ZR15.027.02	REAR	S6	260	48.5	64	10	8	4	
ZR15.027.03	REAR	S12	260	48.5	64	10	8	4	
ZR15.027.04	REAR	DDS	260	48.5	64	10	8	4	

### CITY

Model Detail	1.2	Year	1984-89	Chassis	AA			
ZR15.014.01	FRONT	STANDARD	213	39.5	61	10	8	4

Model Detail	1.3	Year	2002-	Chassis				
ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4
ZR15.046.02	FRONT	S6	240	39	61	21	19	4
ZR15.046.03	FRONT	S12	240	39	61	21	19	4
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4

Model Detail	1.5	Year	2002-	Chassis				
ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4
ZR15.046.02	FRONT	S6	240	39	61	21	19	4
ZR15.046.03	FRONT	S12	240	39	61	21	19	4
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4

Model Detail	1.5 VTEC	Year	2002-	Chassis				
ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4
ZR15.046.02	FRONT	S6	240	39	61	21	19	4
ZR15.046.03	FRONT	S12	240	39	61	21	19	4
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4

### CIVIC

Model Detail	1.3	Year	1984-88	Chassis	AG/AJ			
ZR15.011.01	FRONT	STANDARD	231	44	61	12	10	4
ZR15.011.02	FRONT	S6	231	44	61	12	10	4
ZR15.011.03	FRONT	S12	231	44	61	12	10	4
ZR15.011.04	FRONT	DDS	231	44	61	12	10	4

Model Detail	1.6 4WD	Year	1988-91	Chassis	EF5			
ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4
ZR15.006.02	FRONT	S6	242	44	61	19	17	4
ZR15.006.03	FRONT	S12	242	44	61	19	17	4
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4

Model Detail	1.5	Year	1984-88	Chassis	AG/AJ			
ZR15.009.01	FRONT	STANDARD	231	44	61	17	15	4
ZR15.009.02	FRONT	S6	231	44	61	17	15	4
ZR15.009.03	FRONT	S12	231	44	61	17	15	4
ZR15.009.04	FRONT	DDS	231	44	61	17	15	4

Model Detail	1.5	Year	1987-91	Chassis	EF2			
ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4
ZR15.006.02	FRONT	S6	242	44	61	19	17	4
ZR15.006.03	FRONT	S12	242	44	61	19	17	4
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4

Model Detail	1.5	Year	1992-95	Chassis	EG
--------------	-----	------	---------	---------	----

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.020.01	FRONT	STANDARD	240	45	61	21	19	4	
ZR15.020.02	FRONT	S6	240	45	61	21	19	4	
ZR15.020.03	FRONT	S12	240	45	61	21	19	4	
ZR15.020.04	FRONT	DDS	240	45	61	21	19	4	

### Model Detail 1.6 Year 1987-89 Chassis EF3

ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

### Model Detail 1.6 VTEC Year 1992-95 Chassis EG4

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

### Model Detail 1.6 Year 1996-00 Chassis EK

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

### Model Detail 1.6 Year 1988-91 Chassis ED-EF

ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.010.01	REAR	STANDARD	239	33	48	10	8	4	
ZR15.010.02	REAR	S6	239	33	48	10	8	4	
ZR15.010.03	REAR	S12	239	33	48	10	8	4	
ZR15.010.04	REAR	DDS	239	33	48	10	8	4	

### Model Detail 1.6 VTEC Year 1988-91 Chassis EF9

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4	
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4	
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4	
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4	

### Model Detail 1.6 VTEC Year 1996-00 Chassis EK4

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

### Model Detail 1.6 VTEC TYPE-R Year 1997-00 Chassis EK9

ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5	
ZR15.030.02	FRONT	S6	282	47	70	23	21	5	
ZR15.030.03	FRONT	S12	282	47	70	23	21	5	
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5	
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 1.7 Year 2001-05 Chassis EU-EP

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	+ABS
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	+ABS
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	+ABS
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	+ABS
ZR15.047.01	REAR	STANDARD	259.5	48.7	61	10	8	4	+ABS
ZR15.047.02	REAR	S6	259.5	48.7	61	10	8	4	+ABS
ZR15.047.03	REAR	S12	259.5	48.7	61	10	8	4	+ABS
ZR15.047.04	REAR	DDS	259.5	48.7	61	10	8	4	+ABS

### Model Detail 2.0 VTEC TYPE-S Year 2001-05 Chassis EP2

ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5	
ZR15.030.02	FRONT	S6	282	47	70	23	21	5	
ZR15.030.03	FRONT	S12	282	47	70	23	21	5	
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5	
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 2.0 VTEC TYPE-R Year 2001-05 Chassis EP3

ZR15.045.01	FRONT	STANDARD	300	47.1	64	25	23	5	
ZR15.045.02	FRONT	S6	300	47.1	64	25	23	5	
ZR15.045.03	FRONT	S12	300	47.1	64	25	23	5	
ZR15.045.04	FRONT	DDS	300	47.1	64	25	23	5	
ZR15.040.01	REAR		260	48.5	64.2	10	8	5	
ZR15.040.02	REAR		260	48.5	64.2	10	8	5	

### Model Detail 2.0 VTEC TYPE-R Year 2006-11 Chassis FN2

ZR15.045.01	FRONT	STANDARD	300	47.1	64	25	23	5	25mm Thick
ZR15.045.02	FRONT	S6	300	47.1	64	25	23	5	25mm Thick
ZR15.045.03	FRONT	S12	300	47.1	64	25	23	5	25mm Thick
ZR15.045.04	FRONT	DDS	300	47.1	64	25	23	5	25mm Thick

### Model Detail 2.0 TYPE-R Year 2015-17 Chassis FK2

ZR15.061.01	FRONT		350	54.7	70.1	32	30	5	
ZR15.062.01	REAR		305	43.7	70.1	11	9	5	

### Model Detail 2.0 TYPE-R Year 2017-21 Chassis FK8

ZR15.061.01	FRONT		350	54.7	70.1	32	30	5	
ZR15.062.01	REAR		305	43.7	70.1	11	9	5	

## HONDA

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

### CIVIC (EG6)

**Model Detail** 1.6 SiR **Year** 1991-96 **Chassis** EG6

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

### CONCERTO

**Model Detail** 1.6 **Year** 1988-93 **Chassis** MA2

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

### CRV

**Model Detail** 2.0 **Year** 1996-01 **Chassis** RD1

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.023.01	FRONT	STANDARD	260	47	64	23	21	4	
ZR15.023.02	FRONT	S6	260	47	64	23	21	4	
ZR15.023.03	FRONT	S12	260	47	64	23	21	4	
ZR15.023.04	FRONT	DDS	260	47	64	23	21	4	

### CR-V

**Model Detail** 2.0 **Year** 1999-01 **Chassis** RD

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5	
ZR15.030.02	FRONT	S6	282	47	70	23	21	5	
ZR15.030.03	FRONT	S12	282	47	70	23	21	5	
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5	

**Model Detail** 2.4 VTEC **Year** 2001-06 **Chassis**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5	
ZR15.030.02	FRONT	S6	282	47	70	23	21	5	
ZR15.030.03	FRONT	S12	282	47	70	23	21	5	
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5	

**Model Detail** 2.4 VTEC **Year** 2006- **Chassis**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.045.01	FRONT	STANDARD	300	47.1	64	25	23	5	
ZR15.045.02	FRONT	S6	300	47.1	64	25	23	5	
ZR15.045.03	FRONT	S12	300	47.1	64	25	23	5	
ZR15.045.04	FRONT	DDS	300	47.1	64	25	23	5	

### CRX

**Model Detail** 1.6 **Year** 1987-92 **Chassis** EF7

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4	

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4	
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4	
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4	

### Model Detail 1.6 VTEC Year 1992-94 Chassis EG

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

## EDIX

### Model Detail 2.0 Year 2004-09 Chassis BE3

ZR15.036.01	FRONT	STANDARD	282	47	64	23	21	5	
ZR15.036.02	FRONT	S6	282	47	64	23	21	5	
ZR15.036.03	FRONT	S12	282	47	64	23	21	5	
ZR15.036.04	FRONT	DDS	282	47	64	23	21	5	

## FIT

### Model Detail 1.3 Year 2001- Chassis GD

ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4	
ZR15.046.02	FRONT	S6	240	39	61	21	19	4	
ZR15.046.03	FRONT	S12	240	39	61	21	19	4	
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4	

### Model Detail 1.5 Year 2001- Chassis GD

ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4	
ZR15.046.02	FRONT	S6	240	39	61	21	19	4	
ZR15.046.03	FRONT	S12	240	39	61	21	19	4	
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4	

### Model Detail 1.5 VTEC Year 2001- Chassis GD

ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4	
ZR15.046.02	FRONT	S6	240	39	61	21	19	4	
ZR15.046.03	FRONT	S12	240	39	61	21	19	4	
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4	

## HR-V

### Model Detail 1.6 VTEC Year 1999- Chassis

ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5	
ZR15.030.02	FRONT	S6	282	47	70	23	21	5	
ZR15.030.03	FRONT	S12	282	47	70	23	21	5	
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5	

## INSPIRE

### Model Detail 3.0 Year 2003-07 Chassis UC1

ZR15.044.01	FRONT	STANDARD	300	48	64	28	26	5	
ZR15.044.02	FRONT	S6	300	48	64	28	26	5	
ZR15.044.03	FRONT	S12	300	48	64	28	26	5	
ZR15.044.04	FRONT	DDS	300	48	64	28	26	5	
ZR15.052.01	REAR	STANDARD	282	48.7	64.2	9	8	5	
ZR15.052.02	REAR	S6	282	48.7	64.2	9	8	5	
ZR15.052.03	REAR	S12	282	48.7	64.2	9	8	5	



## HONDA

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR15.052.04	REAR	DDS	282	48.7	64.2	9	8	5	

### INTEGRA

#### Model Detail 1.6 Year 1986-89 Chassis DA

ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.010.01	REAR	STANDARD	239	33	48	10	8	4	
ZR15.010.02	REAR	S6	239	33	48	10	8	4	
ZR15.010.03	REAR	S12	239	33	48	10	8	4	
ZR15.010.04	REAR	DDS	239	33	48	10	8	4	

#### Model Detail 1.6 Year 1990-93 Chassis DA

ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.010.01	REAR	STANDARD	239	33	48	10	8	4	
ZR15.010.02	REAR	S6	239	33	48	10	8	4	
ZR15.010.03	REAR	S12	239	33	48	10	8	4	
ZR15.010.04	REAR	DDS	239	33	48	10	8	4	

#### Model Detail 1.6 VTEC Year 1990-93 Chassis DA6

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

#### Model Detail 1.8 VTEC Year 1993-97 Chassis DC2

ZR15.021.01	FRONT	STANDARD	262	44.5	64	21	19	4	
ZR15.021.02	FRONT	S6	262	44.5	64	21	19	4	
ZR15.021.03	FRONT	S12	262	44.5	64	21	19	4	
ZR15.021.04	FRONT	DDS	262	44.5	64	21	19	4	
ZR15.022.01	REAR	STANDARD	238.5	48	61	9	8	4	
ZR15.022.02	REAR	S6	238.5	48	61	9	8	4	
ZR15.022.03	REAR	S12	238.5	48	61	9	8	4	
ZR15.022.04	REAR	DDS	238.5	48	61	9	8	4	

#### Model Detail 1.8 VTEC TYPE R Year 1994-97 Chassis DC2

ZR15.023.01	FRONT	STANDARD	260	47	64	23	21	4	Alternate fitment 47mm ha
ZR15.023.02	FRONT	S6	260	47	64	23	21	4	Alternate fitment 47mm ha
ZR15.033.01	FRONT	STANDARD	262	49	64	21	19	4	
ZR15.033.02	FRONT	S6	262	49	64	21	19	4	
ZR15.033.03	FRONT	S12	262	49	64	21	19	4	
ZR15.033.04	FRONT	DDS	262	49	64	21	19	4	
ZR15.038.01	REAR	STANDARD	238.5	48.5	64	10	8	4	
ZR15.038.02	REAR	S6	238.5	48.5	64	10	8	4	

#### Model Detail 1.5 Year 1990-93 Chassis DA

ZR15.006.01	FRONT	STANDARD	242	44	61	19	17	4	
ZR15.006.02	FRONT	S6	242	44	61	19	17	4	
ZR15.006.03	FRONT	S12	242	44	61	19	17	4	

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.006.04	FRONT	DDS	242	44	61	19	17	4	
ZR15.010.01	REAR	STANDARD	239	33	48	10	8	4	
ZR15.010.02	REAR	S6	239	33	48	10	8	4	
ZR15.010.03	REAR	S12	239	33	48	10	8	4	
ZR15.010.04	REAR	DDS	239	33	48	10	8	4	

### Model Detail 2.0 VTEC TYPE S Year 2001- Chassis DC5

ZR15.045.01	FRONT	STANDARD	300	47.1	64	25	23	5	
ZR15.045.02	FRONT	S6	300	47.1	64	25	23	5	
ZR15.045.03	FRONT	S12	300	47.1	64	25	23	5	
ZR15.045.04	FRONT	DDS	300	47.1	64	25	23	5	
ZR15.042.01	REAR	STANDARD	260	48.7	64	9	8	5	
ZR15.042.02	REAR	S6	260	48.7	64	9	8	5	
ZR15.042.03	REAR	S12	260	48.7	64	9	8	5	
ZR15.042.04	REAR	DDS	260	48.7	64	9	8	5	

### Model Detail 1.8 VTEC TYPE R Year 1998-01 Chassis DC2

ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5	
ZR15.030.02	FRONT	S6	282	47	70	23	21	5	
ZR15.030.03	FRONT	S12	282	47	70	23	21	5	
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5	
ZR15.040.01	REAR		260	48.5	64.2	10	8	5	
ZR15.040.02	REAR		260	48.5	64.2	10	8	5	

### Model Detail 2.0 VTEC TYPE R Year 2001-05 Chassis DC5

ZR15.049.01	FRONT	STANDARD	300	57.8	64	25	23	5	
ZR15.049.02	FRONT	S6	300	57.8	64	25	23	5	
ZR15.049.03	FRONT	S12	300	57.8	64	25	23	5	
ZR15.049.04	FRONT	DDS	300	57.8	64	25	23	5	
ZR15.049.06	FRONT	Z-SPEC S12	300	57.8	64	25	23	5	
ZR15.056.01	REAR		260	63	64	9	8	5	
ZR15.056.02	REAR		260	63	64	9	8	5	
ZR15.056.03	REAR		260	63	64	9	8	5	
ZR15.056.04	REAR		260	63	64	9	8	5	

## JAZZ

### Model Detail 1.3 Year 2002- Chassis GD

ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4	
ZR15.046.02	FRONT	S6	240	39	61	21	19	4	
ZR15.046.03	FRONT	S12	240	39	61	21	19	4	
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4	

### Model Detail 1.5 Year 2002- Chassis GD

ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4	
ZR15.046.02	FRONT	S6	240	39	61	21	19	4	
ZR15.046.03	FRONT	S12	240	39	61	21	19	4	
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4	

### Model Detail 1.5 VTEC Year 2002- Chassis GD

ZR15.046.01	FRONT	STANDARD	240	39	61	21	19	4	
ZR15.046.02	FRONT	S6	240	39	61	21	19	4	
ZR15.046.03	FRONT	S12	240	39	61	21	19	4	
ZR15.046.04	FRONT	DDS	240	39	61	21	19	4	

## LEGEND

### Model Detail 2.5 Year 1985-90 Chassis KA

ZR15.029.01	FRONT	STANDARD	282	51	64	21	19	4	
ZR15.029.02	FRONT	S6	282	51	64	21	19	4	

## HONDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR15.029.03	FRONT	S12	282	51	64	21	19	4	
ZR15.029.04	FRONT	DDS	282	51	64	21	19	4	
ZR15.024.01	REAR	STANDARD	260	43	64	10	8	4	
ZR15.024.02	REAR	S6	260	43	64	10	8	4	
ZR15.024.03	REAR	S12	260	43	64	10	8	4	
ZR15.024.04	REAR	DDS	260	43	64	10	8	4	

### Model Detail 2.7 Year 1985-90 Chassis KA

ZR15.029.01	FRONT	STANDARD	282	51	64	21	19	4	
ZR15.029.02	FRONT	S6	282	51	64	21	19	4	
ZR15.029.03	FRONT	S12	282	51	64	21	19	4	
ZR15.029.04	FRONT	DDS	282	51	64	21	19	4	
ZR15.024.01	REAR	STANDARD	260	43	64	10	8	4	
ZR15.024.02	REAR	S6	260	43	64	10	8	4	
ZR15.024.03	REAR	S12	260	43	64	10	8	4	
ZR15.024.04	REAR	DDS	260	43	64	10	8	4	

### Model Detail 3.2 Year 1991-95 Chassis KA7

ZR15.012.01	FRONT	STANDARD	282	48	70	28	26	5	
ZR15.012.02	FRONT	S6	282	48	70	28	26	5	
ZR15.012.03	FRONT	S12	282	48	70	28	26	5	
ZR15.012.04	FRONT	DDS	282	48	70	28	26	5	
ZR15.028.01	REAR	STANDARD	282	61	70	9	7.5	5	
ZR15.028.02	REAR	S6	282	61	70	9	7.5	5	
ZR15.028.03	REAR	S12	282	61	70	9	7.5	5	
ZR15.028.04	REAR	DDS	282	61	70	9	7.5	5	

### Model Detail 3.5 Year 1996-99 Chassis KA9

ZR15.034.01	FRONT	STANDARD	300	47.5	70	28	26	5	
ZR15.034.02	FRONT	S6	300	47.5	70	28	26	5	
ZR15.034.03	FRONT	S12	300	47.5	70	28	26	5	
ZR15.034.04	FRONT	DDS	300	47.5	70	28	26	5	

### Model Detail 3.5 4WD Year 2005- Chassis KB1

ZR15.028.01	REAR	STANDARD	282	61	70	9	7.5	5	
ZR15.028.02	REAR	S6	282	61	70	9	7.5	5	
ZR15.028.03	REAR	S12	282	61	70	9	7.5	5	
ZR15.028.04	REAR	DDS	282	61	70	9	7.5	5	

## ODYSSEY

### Model Detail 2.4 Year 2003-10 Chassis RB1

ZR15.034.01	FRONT	STANDARD	300	47.5	70	28	26	5	70mm c/hole
ZR15.034.02	FRONT	S6	300	47.5	70	28	26	5	
ZR15.034.03	FRONT	S12	300	47.5	70	28	26	5	
ZR15.034.04	FRONT	DDS	300	47.5	70	28	26	5	
ZR15.044.01	FRONT	STANDARD	300	48	64	28	26	5	64mm c/hole
ZR15.044.02	FRONT	S6	300	48	64	28	26	5	
ZR15.044.03	FRONT	S12	300	48	64	28	26	5	
ZR15.044.04	FRONT	DDS	300	48	64	28	26	5	

## PRELUDE

### Model Detail 1.8 Year 1983-87 Chassis BA

ZR15.031.01	FRONT	STANDARD	231	50	61	19	17	4	
ZR15.031.02	FRONT	S6	231	50	61	19	17	4	
ZR15.031.03	FRONT	S12	231	50	61	19	17	4	
ZR15.031.04	FRONT	DDS	231	50	61	19	17	4	

## HONDA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 2.0 Year 1985-87 Chassis BA**

ZR15.001.01	FRONT	STANDARD	262	51	64	21	19	4
ZR15.001.02	FRONT	S6	262	51	64	21	19	4
ZR15.001.03	FRONT	S12	262	51	64	21	19	4
ZR15.001.04	FRONT	DDS	262	51	64	21	19	4
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4

**Model Detail 2.0 Year 1988-91 Chassis BA**

ZR15.016.01	FRONT	STANDARD	242	50	61	19	17	4
ZR15.016.02	FRONT	S6	242	50	61	19	17	4
ZR15.016.03	FRONT	S12	242	50	61	19	17	4
ZR15.016.04	FRONT	DDS	242	50	61	19	17	4
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4

**Model Detail 2.2 VTEC 4WS Year 1991-95 Chassis BB1**

ZR15.032.01	FRONT	STANDARD	282	48	64	23	21	4
ZR15.032.02	FRONT	S6	282	48	64	23	21	4
ZR15.032.03	FRONT	S12	282	48	64	23	21	4
ZR15.032.04	FRONT	DDS	282	48	64	23	21	4
ZR15.024.01	REAR	STANDARD	260	43	64	10	8	4
ZR15.024.02	REAR	S6	260	43	64	10	8	4
ZR15.024.03	REAR	S12	260	43	64	10	8	4
ZR15.024.04	REAR	DDS	260	43	64	10	8	4

**Model Detail 2.2 Year 1991-95 Chassis BB**

ZR15.023.01	FRONT	STANDARD	260	47	64	23	21	4
ZR15.023.02	FRONT	S6	260	47	64	23	21	4
ZR15.023.03	FRONT	S12	260	47	64	23	21	4
ZR15.023.04	FRONT	DDS	260	47	64	23	21	4
ZR15.024.01	REAR	STANDARD	260	43	64	10	8	4
ZR15.024.02	REAR	S6	260	43	64	10	8	4
ZR15.024.03	REAR	S12	260	43	64	10	8	4
ZR15.024.04	REAR	DDS	260	43	64	10	8	4

**Model Detail 2.0 4WS Year 1988-91 Chassis BA**

ZR15.001.01	FRONT	STANDARD	262	51	64	21	19	4
ZR15.001.02	FRONT	S6	262	51	64	21	19	4
ZR15.001.03	FRONT	S12	262	51	64	21	19	4
ZR15.001.04	FRONT	DDS	262	51	64	21	19	4
ZR15.026.01	REAR	STANDARD	238.5	48.5	61	10	8	4
ZR15.026.02	REAR	S6	238.5	48.5	61	10	8	4
ZR15.026.03	REAR	S12	238.5	48.5	61	10	8	4
ZR15.026.04	REAR	DDS	238.5	48.5	61	10	8	4

**Model Detail 2.2 VTiR Year 1996-01 Chassis BB6**

ZR15.030.01	FRONT	STANDARD	282	47	70	23	21	5
ZR15.030.02	FRONT	S6	282	47	70	23	21	5
ZR15.030.03	FRONT	S12	282	47	70	23	21	5
ZR15.030.04	FRONT	DDS	282	47	70	23	21	5
ZR15.048.01	REAR	STANDARD	260	43	64	9	8	5
ZR15.048.02	REAR	S6	260	43	64	9	8	5

## HONDA

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR15.048.03	REAR	S12	260	43	64	9	8	5	
ZR15.048.04	REAR	DDS	260	43	64	9	8	5	

### Model Detail 2.2 VTEC Year 1991-95 Chassis BB4

ZR15.032.01	FRONT	STANDARD	282	48	64	23	21	4	
ZR15.032.02	FRONT	S6	282	48	64	23	21	4	
ZR15.032.03	FRONT	S12	282	48	64	23	21	4	
ZR15.032.04	FRONT	DDS	282	48	64	23	21	4	
ZR15.024.01	REAR	STANDARD	260	43	64	10	8	4	
ZR15.024.02	REAR	S6	260	43	64	10	8	4	
ZR15.024.03	REAR	S12	260	43	64	10	8	4	
ZR15.024.04	REAR	DDS	260	43	64	10	8	4	

## S2000

### Model Detail 2.0 Year 1999- Chassis

ZR15.025.01	FRONT	STANDARD	300	40	70	25	23	5	
ZR15.025.02	FRONT	S6	300	40	70	25	23	5	
ZR15.025.03	FRONT	S12	300	40	70	25	23	5	
ZR15.025.04	FRONT	DDS	300	40	70	25	23	5	
ZR15.041.01	REAR	STANDARD	282	40	64	12	10	5	
ZR15.041.02	REAR	S6	282	40	64	12	10	5	
ZR15.041.03	REAR	S12	282	40	64	12	10	5	
ZR15.041.04	REAR	DDS	282	40	64	12	10	5	

## TORNEO

### Model Detail 2.0 SIR-T Year 1997-00 Chassis CF4

ZR15.032.01	FRONT	STANDARD	282	48	64	23	21	4	
ZR15.032.02	FRONT	S6	282	48	64	23	21	4	
ZR15.032.03	FRONT	S12	282	48	64	23	21	4	
ZR15.032.04	FRONT	DDS	282	48	64	23	21	4	
ZR15.027.01	REAR	STANDARD	260	48.5	64	10	8	4	
ZR15.027.02	REAR	S6	260	48.5	64	10	8	4	
ZR15.027.03	REAR	S12	260	48.5	64	10	8	4	
ZR15.027.04	REAR	DDS	260	48.5	64	10	8	4	