

## JAGUAR

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### S-TYPE

<b>Model Detail</b>		<b>3.0</b>	<b>Year</b> 2000-08				<b>Chassis</b>		
ZR18.013.01	FRONT	STANDARD	300	43.5	71	30	28	5	
ZR18.013.02	FRONT	S6	300	43.5	71	30	28	5	
ZR18.013.03	FRONT	S12	300	43.5	71	30	28	5	
ZR18.013.04	FRONT	DDS	300	43.5	71	30	28	5	
ZR18.014.01	REAR	STANDARD	286	32.5	64.5	20	18.5	5	
ZR18.014.02	REAR	S6	286	32.5	64.5	20	18.5	5	
ZR18.014.03	REAR	S12	286	32.5	64.5	20	18.5	5	
ZR18.014.04	REAR	DDS	286	32.5	64.5	20	18.5	5	

<b>Model Detail</b>		<b>4.0</b>	<b>Year</b> 2000-08				<b>Chassis</b>		
ZR18.013.01	FRONT	STANDARD	300	43.5	71	30	28	5	
ZR18.013.02	FRONT	S6	300	43.5	71	30	28	5	
ZR18.013.03	FRONT	S12	300	43.5	71	30	28	5	
ZR18.013.04	FRONT	DDS	300	43.5	71	30	28	5	
ZR18.014.01	REAR	STANDARD	286	32.5	64.5	20	18.5	5	
ZR18.014.02	REAR	S6	286	32.5	64.5	20	18.5	5	
ZR18.014.03	REAR	S12	286	32.5	64.5	20	18.5	5	
ZR18.014.04	REAR	DDS	286	32.5	64.5	20	18.5	5	

### XJ12

<b>Model Detail</b>		<b>5.3</b>	<b>Year</b> 1973-79				<b>Chassis</b> SERIES 2		
ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

<b>Model Detail</b>		<b>6.0</b>	<b>Year</b> 1993-94				<b>Chassis</b> XJ81		
ZR18.006.01	FRONT	STANDARD	291	66.8	80	28	27	5	
ZR18.006.02	FRONT	S6	291	66.8	80	28	27	5	
ZR18.006.03	FRONT	S12	291	66.8	80	28	27	5	
ZR18.006.04	FRONT	DDS	291	66.8	80	28	27	5	
ZR18.007.01	REAR	STANDARD	294	67	74	10	8.8	5	
ZR18.007.02	REAR	S6	294	67	74	10	8.8	5	
ZR18.007.03	REAR	S12	294	67	74	10	8.8	5	
ZR18.007.03	REAR	S12	294	67	74	10	8.8	5	

<b>Model Detail</b>		<b>6.0</b>	<b>Year</b> 1994-97				<b>Chassis</b> XJ305		
ZR18.006.01	FRONT	STANDARD	291	66.8	80	28	27	5	
ZR18.006.02	FRONT	S6	291	66.8	80	28	27	5	
ZR18.006.03	FRONT	S12	291	66.8	80	28	27	5	
ZR18.006.04	FRONT	DDS	291	66.8	80	28	27	5	
ZR18.009.01	REAR	STANDARD	305	67.8	73.8	20	18.5	5	
ZR18.009.02	REAR	S6	305	67.8	73.8	20	18.5	5	
ZR18.009.03	REAR	S12	305	67.8	73.8	20	18.5	5	
ZR18.009.04	REAR	DDS	305	67.8	73.8	20	18.5	5	

### XJ6

<b>Model Detail</b>		<b>2.8</b>	<b>Year</b> 1968-73				<b>Chassis</b> SERIES 1		
ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	

## JAGUAR

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

### Model Detail 4.2 Year 1968-73 Chassis SERIES 1

ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

### Model Detail 2.8 Year 1973-79 Chassis SERIES 2

ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

### Model Detail 3.4 Year 1973-79 Chassis SERIES 2

ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

### Model Detail 4.2 Year 1973-79 Chassis SERIES 2

ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

### Model Detail 3.4 Year 1979-86 Chassis SERIES 3

ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5	
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5	
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5	
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5	
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4	
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4	
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4	
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4	

## JAGUAR

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 4.2 Year 1979-86 Chassis SERIES 2**

ZR18.003.01	FRONT	STANDARD	285	60.5	82	24	22.9	5
ZR18.003.02	FRONT	S6	285	60.5	82	24	22.9	5
ZR18.003.03	FRONT	S12	285	60.5	82	24	22.9	5
ZR18.003.04	FRONT	DDS	285	60.5	82	24	22.9	5
ZR18.002.01	REAR	STANDARD	262	25.5	70	12.5	11.4	4
ZR18.002.02	REAR	S6	262	25.5	70	12.5	11.4	4
ZR18.002.03	REAR	S12	262	25.5	70	12.5	11.4	4
ZR18.002.04	REAR	DDS	262	25.5	70	12.5	11.4	4

**Model Detail 2.9 Year 1986-89 Chassis XJ40**

ZR18.004.01	FRONT	STANDARD	295	67	80	22.3	21	5
ZR18.004.02	FRONT	S6	295	67	80	22.3	21	5
ZR18.004.03	FRONT	S12	295	67	80	22.3	21	5
ZR18.004.04	FRONT	DDS	295	67	80	22.3	21	5
ZR18.005.01	REAR	STANDARD	278	68	74	10	8.8	5
ZR18.005.02	REAR	S6	278	68	74	10	8.8	5
ZR18.005.03	REAR	S12	278	68	74	10	8.8	5
ZR18.005.04	REAR	DDS	278	68	74	10	8.8	5

**Model Detail 3.6 Year 1986-89 Chassis XJ40**

ZR18.004.01	FRONT	STANDARD	295	67	80	22.3	21	5
ZR18.004.02	FRONT	S6	295	67	80	22.3	21	5
ZR18.004.03	FRONT	S12	295	67	80	22.3	21	5
ZR18.004.04	FRONT	DDS	295	67	80	22.3	21	5
ZR18.005.01	REAR	STANDARD	278	68	74	10	8.8	5
ZR18.005.02	REAR	S6	278	68	74	10	8.8	5
ZR18.005.03	REAR	S12	278	68	74	10	8.8	5
ZR18.005.04	REAR	DDS	278	68	74	10	8.8	5

**Model Detail 3.2 Year 1989-94 Chassis XJ40**

ZR18.006.01	FRONT	STANDARD	291	66.8	80	28	27	5
ZR18.006.02	FRONT	S6	291	66.8	80	28	27	5
ZR18.006.03	FRONT	S12	291	66.8	80	28	27	5
ZR18.006.04	FRONT	DDS	291	66.8	80	28	27	5
ZR18.007.01	REAR	STANDARD	294	67	74	10	8.8	5
ZR18.007.02	REAR	S6	294	67	74	10	8.8	5
ZR18.007.03	REAR	S12	294	67	74	10	8.8	5
ZR18.007.03	REAR	S12	294	67	74	10	8.8	5

**Model Detail 4.0 Year 1989-94 Chassis XJ40**

ZR18.006.01	FRONT	STANDARD	291	66.8	80	28	27	5
ZR18.006.02	FRONT	S6	291	66.8	80	28	27	5
ZR18.006.03	FRONT	S12	291	66.8	80	28	27	5
ZR18.006.04	FRONT	DDS	291	66.8	80	28	27	5
ZR18.007.01	REAR	STANDARD	294	67	74	10	8.8	5
ZR18.007.02	REAR	S6	294	67	74	10	8.8	5
ZR18.007.03	REAR	S12	294	67	74	10	8.8	5
ZR18.007.03	REAR	S12	294	67	74	10	8.8	5

**Model Detail 3.2 Year 1994-97 Chassis XJ300**

ZR18.006.01	FRONT	STANDARD	291	66.8	80	28	27	5
ZR18.006.02	FRONT	S6	291	66.8	80	28	27	5
ZR18.006.03	FRONT	S12	291	66.8	80	28	27	5
ZR18.006.04	FRONT	DDS	291	66.8	80	28	27	5
ZR18.009.01	REAR	STANDARD	305	67.8	73.8	20	18.5	5
ZR18.009.02	REAR	S6	305	67.8	73.8	20	18.5	5

## JAGUAR

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR18.009.03	REAR	S12	305	67.8	73.8	20	18.5	5	
ZR18.009.04	REAR	DDS	305	67.8	73.8	20	18.5	5	

### Model Detail 4.0 Year 1994-97 Chassis XJ300

ZR18.006.01	FRONT	STANDARD	291	66.8	80	28	27	5	
ZR18.006.02	FRONT	S6	291	66.8	80	28	27	5	
ZR18.006.03	FRONT	S12	291	66.8	80	28	27	5	
ZR18.006.04	FRONT	DDS	291	66.8	80	28	27	5	
ZR18.009.01	REAR	STANDARD	305	67.8	73.8	20	18.5	5	
ZR18.009.02	REAR	S6	305	67.8	73.8	20	18.5	5	
ZR18.009.03	REAR	S12	305	67.8	73.8	20	18.5	5	
ZR18.009.04	REAR	DDS	305	67.8	73.8	20	18.5	5	

## XJ8

### Model Detail 3.2 Year 1997-02 Chassis XJ308

ZR18.008.01	FRONT	STANDARD	305	49.5	74	28	26	5	
ZR18.008.02	FRONT	S6	305	49.5	74	28	26	5	
ZR18.008.03	FRONT	S12	305	49.5	74	28	26	5	
ZR18.008.04	FRONT	DDS	305	49.5	74	28	26	5	
ZR18.009.01	REAR	STANDARD	305	67.8	73.8	20	18.5	5	
ZR18.009.02	REAR	S6	305	67.8	73.8	20	18.5	5	
ZR18.009.03	REAR	S12	305	67.8	73.8	20	18.5	5	
ZR18.009.04	REAR	DDS	305	67.8	73.8	20	18.5	5	

### Model Detail 4.0 Year 1997-02 Chassis X308

ZR18.008.01	FRONT	STANDARD	305	49.5	74	28	26	5	
ZR18.008.02	FRONT	S6	305	49.5	74	28	26	5	
ZR18.008.03	FRONT	S12	305	49.5	74	28	26	5	
ZR18.008.04	FRONT	DDS	305	49.5	74	28	26	5	
ZR18.009.01	REAR	STANDARD	305	67.8	73.8	20	18.5	5	
ZR18.009.02	REAR	S6	305	67.8	73.8	20	18.5	5	
ZR18.009.03	REAR	S12	305	67.8	73.8	20	18.5	5	
ZR18.009.04	REAR	DDS	305	67.8	73.8	20	18.5	5	

### Model Detail 4.2 Year 2006-10 Chassis X350, X358

ZR18.016.01	FRONT		326	46	71	30	28	5	Ate Caliper
ZR18.016.02	FRONT		326	46	71	30	28	5	Ate Caliper
ZR18.016.03	FRONT		326	46	71	30	28	5	Ate Caliper
ZR18.016.04	FRONT		326	46	71	30	28	5	Ate Caliper
ZR18.019.01	FRONT		320	43	71	30	28.4	5	Lucas 2 Piston Caliper

## XK8

### Model Detail 4.0 Year 1997-04 Chassis

ZR18.008.01	FRONT	STANDARD	305	49.5	74	28	26	5	
ZR18.008.02	FRONT	S6	305	49.5	74	28	26	5	
ZR18.008.03	FRONT	S12	305	49.5	74	28	26	5	
ZR18.008.04	FRONT	DDS	305	49.5	74	28	26	5	
ZR18.009.01	REAR	STANDARD	305	67.8	73.8	20	18.5	5	
ZR18.009.02	REAR	S6	305	67.8	73.8	20	18.5	5	
ZR18.009.03	REAR	S12	305	67.8	73.8	20	18.5	5	
ZR18.009.04	REAR	DDS	305	67.8	73.8	20	18.5	5	

## X-TYPE

### Model Detail 2.5 Year 2001- Chassis CDW27

ZR12.067.01	FRONT	STANDARD	300	47.2	63.5	24	22	5	
ZR12.067.02	FRONT	S6	300	47.2	63.5	24	22	5	
ZR12.067.03	FRONT	S12	300	47.2	63.5	24	22	5	

## JAGUAR

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR12.067.04	FRONT	DDS	300	47.2	63.5	24	22	5	
ZR12.086.01	REAR	STANDARD	280	34	63.5	12	10	5	
ZR12.086.02	REAR	S6	280	34	63.5	12	10	5	
ZR12.086.03	REAR	S12	280	34	63.5	12	10	5	
ZR12.086.04	REAR	DDS	280	34	63.5	12	10	5	

<b>Model Detail</b>	<b>3.0</b>	<b>Year</b>	<b>2001-</b>	<b>Chassis</b>	<b>CDW27</b>
---------------------	------------	-------------	--------------	----------------	--------------

ZR12.067.01	FRONT	STANDARD	300	47.2	63.5	24	22	5	
ZR12.067.02	FRONT	S6	300	47.2	63.5	24	22	5	
ZR12.067.03	FRONT	S12	300	47.2	63.5	24	22	5	
ZR12.067.04	FRONT	DDS	300	47.2	63.5	24	22	5	
ZR12.086.01	REAR	STANDARD	280	34	63.5	12	10	5	
ZR12.086.02	REAR	S6	280	34	63.5	12	10	5	
ZR12.086.03	REAR	S12	280	34	63.5	12	10	5	
ZR12.086.04	REAR	DDS	280	34	63.5	12	10	5	