

## LEXUS

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### ES300

Model Detail	3.0					Year	1997-01	Chassis	MCV20
ZR42.057.01	FRONT	STANDARD	276	49.5	62	28	26	5	
ZR42.057.02	FRONT	S6	276	49.5	62	28	26	5	
ZR42.057.03	FRONT	S12	276	49.5	62	28	26	5	
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5	
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5	
ZR42.058.02	REAR	S6	269	65	62	10	9	5	
ZR42.058.03	REAR	S12	269	65	62	10	9	5	
ZR42.058.04	REAR	DDS	269	65	62	10	9	5	

### GS300

Model Detail	3.0					Year	1993-97	Chassis	JZS147
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	
ZR42.103.01	REAR	STANDARD	307	63	62	12	10.5	5	
ZR42.103.02	REAR	S6	307	63	62	12	10.5	5	
ZR42.103.03	REAR	S12	307	63	62	12	10.5	5	
ZR42.103.04	REAR	DDS	307	63	62	12	10.5	5	

Model Detail	3.0					Year	1997-05	Chassis	JZS160R
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	
ZR42.103.01	REAR	STANDARD	307	63	62	12	10.5	5	
ZR42.103.02	REAR	S6	307	63	62	12	10.5	5	
ZR42.103.03	REAR	S12	307	63	62	12	10.5	5	
ZR42.103.04	REAR	DDS	307	63	62	12	10.5	5	

### IS200

Model Detail	2.0					Year	1999-06	Chassis	GXE10
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	
ZR42.103.01	REAR	STANDARD	307	63	62	12	10.5	5	
ZR42.103.02	REAR	S6	307	63	62	12	10.5	5	
ZR42.103.03	REAR	S12	307	63	62	12	10.5	5	
ZR42.103.04	REAR	DDS	307	63	62	12	10.5	5	

### IS250

Model Detail	2.5					Year	2005-15	Chassis	GSE20
ZR42.131.01	FRONT		296	49.2	62	28	26	5	
ZR42.131.02	FRONT		296	49.2	62	28	26	5	
ZR42.131.03	FRONT		296	49.2	62	28	26	5	
ZR42.131.04	FRONT		296	49.2	62	28	26	5	
ZR42.132.01	REAR								

### IS300

Model Detail	3.0					Year	2001-06	Chassis	JCE10
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	

## LEXUS

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	
ZR42.103.01	REAR	STANDARD	307	63	62	12	10.5	5	
ZR42.103.02	REAR	S6	307	63	62	12	10.5	5	
ZR42.103.03	REAR	S12	307	63	62	12	10.5	5	
ZR42.103.04	REAR	DDS	307	63	62	12	10.5	5	

### IS350

#### Model Detail 3.5 Year 2005-14 Chassis GSE21

ZR42.145.01	FRONT		334	51	62	29.8	27	5	
ZR42.145.04	FRONT		334	51	62	30	27	5	
ZR42.168.01	REAR		310	67.5	62	18	16.5	5	
ZR42.168.02	REAR		310	67.5	62	18	16.5	5	
ZR42.168.03	REAR		310	67.5	62	18	16.5	5	
ZR42.168.04	REAR		310	67.5	62	18	16.5	5	

### LS400

#### Model Detail 4.0 Year 1989-92 Chassis UCF10 SERIES 1

ZR42.159.01	FRONT		276	51	60	28	26	5	
ZR42.159.02	FRONT		276	51	60	28	26	5	
ZR42.159.03	FRONT		276	51	60	28	26	5	
ZR42.159.04	FRONT		276	51	60	28	26	5	
ZR42.008.01	REAR	STANDARD	291	67.5	60	16	15	5	1990-92
ZR42.008.02	REAR	S6	291	67.5	60	16	15	5	1990-92
ZR42.008.03	REAR	S12	291	67.5	60	16	15	5	1990-92
ZR42.008.04	REAR	DDS	291	67.5	60	16	15	5	1990-92

#### Model Detail 4.0 Year 1992-95 Chassis UCF10 SERIES 2

ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	
ZR42.009.01	REAR	STANDARD	307	67	62	16	15	5	
ZR42.009.02	REAR	S6	307	67	62	16	15	5	
ZR42.009.03	REAR	S12	307	67	62	16	15	5	
ZR42.009.04	REAR	DDS	307	67	62	16	15	5	

#### Model Detail 4.0 Year 1994-01 Chassis UCF20

ZR42.127.01	FRONT	STANDARD	315	53.5	62	28	26	5	
ZR42.127.02	FRONT	S6	315	53.5	62	28	26	5	
ZR42.127.03	FRONT	S12	315	53.5	62	28	26	5	
ZR42.127.04	FRONT	DDS	315	53.5	62	28	26	5	
ZR42.009.01	REAR	STANDARD	307	67	62	16	15	5	
ZR42.009.02	REAR	S6	307	67	62	16	15	5	
ZR42.009.03	REAR	S12	307	67	62	16	15	5	
ZR42.009.04	REAR	DDS	307	67	62	16	15	5	

### LX450

#### Model Detail 4.5 Year 1996-97 Chassis FJZ80

ZR42.084.01	FRONT	STANDARD	311	58	105	32	30	6	
-------------	-------	----------	-----	----	-----	----	----	---	--

### LX470

#### Model Detail 4.7 Year 1997-07 Chassis UZJ100

ZR42.006.01	FRONT	STANDARD	312	71	115	32	30	5	
ZR42.007.01	REAR	STANDARD	330	103	110	18	16	5	

### SC300

## LEXUS

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 3.0** **Year 1992-00** **Chassis**

ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT	S6	296	51	62	32	30	5
ZR42.032.03	FRONT	S12	296	51	62	32	30	5
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5
ZR42.009.01	REAR	STANDARD	307	67	62	16	15	5
ZR42.009.02	REAR	S6	307	67	62	16	15	5
ZR42.009.03	REAR	S12	307	67	62	16	15	5
ZR42.009.04	REAR	DDS	307	67	62	16	15	5

## SC400

**Model Detail 4.0** **Year 1991-00** **Chassis**

ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT	S6	296	51	62	32	30	5
ZR42.032.03	FRONT	S12	296	51	62	32	30	5
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5
ZR42.009.01	REAR	STANDARD	307	67	62	16	15	5
ZR42.009.02	REAR	S6	307	67	62	16	15	5
ZR42.009.03	REAR	S12	307	67	62	16	15	5
ZR42.009.04	REAR	DDS	307	67	62	16	15	5