

## MAZDA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### 121

**Model Detail 1.3 Year 1990- Chassis DB3P/A**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.009.01	FRONT	STANDARD	235	45	55	12		10	
ZR25.009.02	FRONT	S6	235	45	55	12		10	
ZR25.009.03	FRONT	S12	235	45	55	12		10	
ZR25.009.04	FRONT	DDS	235	45	55	12		10	

### 2

**Model Detail 1.5 Year 2002-08 Chassis DY5W**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.064.01	FRONT		258	43.5	55	23		21	4 x 10
ZR25.064.02	FRONT		258	43.5	55	23		21	4 x 10
ZR25.064.04	FRONT		258	43.5	55	23		21	4 x 10

**Model Detail 1.5 Year 2007-18 Chassis DE5W**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.064.01	FRONT		258	43.5	55	23		21	4 x 10
ZR25.064.02	FRONT		258	43.5	55	23		21	4 x 10
ZR25.064.04	FRONT		258	43.5	55	23		21	4 x 10

### 3

**Model Detail 2.0 Year 2003-09 Chassis BKEP, BKFP, BKFS**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.052.01	FRONT	STANDARD	278	48.7	72	25		23	5
ZR25.052.02	FRONT	S6	278	48.7	72	25		23	5
ZR25.052.03	FRONT	S12	278	48.7	72	25		23	5
ZR25.052.04	FRONT	DDS	278	48.7	72	25		23	5
ZR25.053.01	REAR	STANDARD	265	41	72	11		9	5
ZR25.053.02	REAR	S6	265	41	72	11		9	5
ZR25.053.03	REAR	S12	265	41	72	11		9	5
ZR25.053.04	REAR	DDS	265	41	72	11		9	5

**Model Detail 2.3 TURBO MPS Year 2005- Chassis BK3P**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.063.01	FRONT		320	49	72	25		23	5
ZR25.063.02	FRONT		320	49	72	25		23	5
ZR25.063.03	FRONT		320	49	72	25		23	5
ZR25.063.04	FRONT		320	49	72	25		23	5
ZR25.057.01	REAR	STANDARD	280	41	71.7	11		9	5
ZR25.057.02	REAR	S6	280	41	71.7	11		9	5
ZR25.057.03	REAR	S12	280	41	71.7	11		9	5
ZR25.057.04	REAR	DDS	280	41	71.7	11		9	5

**Model Detail 2.3 SP23 Year 2003- Chassis BK3P**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.056.01	FRONT	STANDARD	300	48.5	72	25		23	5
ZR25.056.02	FRONT	S6	300	48.5	72	25		23	5
ZR25.056.03	FRONT	S12	300	48.5	72	25		23	5
ZR25.056.04	FRONT	DDS	300	48.5	72	25		23	5
ZR25.057.01	REAR	STANDARD	280	41	71.7	11		9	5
ZR25.057.02	REAR	S6	280	41	71.7	11		9	5
ZR25.057.03	REAR	S12	280	41	71.7	11		9	5
ZR25.057.04	REAR	DDS	280	41	71.7	11		9	5

### 323

**Model Detail 1.3 Year 1984-88 Chassis BF3P**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR25.031.01	FRONT	STANDARD	238	31	75	18		16	4
ZR25.031.02	FRONT	S6	238	31	75	18		16	4
ZR25.031.03	FRONT	S12	238	31	75	18		16	4
ZR25.031.04	FRONT	DDS	238	31	75	18		16	4

## MAZDA

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
<b>Model Detail 1.3</b>									
						<b>Year</b> 1986-88	<b>Chassis</b> BFTP		
ZR25.031.01	FRONT	STANDARD	238	31	75	18	16	4	
ZR25.031.02	FRONT	S6	238	31	75	18	16	4	
ZR25.031.03	FRONT	S12	238	31	75	18	16	4	
ZR25.031.04	FRONT	DDS	238	31	75	18	16	4	
<b>Model Detail 1.3</b>									
						<b>Year</b> 1989-	<b>Chassis</b> BG3P/S		
ZR25.015.01	FRONT	STANDARD	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.015.02	FRONT	S6	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.015.03	FRONT	S12	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.015.04	FRONT	DDS	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	AUTO TRANS
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	AUTO TRANS
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	AUTO TRANS
ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	AUTO TRANS
<b>Model Detail 1.3 VAN</b>									
						<b>Year</b> 1985-	<b>Chassis</b> BF3V		
ZR25.031.01	FRONT	STANDARD	238	31	75	18	16	4	
ZR25.031.02	FRONT	S6	238	31	75	18	16	4	
ZR25.031.03	FRONT	S12	238	31	75	18	16	4	
ZR25.031.04	FRONT	DDS	238	31	75	18	16	4	
<b>Model Detail 1.3 WAGON</b>									
						<b>Year</b> 1985-	<b>Chassis</b> BW3W		
ZR25.031.01	FRONT	STANDARD	238	31	75	18	16	4	
ZR25.031.02	FRONT	S6	238	31	75	18	16	4	
ZR25.031.03	FRONT	S12	238	31	75	18	16	4	
ZR25.031.04	FRONT	DDS	238	31	75	18	16	4	
<b>Model Detail 1.5</b>									
						<b>Year</b> 1985-86	<b>Chassis</b> BF5P		
ZR25.031.01	FRONT	STANDARD	238	31	75	18	16	4	
ZR25.031.02	FRONT	S6	238	31	75	18	16	4	
ZR25.031.03	FRONT	S12	238	31	75	18	16	4	
ZR25.031.04	FRONT	DDS	238	31	75	18	16	4	
<b>Model Detail 1.6</b>									
						<b>Year</b> 1986-	<b>Chassis</b> BF5P		
ZR25.031.01	FRONT	STANDARD	238	31	75	18	16	4	
ZR25.031.02	FRONT	S6	238	31	75	18	16	4	
ZR25.031.03	FRONT	S12	238	31	75	18	16	4	
ZR25.031.04	FRONT	DDS	238	31	75	18	16	4	
ZR25.032.01	REAR	STANDARD	222	35	HUB	10	8	4	
ZR25.032.02	REAR	S6	222	35	HUB	10	8	4	
ZR25.032.03	REAR	S12	222	35	HUB	10	8	4	
ZR25.032.04	REAR	DDS	222	35	HUB	10	8	4	
<b>Model Detail 1.5</b>									
						<b>Year</b> 1989-	<b>Chassis</b> BG5P/S		
ZR25.015.01	FRONT	STANDARD	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.015.02	FRONT	S6	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.015.03	FRONT	S12	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.015.04	FRONT	DDS	235	45.5	55	18	16	4	MANUAL TRANS
ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	AUTO TRANS
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	AUTO TRANS
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	AUTO TRANS
ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	AUTO TRANS
<b>Model Detail 1.5 4WD</b>									
						<b>Year</b> 1987-	<b>Chassis</b> BF5P		
ZR25.031.01	FRONT	STANDARD	238	31	75	18	16	4	
ZR25.031.02	FRONT	S6	238	31	75	18	16	4	
ZR25.031.03	FRONT	S12	238	31	75	18	16	4	

## MAZDA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR25.031.04 FRONT DDS 238 31 75 18 16 4

**Model Detail 1.6 Year 1989- Chassis BG6P(S)**

ZR25.015.01 FRONT STANDARD 235 45.5 55 18 16 4 MANUAL TRANS  
 ZR25.015.02 FRONT S6 235 45.5 55 18 16 4 MANUAL TRANS  
 ZR25.015.03 FRONT S12 235 45.5 55 18 16 4 MANUAL TRANS  
 ZR25.015.04 FRONT DDS 235 45.5 55 18 16 4 MANUAL TRANS  
 ZR25.016.01 FRONT STANDARD 235 45.5 55 22 20 4 AUTO TRANS  
 ZR25.016.02 FRONT S6 235 45.5 55 22 20 4 AUTO TRANS  
 ZR25.016.03 FRONT S12 235 45.5 55 22 20 4 AUTO TRANS  
 ZR25.016.04 FRONT DDS 235 45.5 55 22 20 4 AUTO TRANS

**Model Detail 1.5 Year 1994-98 Chassis BA**

ZR25.016.01 FRONT STANDARD 235 45.5 55 22 20 4  
 ZR25.016.02 FRONT S6 235 45.5 55 22 20 4  
 ZR25.016.03 FRONT S12 235 45.5 55 22 20 4  
 ZR25.016.04 FRONT DDS 235 45.5 55 22 20 4

**Model Detail 1.6 4WD TURBO Year 1987-89 Chassis BFMR**

ZR25.002.01 FRONT STANDARD 260 32 75 18 16 4  
 ZR25.002.02 FRONT S6 260 32 75 18 16 4  
 ZR25.002.03 FRONT S12 260 32 75 18 16 4  
 ZR25.002.04 FRONT DDS 260 32 75 18 16 4  
 ZR25.033.01 REAR STANDARD 247 30 75 10 8 4 NLA  
 ZR25.033.02 REAR S6 247 30 75 10 8 4 NLA  
 ZR25.033.03 REAR S12 247 30 75 10 8 4 NLA  
 ZR25.033.04 REAR DDS 247 30 75 10 8 4 NLA

**Model Detail 1.7 DIESEL Year 1987-89 Chassis BF7P**

ZR25.031.01 FRONT STANDARD 238 31 75 18 16 4  
 ZR25.031.02 FRONT S6 238 31 75 18 16 4  
 ZR25.031.03 FRONT S12 238 31 75 18 16 4  
 ZR25.031.04 FRONT DDS 238 31 75 18 16 4

**Model Detail 1.8 4WD TURBO GTX Year 1989-94 Chassis BG8R**

ZR25.017.01 FRONT STANDARD 257 45.5 55 22 20 4  
 ZR25.017.02 FRONT S6 257 45.5 55 22 20 4  
 ZR25.017.03 FRONT S12 257 45.5 55 22 20 4  
 ZR25.017.04 FRONT DDS 257 45.5 55 22 20 4  
 ZR25.018.01 REAR STANDARD 250.5 34.5 55 9 8 4  
 ZR25.018.02 REAR S6 250.5 34.5 55 9 8 4  
 ZR25.018.03 REAR S12 250.5 34.5 55 9 8 4  
 ZR25.018.04 REAR DDS 250.5 34.5 55 9 8 4

**Model Detail 1.6 2WD TURBO Year 1987-89 Chassis BFMP**

ZR25.002.01 FRONT STANDARD 260 32 75 18 16 4  
 ZR25.002.02 FRONT S6 260 32 75 18 16 4  
 ZR25.002.03 FRONT S12 260 32 75 18 16 4  
 ZR25.002.04 FRONT DDS 260 32 75 18 16 4  
 ZR25.032.01 REAR STANDARD 222 35 HUB 10 8 4  
 ZR25.032.02 REAR S6 222 35 HUB 10 8 4  
 ZR25.032.03 REAR S12 222 35 HUB 10 8 4  
 ZR25.032.04 REAR DDS 222 35 HUB 10 8 4

**Model Detail 1.8 4WD TURBO GTR Year 1989-94 Chassis BG8Z**

ZR25.038.01 FRONT STANDARD 273.5 47.5 72 24 22 5  
 ZR25.038.02 FRONT S6 273.5 47.5 72 24 22 5  
 ZR25.038.03 FRONT S12 273.5 47.5 72 24 22 5

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.038.04	FRONT	DDS	273.5	47.5	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	TO BE CONFIRMED
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	

### Model Detail 1.8 Year 1994-98 Chassis BA

ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	

### Model Detail 2.0 DIESEL TURBO Year 1994-98 Chassis BA

ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	

### Model Detail 1.5 Year 1998- Chassis BJ

ZR25.011.01	FRONT	STANDARD	235	46	55	22	20	4	
ZR25.011.02	FRONT	S6	235	46	55	22	20	4	
ZR25.011.03	FRONT	S12	235	46	55	22	20	4	
ZR25.011.04	FRONT	DDS	235	46	55	22	20	4	

### Model Detail 1.8 Year 1998- Chassis BJ

ZR25.049.01	FRONT	STANDARD	323	46	72	24	22	5	
ZR25.049.02	FRONT	S6	323	46	72	24	22	5	
ZR25.049.03	FRONT	S12	323	46	72	24	22	5	
ZR25.049.04	FRONT	DDS	323	46	72	24	22	5	
ZR25.050.01	REAR	STANDARD	314	67.5	72	32	30	5	
ZR25.050.02	REAR	S6	314	67.5	72	32	30	5	
ZR25.050.03	REAR	S12	314	67.5	72	32	30	5	
ZR25.050.04	REAR	DDS	314	67.5	72	32	30	5	

### Model Detail 2.0 DIESEL TURBO Year 1998- Chassis BJ

ZR25.049.01	FRONT	STANDARD	323	46	72	24	22	5	
ZR25.049.02	FRONT	S6	323	46	72	24	22	5	
ZR25.049.03	FRONT	S12	323	46	72	24	22	5	
ZR25.049.04	FRONT	DDS	323	46	72	24	22	5	
ZR25.050.01	REAR	STANDARD	314	67.5	72	32	30	5	
ZR25.050.02	REAR	S6	314	67.5	72	32	30	5	
ZR25.050.03	REAR	S12	314	67.5	72	32	30	5	
ZR25.050.04	REAR	DDS	314	67.5	72	32	30	5	

### Model Detail 1.8 Year 1989-94 Chassis BG8P

ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

## 6

### Model Detail 2.3 SEDAN Year 2002-08 Chassis GG3S

ZR25.038.01	FRONT	STANDARD	273.5	47.5	72	24	22	5	
ZR25.038.02	FRONT	S6	273.5	47.5	72	24	22	5	
ZR25.038.03	FRONT	S12	273.5	47.5	72	24	22	5	

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.038.04	FRONT	DDS	273.5	47.5	72	24	22	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

### Model Detail 2.3 WAGON Year 2002-08 Chassis GY3W

ZR25.046.01	FRONT	STANDARD	283	48.5	72	25	23	5	
ZR25.046.02	FRONT	S6	283	48.5	72	25	23	5	
ZR25.046.03	FRONT	S12	283	48.5	72	25	23	5	
ZR25.046.04	FRONT	DDS	283	48.5	72	25	23	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

### Model Detail 2.3 MPS TURBO 4WD Year 2002- Chassis GG3

ZR25.061.01	FRONT	STANDARD	320	46	72	25	23	5	320MM
ZR25.061.02	FRONT	S6	320	46	72	25	23	5	
ZR25.061.03	FRONT	S12	320	46	72	25	23	5	
ZR25.061.04	FRONT	DDS	320	46	72	25	23	5	
ZR25.062.01	REAR		314	41	72	11	9	5	
ZR25.062.02	REAR		314	41	72	11	9	5	
ZR25.062.03	REAR		314	41	72	11	9	5	
ZR25.062.04	REAR		314	41	72	11	9	5	

### Model Detail 2.5 Year 2008-14 Chassis GH5

ZR25.061.01	FRONT	STANDARD	320	46	72	25	23	5	18" Wheels 25Z 320mm Di
ZR25.061.02	FRONT	S6	320	46	72	25	23	5	18" Wheels 25Z 320mm Di
ZR25.061.03	FRONT	S12	320	46	72	25	23	5	18" Wheels 25Z 320mm Di
ZR25.061.04	FRONT	DDS	320	46	72	25	23	5	18" Wheels 25Z 320mm Di
ZR25.067.01	FRONT	STANDARD	300	49	72	25	23	5	
ZR25.067.02	FRONT	S6	299	49	72	25	23	5	
ZR25.067.03	FRONT	S12	300	49	72	25	23	5	
ZR25.067.04	FRONT	DDS	300	49	72	25	23	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	
ZR25.062.01	REAR		314	41	72	11	9	5	18" Wheels 25Z 314mm Di
ZR25.062.02	REAR		314	41	72	11	9	5	18" Wheels 25Z 314mm Di
ZR25.062.03	REAR		314	41	72	11	9	5	18" Wheels 25Z 314mm Di
ZR25.062.04	REAR		314	41	72	11	9	5	18" Wheels 25Z 314mm Di

## 626

### Model Detail 2.0 Year 1988-92 Chassis GD

ZR25.022.01	FRONT	STANDARD	264	47	64	24	22	5	
ZR25.022.02	FRONT	S6	264	47	64	24	22	5	
ZR25.022.03	FRONT	S12	264	47	64	24	22	5	
ZR25.022.04	FRONT	DDS	264	47	64	24	22	5	
ZR25.023.01	REAR	STANDARD	258	64	HUB	10	8	5	
ZR25.023.02	REAR	S6	258	64	HUB	10	8	5	
ZR25.023.03	REAR	S12	258	64	HUB	10	8	5	
ZR25.023.04	REAR	DDS	258	64	HUB	10	8	5	

### Model Detail 2.0 Year 1992-97 Chassis GE

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
-------------	-------	----------	-----	----	----	----	----	---	--

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

### Model Detail 2.0 Year 1997- Chassis GF

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

### Model Detail 2.0 WAGON Year 1997-99 Chassis GW

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

### Model Detail 2.0 GT 4WS Year 1988-92 Chassis GD

ZR25.022.01	FRONT	STANDARD	264	47	64	24	22	5	
ZR25.022.02	FRONT	S6	264	47	64	24	22	5	
ZR25.022.03	FRONT	S12	264	47	64	24	22	5	
ZR25.022.04	FRONT	DDS	264	47	64	24	22	5	

### Model Detail 2.5 V6 Year 1992-97 Chassis GE

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

## 929

### Model Detail 3.0 Year 1991 Chassis HC

ZR25.038.01	FRONT	STANDARD	273.5	47.5	72	24	22	5	
ZR25.038.02	FRONT	S6	273.5	47.5	72	24	22	5	
ZR25.038.03	FRONT	S12	273.5	47.5	72	24	22	5	
ZR25.038.04	FRONT	DDS	273.5	47.5	72	24	22	5	
ZR25.039.01	REAR	STANDARD	286	56.5	72	18	16	5	
ZR25.039.02	REAR	S6	286	56.5	72	18	16	5	
ZR25.039.03	REAR	S12	286	56.5	72	18	16	5	
ZR25.039.04	REAR	DDS	286	56.5	72	18	16	5	

### Model Detail 3.0 Year 1995-97 Chassis HE

ZR25.038.01	FRONT	STANDARD	273.5	47.5	72	24	22	5	
-------------	-------	----------	-------	------	----	----	----	---	--

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.038.02	FRONT	S6	273.5	47.5	72	24	22	5	
ZR25.038.03	FRONT	S12	273.5	47.5	72	24	22	5	
ZR25.038.04	FRONT	DDS	273.5	47.5	72	24	22	5	
ZR25.039.01	REAR	STANDARD	286	56.5	72	18	16	5	
ZR25.039.02	REAR	S6	286	56.5	72	18	16	5	
ZR25.039.03	REAR	S12	286	56.5	72	18	16	5	
ZR25.039.04	REAR	DDS	286	56.5	72	18	16	5	

## ASTINA

Model Detail		1.5	Year			1989	Chassis		BG5P
ZR25.015.01	FRONT	STANDARD	235	45.5	55	18	16	4	
ZR25.015.02	FRONT	S6	235	45.5	55	18	16	4	
ZR25.015.03	FRONT	S12	235	45.5	55	18	16	4	
ZR25.015.04	FRONT	DDS	235	45.5	55	18	16	4	

Model Detail		1.6	Year			1989-94	Chassis		BG6P
ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	
ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	
ZR12.051.01	REAR	STANDARD	231	35	55	9	8	4	
ZR12.051.02	REAR	S6	231	35	55	9	8	4	
ZR12.051.03	REAR	S12	231	35	55	9	8	4	
ZR12.051.04	REAR	DDS	231	35	55	9	8	4	

Model Detail		1.8	Year			1989-94	Chassis		BG8P
ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

Model Detail		2.0	Year			1994-98	Chassis		BA
ZR25.019.01	FRONT	STANDARD	274	45	72	22	20	5	
ZR25.019.02	FRONT	S6	274	45	72	22	20	5	
ZR25.019.03	FRONT	S12	274	45	72	22	20	5	
ZR25.019.04	FRONT	DDS	274	45	72	22	20	5	
ZR25.048.01	REAR	STANDARD	275	35	55	9	8	4	
ZR25.048.02	REAR	S6	275	35	55	9	8	4	
ZR25.048.03	REAR	S12	275	35	55	9	8	4	
ZR25.048.04	REAR	DDS	275	35	55	9	8	4	

Model Detail		1.6	Year			1998-	Chassis		BJ
ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	
ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	

Model Detail		1.8	Year			19980	Chassis		BJ
ZR25.049.01	FRONT	STANDARD	323	46	72	24	22	5	
ZR25.049.02	FRONT	S6	323	46	72	24	22	5	
ZR25.049.03	FRONT	S12	323	46	72	24	22	5	
ZR25.049.04	FRONT	DDS	323	46	72	24	22	5	
ZR25.050.01	REAR	STANDARD	314	67.5	72	32	30	5	

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.050.02	REAR	S6	314	67.5	72	32	30	5	
ZR25.050.03	REAR	S12	314	67.5	72	32	30	5	
ZR25.050.04	REAR	DDS	314	67.5	72	32	30	5	

### Model Detail 2.0 Year 1998- Chassis BJ

ZR25.049.01	FRONT	STANDARD	323	46	72	24	22	5	
ZR25.049.02	FRONT	S6	323	46	72	24	22	5	
ZR25.049.03	FRONT	S12	323	46	72	24	22	5	
ZR25.049.04	FRONT	DDS	323	46	72	24	22	5	
ZR25.050.01	REAR	STANDARD	314	67.5	72	32	30	5	
ZR25.050.02	REAR	S6	314	67.5	72	32	30	5	
ZR25.050.03	REAR	S12	314	67.5	72	32	30	5	
ZR25.050.04	REAR	DDS	314	67.5	72	32	30	5	

## ATENZA

### Model Detail 2.0 WAGON Year 2002- Chassis GYEW

ZR25.038.01	FRONT	STANDARD	273.5	47.5	72	24	22	5	
ZR25.038.02	FRONT	S6	273.5	47.5	72	24	22	5	
ZR25.038.03	FRONT	S12	273.5	47.5	72	24	22	5	
ZR25.038.04	FRONT	DDS	273.5	47.5	72	24	22	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

### Model Detail 2.3 WAGON Year 2002- Chassis GY3W

ZR25.046.01	FRONT	STANDARD	283	48.5	72	25	23	5	
ZR25.046.02	FRONT	S6	283	48.5	72	25	23	5	
ZR25.046.03	FRONT	S12	283	48.5	72	25	23	5	
ZR25.046.04	FRONT	DDS	283	48.5	72	25	23	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

### Model Detail 2.0 Year 2002- Chassis GGEP

ZR25.038.01	FRONT	STANDARD	273.5	47.5	72	24	22	5	
ZR25.038.02	FRONT	S6	273.5	47.5	72	24	22	5	
ZR25.038.03	FRONT	S12	273.5	47.5	72	24	22	5	
ZR25.038.04	FRONT	DDS	273.5	47.5	72	24	22	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

### Model Detail 2.2 Year 2002- Chassis GG3P

ZR25.046.01	FRONT	STANDARD	283	48.5	72	25	23	5	
ZR25.046.02	FRONT	S6	283	48.5	72	25	23	5	
ZR25.046.03	FRONT	S12	283	48.5	72	25	23	5	
ZR25.046.04	FRONT	DDS	283	48.5	72	25	23	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

### Model Detail 2.5 Year 2007-12 Chassis GH5

ZR25.067.01	FRONT	STANDARD	300	49	72	25	23	5	
-------------	-------	----------	-----	----	----	----	----	---	--



## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.067.02	FRONT	S6	299	49	72	25	23	5	
ZR25.067.03	FRONT	S12	300	49	72	25	23	5	
ZR25.067.04	FRONT	DDS	300	49	72	25	23	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

## AXELA

### Model Detail 2.0 Year 2009-14 Chassis BLFP

ZR25.052.01	FRONT	STANDARD	278	48.7	72	25	23	5	
ZR25.052.02	FRONT	S6	278	48.7	72	25	23	5	
ZR25.052.03	FRONT	S12	278	48.7	72	25	23	5	
ZR25.052.04	FRONT	DDS	278	48.7	72	25	23	5	
ZR25.053.01	REAR	STANDARD	265	41	72	11	9	5	
ZR25.053.02	REAR	S6	265	41	72	11	9	5	
ZR25.053.03	REAR	S12	265	41	72	11	9	5	
ZR25.053.04	REAR	DDS	265	41	72	11	9	5	

## B2000

### Model Detail 2.0 Year 1985-92 Chassis UT52

ZR25.021.01	FRONT	STANDARD	256	20	86	20	18	6	
ZR25.021.02	FRONT	S6	256	20	86	20	18	6	
ZR25.021.03	FRONT	S12	256	20	86	20	18	6	
ZR25.021.04	FRONT	DDS	256	20	86	20	18	6	

## B2500

### Model Detail 2.5 DIESEL Year 1987-95 Chassis SDX

ZR25.021.01	FRONT	STANDARD	256	20	86	20	18	6	
ZR25.021.02	FRONT	S6	256	20	86	20	18	6	
ZR25.021.03	FRONT	S12	256	20	86	20	18	6	
ZR25.021.04	FRONT	DDS	256	20	86	20	18	6	

## CAPELLA

### Model Detail 1.8 Year 1982-87 Chassis GC8P

ZR25.013.01	FRONT	STANDARD	250	35	75	20	18.5	4	
ZR25.013.02	FRONT	S6	250	35	75	20	18.5	4	
ZR25.013.03	FRONT	S12	250	35	75	20	18.5	4	
ZR25.013.04	FRONT	DDS	250	35	75	20	18.5	4	

### Model Detail 1.8 Year 1989-91 Chassis GD8A/B/P/S

ZR25.022.01	FRONT	STANDARD	264	47	64	24	22	5	
ZR25.022.02	FRONT	S6	264	47	64	24	22	5	
ZR25.022.03	FRONT	S12	264	47	64	24	22	5	
ZR25.022.04	FRONT	DDS	264	47	64	24	22	5	
ZR25.023.01	REAR	STANDARD	258	64	HUB	10	8	5	
ZR25.023.02	REAR	S6	258	64	HUB	10	8	5	
ZR25.023.03	REAR	S12	258	64	HUB	10	8	5	
ZR25.023.04	REAR	DDS	258	64	HUB	10	8	5	

### Model Detail 1.8 V6 Year 1991- Chassis GE8P

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

### Model Detail 2.0 V6 Year 1991- Chassis GEEP

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

## CX-7

### Model Detail 2.3 TURBO Year 2006-13 Chassis CBA-ER3P

ZR25.044.01	FRONT	STANDARD	296	48.3	72	28	26	5	
ZR25.044.02	FRONT	S6	296	48.3	72	28	26	5	
ZR25.044.03	FRONT	S12	296	48.3	72	28	26	5	
ZR25.044.04	FRONT	DDS	296	48.3	72	28	26	5	
ZR25.065.01	REAR	STANDARD	302	57	72	18	16	5	
ZR25.065.02	REAR	S6	302	57	72	18	16	5	
ZR25.065.03	REAR	S12	302	57	72	18	16	5	
ZR25.065.04	REAR	DDS	302	57	72	18	16	5	

### Model Detail 2.5 Year 2009-13 Chassis CBA-ER5P

ZR25.044.01	FRONT	STANDARD	296	48.3	72	28	26	5	
ZR25.044.02	FRONT	S6	296	48.3	72	28	26	5	
ZR25.044.03	FRONT	S12	296	48.3	72	28	26	5	
ZR25.044.04	FRONT	DDS	296	48.3	72	28	26	5	
ZR25.065.01	REAR	STANDARD	302	57	72	18	16	5	
ZR25.065.02	REAR	S6	302	57	72	18	16	5	
ZR25.065.03	REAR	S12	302	57	72	18	16	5	
ZR25.065.04	REAR	DDS	302	57	72	18	16	5	

## CX-9

### Model Detail 3.7 Year 2007- Chassis TBA

ZR25.068.01	FRONT		320	48	72	28	26	5	
ZR25.068.02	FRONT		320	48	72	28	26	5	
ZR25.068.03	FRONT		320	48	72	28	26	5	
ZR25.068.04	FRONT		320	48	72	28	26	5	
ZR25.069.01	REAR		324	56	72	18	16	5	
ZR25.069.02	REAR		324	56	72	18	16	5	
ZR25.069.03	REAR		324	56	72	18	16	5	
ZR25.069.04	REAR		324	56	72	18	16	5	

## DEMIO

### Model Detail 1.3 Year 1990- Chassis DB3P/A

ZR25.009.01	FRONT	STANDARD	235	45	55	12	10		
ZR25.009.02	FRONT	S6	235	45	55	12	10		
ZR25.009.03	FRONT	S12	235	45	55	12	10		
ZR25.009.04	FRONT	DDS	235	45	55	12	10		

### Model Detail 1.3 Year 1998- Chassis DW

ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
------------	----------	------	------	--------	-----------	-----------	-----------	------	-------

ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	
-------------	-------	-----	-----	------	----	----	----	---	--

Model Detail	1.5	Year	1998	Chassis	DW
--------------	-----	------	------	---------	----

ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	
ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	

## EUNOS 30X

Model Detail	1.8	Year	1992-	Chassis
--------------	-----	------	-------	---------

ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

## EUNOS 500

Model Detail	2.0	Year	1992-	Chassis
--------------	-----	------	-------	---------

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

## EUNOS 800

Model Detail	2.5	Year	1993-	Chassis
--------------	-----	------	-------	---------

ZR25.010.01	FRONT	STANDARD	274	51	72	28	26	5	
ZR25.010.02	FRONT	S6	274	51	72	28	26	5	
ZR25.010.03	FRONT	S12	274	51	72	28	26	5	
ZR25.010.04	FRONT	DDS	274	51	72	28	26	5	

Model Detail	2.3	Year	1993-	Chassis
--------------	-----	------	-------	---------

ZR25.010.01	FRONT	STANDARD	274	51	72	28	26	5	
ZR25.010.02	FRONT	S6	274	51	72	28	26	5	
ZR25.010.03	FRONT	S12	274	51	72	28	26	5	
ZR25.010.04	FRONT	DDS	274	51	72	28	26	5	

## EUNOS PRESSO

Model Detail	1.8 V6	Year	1991-	Chassis	EC8SE
--------------	--------	------	-------	---------	-------

ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	Check Dimensions
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	Check Dimensions
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	Check Dimensions
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	Check Dimensions
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

## FAMILIA

Model Detail	1.5	Year	1994-	Chassis	BHALP
--------------	-----	------	-------	---------	-------

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.016.01	FRONT	STANDARD	235	45.5	55	22	20	4	
ZR25.016.02	FRONT	S6	235	45.5	55	22	20	4	
ZR25.016.03	FRONT	S12	235	45.5	55	22	20	4	
ZR25.016.04	FRONT	DDS	235	45.5	55	22	20	4	
ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

## LANTIS

### Model Detail 1.8 Year 1993- Chassis CBA8P

ZR25.017.01	FRONT	STANDARD	257	45.5	55	22	20	4	
ZR25.017.02	FRONT	S6	257	45.5	55	22	20	4	
ZR25.017.03	FRONT	S12	257	45.5	55	22	20	4	
ZR25.017.04	FRONT	DDS	257	45.5	55	22	20	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

## MX5

### Model Detail 1.6 Year 1990-93 Chassis NA

ZR25.015.01	FRONT	STANDARD	235	45.5	55	18	16	4	
ZR25.015.02	FRONT	S6	235	45.5	55	18	16	4	
ZR25.015.03	FRONT	S12	235	45.5	55	18	16	4	
ZR25.015.04	FRONT	DDS	235	45.5	55	18	16	4	
ZR12.051.01	REAR	STANDARD	231	35	55	9	8	4	
ZR12.051.02	REAR	S6	231	35	55	9	8	4	
ZR12.051.03	REAR	S12	231	35	55	9	8	4	
ZR12.051.04	REAR	DDS	231	35	55	9	8	4	

### Model Detail 1.8 16V Year 1989-97 Chassis NA8

ZR25.020.01	FRONT	STANDARD	254.7	45.3	55	20	18	4	
ZR25.020.02	FRONT	S6	254.7	45.3	55	20	18	4	
ZR25.020.03	FRONT	S12	254.7	45.3	55	20	18	4	
ZR25.020.04	FRONT	DDS	254.7	45.3	55	20	18	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

### Model Detail 1.8 16V Year 1998-00 Chassis NB8

ZR25.020.01	FRONT	STANDARD	254.7	45.3	55	20	18	4	
ZR25.020.02	FRONT	S6	254.7	45.3	55	20	18	4	
ZR25.020.03	FRONT	S12	254.7	45.3	55	20	18	4	
ZR25.020.04	FRONT	DDS	254.7	45.3	55	20	18	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

### Model Detail 1.8 16V Year 2000-05 Chassis NB2

ZR25.020.01	FRONT	STANDARD	254.7	45.3	55	20	18	4	
ZR25.020.02	FRONT	S6	254.7	45.3	55	20	18	4	
ZR25.020.03	FRONT	S12	254.7	45.3	55	20	18	4	
ZR25.020.04	FRONT	DDS	254.7	45.3	55	20	18	4	
ZR25.018.01	REAR	STANDARD	250.5	34.5	55	9	8	4	
ZR25.018.02	REAR	S6	250.5	34.5	55	9	8	4	
ZR25.018.03	REAR	S12	250.5	34.5	55	9	8	4	
ZR25.018.04	REAR	DDS	250.5	34.5	55	9	8	4	

## MAZDA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR25.030.01	FRONT	STANDARD	269	46	55	22	20	4	
ZR25.030.02	FRONT	S6	269	46	55	22	20	4	
ZR25.030.03	FRONT	S12	269	46	55	22	20	4	
ZR25.030.04	FRONT	DDS	269	46	55	22	20	4	
ZR25.048.01	REAR	STANDARD	275	35	55	9	8	4	
ZR25.048.02	REAR	S6	275	35	55	9	8	4	
ZR25.048.03	REAR	S12	275	35	55	9	8	4	
ZR25.048.04	REAR	DDS	275	35	55	9	8	4	

### Model Detail 2.0 Year 2005- Chassis NC

ZR25.070.01	FRONT		289.5	45.1	72	22	20	5	
ZR25.070.02	FRONT		289.5	45.1	72	22	20	5	
ZR25.070.03	FRONT		289.5	45.1	72	22	20	5	
ZR25.070.04	FRONT		289.5	45.1	72	22	20	5	
ZR25.047.01	REAR	STANDARD	280	40	72	10	8	5	
ZR25.047.02	REAR	S6	280	40	72	10	8	5	
ZR25.047.03	REAR	S12	280	40	72	10	8	5	
ZR25.047.04	REAR	DDS	280	40	72	10	8	5	

## MX6

### Model Detail 2.2 TURBO Year 1987-91 Chassis GD

ZR25.022.01	FRONT	STANDARD	264	47	64	24	22	5	
ZR25.022.02	FRONT	S6	264	47	64	24	22	5	
ZR25.022.03	FRONT	S12	264	47	64	24	22	5	
ZR25.022.04	FRONT	DDS	264	47	64	24	22	5	

### Model Detail 2.5 Year 1991- Chassis GE

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

## PREMACY

### Model Detail 2.0 Year 2001- Chassis CP

ZR25.036.01	FRONT	STANDARD	258	49	72	24	22	5	
ZR25.036.02	FRONT	S6	258	49	72	24	22	5	
ZR25.036.03	FRONT	S12	258	49	72	24	22	5	
ZR25.036.04	FRONT	DDS	258	49	72	24	22	5	
ZR25.037.01	REAR	STANDARD	261	40	72	9.5	8	5	
ZR25.037.02	REAR	S6	261	40	72	9.5	8	5	
ZR25.037.03	REAR	S12	261	40	72	9.5	8	5	
ZR25.037.04	REAR	DDS	261	40	72	9.5	8	5	

## REVUE

### Model Detail 1.3 Year 1990- Chassis DB3P/A

ZR25.009.01	FRONT	STANDARD	235	45	55	12	10		
ZR25.009.02	FRONT	S6	235	45	55	12	10		
ZR25.009.03	FRONT	S12	235	45	55	12	10		
ZR25.009.04	FRONT	DDS	235	45	55	12	10		

## RX7

### Model Detail SERIES 1,2 Year 1979-83 Chassis SA22 SERIES 1, 2

## MAZDA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR25.014.01 FRONT STANDARD 228 59 HUB 18 17 4

**Model Detail SERIES 4 Year 1986-92 Chassis FC1 SERIES 4**

ZR25.024.01 FRONT STANDARD 276 65 77 22 20 5  
 ZR25.024.02 FRONT S6 276 65 77 22 20 5  
 ZR25.024.03 FRONT S12 276 65 77 22 20 5  
 ZR25.024.04 FRONT DDS 276 65 77 22 20 5  
 ZR25.025.01 REAR STANDARD 273 53 66 20 18 5  
 ZR25.025.02 REAR S6 273 53 66 20 18 5  
 ZR25.025.03 REAR S12 273 53 66 20 18 5  
 ZR25.025.04 REAR DDS 273 53 66 20 18 5

**Model Detail SERIES 6 Year 1992-98 Chassis FD103 SERIES 6**

ZR25.035.01 FRONT STANDARD 294 67 72 22 20 5 294mm diam  
 ZR25.035.02 FRONT S6 294 67 72 22 20 5 294mm diam  
 ZR25.035.03 FRONT S12 294 67 72 22 20 5 294mm diam  
 ZR25.035.04 FRONT DDS 294 67 72 22 20 5 294mm diam  
 ZR25.050.06 FRONT 2PCE 315 67.5 72 32 30 5 314mm diam  
 ZR25.042.01 REAR STANDARD 294 45 72 20 18 5 294mm diam  
 ZR25.042.02 REAR S6 294 45 72 20 18 5 294mm diam  
 ZR25.042.03 REAR S12 294 45 72 20 18 5 294mm diam  
 ZR25.042.04 REAR DDS 294 45 72 20 18 5 294mm diam

## RX8

**Model Detail 1.3 Year 2003- Chassis LA-SE3P**

ZR25.049.01 FRONT STANDARD 323 46 72 24 22 5 TYPE S/RS 323MM  
 ZR25.049.02 FRONT S6 323 46 72 24 22 5 TYPE S/RS 323MM  
 ZR25.049.03 FRONT S12 323 46 72 24 22 5 TYPE S/RS 323MM  
 ZR25.049.04 FRONT DDS 323 46 72 24 22 5 TYPE S/RS 323MM  
 ZR25.059.01 FRONT STANDARD 303 45 72 24 22 5  
 ZR25.059.02 FRONT S6 303 45 72 24 22 5  
 ZR25.059.03 FRONT S12 303 45 72 24 22 5  
 ZR25.059.04 FRONT DDS 303 45 72 24 22 5  
 ZR25.060.01 REAR STANDARD 300 43 72 18 16 5  
 ZR25.060.02 REAR S6 300 43 72 18 16 5  
 ZR25.060.03 REAR S12 300 43 72 18 16 5  
 ZR25.060.04 REAR DDS 300 43 72 18 16 5