

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

190E

Model Detail 1.8			Year 1982-93				Chassis W201		
ZR26.007.01	FRONT	STANDARD	262	43	67	11	9	5	
ZR26.007.02	FRONT	S6	262	43	67	11	9	5	
ZR26.007.03	FRONT	S12	262	43	67	11	9	5	
ZR26.007.04	FRONT	DDS	262	43	67	11	9	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.0			Year 1982-93				Chassis W201		
ZR26.007.01	FRONT	STANDARD	262	43	67	11	9	5	
ZR26.007.02	FRONT	S6	262	43	67	11	9	5	
ZR26.007.03	FRONT	S12	262	43	67	11	9	5	
ZR26.007.04	FRONT	DDS	262	43	67	11	9	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.3			Year 1982-86				Chassis W201		
ZR26.007.01	FRONT	STANDARD	262	43	67	11	9	5	
ZR26.007.02	FRONT	S6	262	43	67	11	9	5	
ZR26.007.03	FRONT	S12	262	43	67	11	9	5	
ZR26.007.04	FRONT	DDS	262	43	67	11	9	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.3			Year 1986-93				Chassis W201		
ZR26.015.01	FRONT	STANDARD	262	44.5	67	22	19.4	5	
ZR26.015.02	FRONT	S6	262	44.5	67	22	19.4	5	
ZR26.015.03	FRONT	S12	262	44.5	67	22	19.4	5	
ZR26.015.04	FRONT	DDS	262	44.5	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.3 - 16			Year 1984-93				Chassis W201		
ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.5 - 16			Year 1989-93				Chassis W201		
ZR26.018.01	FRONT	STANDARD	300	45.5	67	28	25.4	5	
ZR26.018.02	FRONT	S6	300	45.5	67	28	25.4	5	
ZR26.018.03	FRONT	S12	300	45.5	67	28	25.4	5	
ZR26.018.04	FRONT	DDS	300	45.5	67	28	25.4	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5	
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5	
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5	
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5	

Model Detail 2.6 Year 1986-93 Chassis W201

ZR26.015.01	FRONT	STANDARD	262	44.5	67	22	19.4	5	
ZR26.015.02	FRONT	S6	262	44.5	67	22	19.4	5	
ZR26.015.03	FRONT	S12	262	44.5	67	22	19.4	5	
ZR26.015.04	FRONT	DDS	262	44.5	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.5 TD Year 1986-93 Chassis W201

ZR26.015.01	FRONT	STANDARD	262	44.5	67	22	19.4	5	
ZR26.015.02	FRONT	S6	262	44.5	67	22	19.4	5	
ZR26.015.03	FRONT	S12	262	44.5	67	22	19.4	5	
ZR26.015.04	FRONT	DDS	262	44.5	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

200E

Model Detail 2.0 Year 1985-93 Chassis W124

ZR26.010.01	FRONT	STANDARD	284	46	67	12	10	5	
ZR26.010.02	FRONT	S6	284	46	67	12	10	5	
ZR26.010.03	FRONT	S12	284	46	67	12	10	5	
ZR26.010.04	FRONT	DDS	284	46	67	12	10	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.0 Year 1992-93 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.0 TD Year 1985-93 Chassis W124

ZR26.010.01	FRONT	STANDARD	284	46	67	12	10	5	
ZR26.010.02	FRONT	S6	284	46	67	12	10	5	
ZR26.010.03	FRONT	S12	284	46	67	12	10	5	
ZR26.010.04	FRONT	DDS	284	46	67	12	10	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

220E

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 2.2 Year 1992-93 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

230E

Model Detail 2.3 Year 1985-89 Chassis W124

ZR26.010.01	FRONT	STANDARD	284	46	67	12	10	5
ZR26.010.02	FRONT	S6	284	46	67	12	10	5
ZR26.010.03	FRONT	S12	284	46	67	12	10	5
ZR26.010.04	FRONT	DDS	284	46	67	12	10	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

Model Detail 2.3 Year 1989-93 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

250TD

Model Detail 2.5 TD Year 1985-88 Chassis W124

ZR26.010.01	FRONT	STANDARD	284	46	67	12	10	5
ZR26.010.02	FRONT	S6	284	46	67	12	10	5
ZR26.010.03	FRONT	S12	284	46	67	12	10	5
ZR26.010.04	FRONT	DDS	284	46	67	12	10	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

Model Detail 2.5 TD Year 1988-93 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

260E

Model Detail 2.6 Year 1985-92 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
-------------	-------	----------	-----	----	----	----	------	---

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.6 - 4 MATIC Year 1985-91 Chassis W124

ZR26.019.01	FRONT	STANDARD	274	45.5	67	22	19.4	5	
ZR26.019.02	FRONT	S6	274	45.5	67	22	19.4	5	
ZR26.019.03	FRONT	S12	274	45.5	67	22	19.4	5	
ZR26.019.04	FRONT	DDS	274	45.5	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

260SE

Model Detail 2.6 Year 1985-91 Chassis W126

ZR26.009.01	FRONT	STANDARD	300	68.5	80	27.5	25.4	5	
ZR26.009.02	FRONT	S6	300	68.5	80	27.5	25.4	5	
ZR26.009.03	FRONT	S12	300	68.5	80	27.5	25.4	5	
ZR26.009.04	FRONT	DDS	300	68.5	80	27.5	25.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

280E

Model Detail 2.8 Year 1992-93 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

280SE

Model Detail 2.8 Year 1979-85 Chassis W126

ZR26.004.01	FRONT	STANDARD	278	66.5	80	22	20	5	
ZR26.004.02	FRONT	S6	278	66.5	80	22	20	5	
ZR26.004.03	FRONT	S12	278	66.5	80	22	20	5	
ZR26.004.04	FRONT	DDS	278	66.5	80	22	20	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

300E

Model Detail 3.0 Year 1985-89 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 3.0 Year 1989-92 Chassis W124

ZR26.013.01	FRONT	STANDARD	295	49.5	67	22	19.4	5	
ZR26.013.02	FRONT	S6	295	49.5	67	22	19.4	5	
ZR26.013.03	FRONT	S12	295	49.5	67	22	19.4	5	
ZR26.013.04	FRONT	DDS	295	49.5	67	22	19.4	5	
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5	
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5	
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5	
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5	

300SE

Model Detail 3.0 Year 1985-91 Chassis W126

ZR26.009.01	FRONT	STANDARD	300	68.5	80	27.5	25.4	5	
ZR26.009.02	FRONT	S6	300	68.5	80	27.5	25.4	5	
ZR26.009.03	FRONT	S12	300	68.5	80	27.5	25.4	5	
ZR26.009.04	FRONT	DDS	300	68.5	80	27.5	25.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 3.0 Year 1991-93 Chassis W140

ZR26.023.01	FRONT	STANDARD	310	82	67	28	25.4	5	
ZR26.023.02	FRONT	S6	310	82	67	28	25.4	5	
ZR26.023.03	FRONT	S12	310	82	67	28	25.4	5	
ZR26.023.04	FRONT	DDS	310	82	67	28	25.4	5	
ZR26.033.01	REAR	STANDARD	290	60	67	12	9.8	5	
ZR26.033.02	REAR	S6	290	60	67	12	9.8	5	
ZR26.033.03	REAR	S12	290	60	67	12	9.8	5	
ZR26.033.04	REAR	DDS	290	60	67	12	9.8	5	

300SL

Model Detail 3.0 Year 1985-89 Chassis R107

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 3.0 Year 1989-93 Chassis R129

ZR26.018.01	FRONT	STANDARD	300	45.5	67	28	25.4	5	
ZR26.018.02	FRONT	S6	300	45.5	67	28	25.4	5	
ZR26.018.03	FRONT	S12	300	45.5	67	28	25.4	5	
ZR26.018.04	FRONT	DDS	300	45.5	67	28	25.4	5	
ZR26.020.01	REAR	STANDARD	278	58.5	67	9.1	7.3	5	
ZR26.020.02	REAR	S6	278	58.5	67	9.1	7.3	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.020.03	REAR	S12	278	58.5	67	9.1	7.3	5	
ZR26.020.04	REAR	DDS	278	58.5	67	9.1	7.3	5	

320E

Model Detail 3.2 Year 1992-93 Chassis W124

ZR26.013.01	FRONT	STANDARD	295	49.5	67	22	19.4	5	
ZR26.013.02	FRONT	S6	295	49.5	67	22	19.4	5	
ZR26.013.03	FRONT	S12	295	49.5	67	22	19.4	5	
ZR26.013.04	FRONT	DDS	295	49.5	67	22	19.4	5	
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5	
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5	
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5	
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5	

380SE

Model Detail 3.8 Year 1979-85 Chassis W126

ZR26.005.01	FRONT	STANDARD	278	69	80	22	19.4	5	
ZR26.005.02	FRONT	S6	278	69	80	22	19.4	5	
ZR26.005.03	FRONT	S12	278	69	80	22	19.4	5	
ZR26.005.04	FRONT	DDS	278	69	80	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

380SEC

Model Detail 3.8 Year 1981-85 Chassis W126

ZR26.006.01	FRONT	STANDARD	286	60	80	22	19.4	5	
ZR26.006.02	FRONT	S6	286	60	80	22	19.4	5	
ZR26.006.03	FRONT	S12	286	60	80	22	19.4	5	
ZR26.006.04	FRONT	DDS	286	60	80	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

380SL

Model Detail 3.8 Year 1980-85 Chassis R107

ZR26.005.01	FRONT	STANDARD	278	69	80	22	19.4	5	
ZR26.005.02	FRONT	S6	278	69	80	22	19.4	5	
ZR26.005.03	FRONT	S12	278	69	80	22	19.4	5	
ZR26.005.04	FRONT	DDS	278	69	80	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

400E

Model Detail 4.2 Year 1992-93 Chassis W124

ZR26.021.01	FRONT	STANDARD	294	49.5	67	25	22.4	5	
ZR26.021.02	FRONT	S6	294	49.5	67	25	22.4	5	
ZR26.021.03	FRONT	S12	294	49.5	67	25	22.4	5	
ZR26.021.04	FRONT	DDS	294	49.5	67	25	22.4	5	

400SE

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 4.2 Year 1991-93 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5

420SE

Model Detail 4.2 Year 1985-91 Chassis W126

ZR26.009.01	FRONT	STANDARD	300	68.5	80	27.5	25.4	5
ZR26.009.02	FRONT	S6	300	68.5	80	27.5	25.4	5
ZR26.009.03	FRONT	S12	300	68.5	80	27.5	25.4	5
ZR26.009.04	FRONT	DDS	300	68.5	80	27.5	25.4	5
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5

420SL

Model Detail 4.2 Year 1985-89 Chassis R107

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5

450SL

Model Detail 4.5 Year 1973-76 Chassis R107

ZR26.004.01	FRONT	STANDARD	278	66.5	80	22	20	5
ZR26.004.02	FRONT	S6	278	66.5	80	22	20	5
ZR26.004.03	FRONT	S12	278	66.5	80	22	20	5
ZR26.004.04	FRONT	DDS	278	66.5	80	22	20	5
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5

Model Detail 4.5 Year 1976-80 Chassis R107

ZR26.005.01	FRONT	STANDARD	278	69	80	22	19.4	5
ZR26.005.02	FRONT	S6	278	69	80	22	19.4	5
ZR26.005.03	FRONT	S12	278	69	80	22	19.4	5
ZR26.005.04	FRONT	DDS	278	69	80	22	19.4	5
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5

500E

Model Detail 5.0 Year 1989-93 Chassis W124

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.018.01	FRONT	STANDARD	300	45.5	67	28	25.4	5	
ZR26.018.02	FRONT	S6	300	45.5	67	28	25.4	5	
ZR26.018.03	FRONT	S12	300	45.5	67	28	25.4	5	
ZR26.018.04	FRONT	DDS	300	45.5	67	28	25.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 5.0 Year 1993-95 Chassis W124

ZR26.045.01	FRONT	STANDARD	320	51	67	30	28	5	DIRECTIONAL VANE
ZR26.045.02	FRONT	S6	320	51	67	30	28	5	DIRECTIONAL VANE
ZR26.045.03	FRONT	S12	320	51	67	30	28	5	DIRECTIONAL VANE
ZR26.045.04	FRONT	DDS	320	51	67	30	28	5	DIRECTIONAL VANE
ZR26.046.01	REAR	STANDARD	300	58	67	22	19	5	
ZR26.046.02	REAR	S6	300	58	67	22	19	5	
ZR26.046.03	REAR	S12	300	58	67	22	19	5	
ZR26.046.04	REAR	DDS	300	58	67	22	19	5	

500SE

Model Detail 5.0 Year 1979-85 Chassis W126

ZR26.005.01	FRONT	STANDARD	278	69	80	22	19.4	5	
ZR26.005.02	FRONT	S6	278	69	80	22	19.4	5	
ZR26.005.03	FRONT	S12	278	69	80	22	19.4	5	
ZR26.005.04	FRONT	DDS	278	69	80	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 5.0 Year 1985-91 Chassis W126

ZR26.009.01	FRONT	STANDARD	300	68.5	80	27.5	25.4	5	
ZR26.009.02	FRONT	S6	300	68.5	80	27.5	25.4	5	
ZR26.009.03	FRONT	S12	300	68.5	80	27.5	25.4	5	
ZR26.009.04	FRONT	DDS	300	68.5	80	27.5	25.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 5.0 Year 1985-93 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5	
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5	
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5	
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5	
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5	
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5	
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5	
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5	

500SEC

Model Detail 5.0 Year 1981-85 Chassis W126

ZR26.006.01	FRONT	STANDARD	286	60	80	22	19.4	5	
ZR26.006.02	FRONT	S6	286	60	80	22	19.4	5	
ZR26.006.03	FRONT	S12	286	60	80	22	19.4	5	
ZR26.006.04	FRONT	DDS	286	60	80	22	19.4	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

500SL

Model Detail 5.0 Year 1978-80 Chassis R107

ZR26.004.01	FRONT	STANDARD	278	66.5	80	22	20	5	
ZR26.004.02	FRONT	S6	278	66.5	80	22	20	5	
ZR26.004.03	FRONT	S12	278	66.5	80	22	20	5	
ZR26.004.04	FRONT	DDS	278	66.5	80	22	20	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 5.0 Year 1980-81 Chassis R107

ZR26.005.01	FRONT	STANDARD	278	69	80	22	19.4	5	
ZR26.005.02	FRONT	S6	278	69	80	22	19.4	5	
ZR26.005.03	FRONT	S12	278	69	80	22	19.4	5	
ZR26.005.04	FRONT	DDS	278	69	80	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 5.0 Year 1985-89 Chassis R107

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

Model Detail 5.0 Year 1989-93 Chassis R129

ZR26.018.01	FRONT	STANDARD	300	45.5	67	28	25.4	5	
ZR26.018.02	FRONT	S6	300	45.5	67	28	25.4	5	
ZR26.018.03	FRONT	S12	300	45.5	67	28	25.4	5	
ZR26.018.04	FRONT	DDS	300	45.5	67	28	25.4	5	
ZR26.020.01	REAR	STANDARD	278	58.5	67	9.1	7.3	5	
ZR26.020.02	REAR	S6	278	58.5	67	9.1	7.3	5	
ZR26.020.03	REAR	S12	278	58.5	67	9.1	7.3	5	
ZR26.020.04	REAR	DDS	278	58.5	67	9.1	7.3	5	

560SEL

Model Detail 5.6 Year 1985-91 Chassis W126

ZR26.009.01	FRONT	STANDARD	300	68.5	80	27.5	25.4	5	
ZR26.009.02	FRONT	S6	300	68.5	80	27.5	25.4	5	
ZR26.009.03	FRONT	S12	300	68.5	80	27.5	25.4	5	
ZR26.009.04	FRONT	DDS	300	68.5	80	27.5	25.4	5	
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5	
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5	
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5	
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5	

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

560SL

Model Detail 5.6 Year 1985-88 Chassis R107

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.001.01	REAR	STANDARD	279	72	67	10	8.3	5
ZR26.001.02	REAR	S6	279	72	67	10	8.3	5
ZR26.001.03	REAR	S12	279	72	67	10	8.3	5
ZR26.001.04	REAR	DDS	279	72	67	10	8.3	5

600SE

Model Detail 6.0 Year 1991-93 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5

A140

Model Detail 1.4 Year 1997-01 Chassis W168

ZR26.031.01	FRONT	STANDARD	260	40.5	67	12	10	5
ZR26.031.02	FRONT	S6	260	40.5	67	12	10	5
ZR26.031.03	FRONT	S12	260	40.5	67	12	10	5
ZR26.031.04	FRONT	DDS	260	40.5	67	12	10	5

Model Detail 1.4 Year 2001- Chassis W169

ZR26.032.01	FRONT	STANDARD	260	40.5	67	22	19.4	5
ZR26.032.02	FRONT	S6	260	40.5	67	22	19.4	5
ZR26.032.03	FRONT	S12	260	40.5	67	22	19.4	5
ZR26.032.04	FRONT	DDS	260	40.5	67	22	19.4	5

A160

Model Detail 1.6 Year 1997- Chassis W168

ZR26.032.01	FRONT	STANDARD	260	40.5	67	22	19.4	5
ZR26.032.02	FRONT	S6	260	40.5	67	22	19.4	5
ZR26.032.03	FRONT	S12	260	40.5	67	22	19.4	5
ZR26.032.04	FRONT	DDS	260	40.5	67	22	19.4	5

Model Detail 2.0 DIESEL Year 1997- Chassis W168

ZR26.032.01	FRONT	STANDARD	260	40.5	67	22	19.4	5
ZR26.032.02	FRONT	S6	260	40.5	67	22	19.4	5
ZR26.032.03	FRONT	S12	260	40.5	67	22	19.4	5
ZR26.032.04	FRONT	DDS	260	40.5	67	22	19.4	5

A180

Model Detail 2.0 DIESEL Year 1998- Chassis W169

ZR26.032.01	FRONT	STANDARD	260	40.5	67	22	19.4	5
ZR26.032.02	FRONT	S6	260	40.5	67	22	19.4	5
ZR26.032.03	FRONT	S12	260	40.5	67	22	19.4	5
ZR26.032.04	FRONT	DDS	260	40.5	67	22	19.4	5

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

A190

Model Detail 1.9 Year 2000- Chassis W169

ZR26.047.01	FRONT	STANDARD	276	35.5	67	22	19	5	
ZR26.047.02	FRONT	S6	276	35.5	67	22	19	5	
ZR26.047.03	FRONT	S12	276	35.5	67	22	19	5	
ZR26.047.04	FRONT	DDS	276	35.5	67	22	19	5	
ZR26.048.01	REAR	STANDARD	258	55.2	67	8	7	5	
ZR26.048.02	REAR	S6	258	55.2	67	8	7	5	
ZR26.048.03	REAR	S12	258	55.2	67	8	7	5	
ZR26.048.04	REAR	DDS	258	55.2	67	8	7	5	

C180

Model Detail 1.8 Year 1993-00 Chassis W202

ZR26.012.01	FRONT	STANDARD	284	43.5	67	12	10	5	
ZR26.012.02	FRONT	S6	284	43.5	67	12	10	5	
ZR26.012.03	FRONT	S12	284	43.5	67	12	10	5	
ZR26.012.04	FRONT	DDS	284	43.5	67	12	10	5	
ZR26.016.01	REAR	STANDARD	258	53.5	67	9	7.3	5	
ZR26.016.02	REAR	S6	258	53.5	67	9	7.3	5	
ZR26.016.03	REAR	S12	258	53.5	67	9	7.3	5	
ZR26.016.04	REAR	DDS	258	53.5	67	9	7.3	5	

Model Detail 1.8 KOMPRESSOR Year 2007- Chassis W204

ZR26.081.01	REAR		278	56	67	9	7.3	5	NON SPORT PACK
-------------	------	--	-----	----	----	---	-----	---	----------------

C200

Model Detail 2.0 Year 1993-00 Chassis W202

ZR26.017.01	FRONT	STANDARD	284	43.5	67	22	19.4	5	
ZR26.017.02	FRONT	S6	284	43.5	67	22	19.4	5	
ZR26.017.03	FRONT	S12	284	43.5	67	22	19.4	5	
ZR26.017.04	FRONT	DDS	284	43.5	67	22	19.4	5	
ZR26.016.01	REAR	STANDARD	258	53.5	67	9	7.3	5	
ZR26.016.02	REAR	S6	258	53.5	67	9	7.3	5	
ZR26.016.03	REAR	S12	258	53.5	67	9	7.3	5	
ZR26.016.04	REAR	DDS	258	53.5	67	9	7.3	5	

Model Detail 2.0 KOMPRESSOR Year 2000-07 Chassis W203

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 1.8 KOMPRESSOR Year 2008-11 Chassis W204

ZR26.085.01	FRONT		288	64.5	67	25	22.4	5	NON SPORT PACK
ZR26.085.02	FRONT		288	64.5	67	25	22.4	5	NON SPORT PACK
ZR26.085.04	FRONT		288	64.5	67	25	22.4	5	NON SPORT PACK
ZR26.081.01	REAR		278	56	67	9	7.3	5	NON SPORT PACK

C200CDI

Model Detail 2.2 DIESEL TURBO Year 2009-15 Chassis W204

ZR26.085.01	FRONT		288	64.5	67	25	22.4	5	NON SPORT PACK
ZR26.085.02	FRONT		288	64.5	67	25	22.4	5	NON SPORT PACK

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.085.04	FRONT		288	64.5	67	25	22.4	5	NON SPORT PACK
ZR26.081.01	REAR		278	56	67	9	7.3	5	NON SPORT PACK

C220

Model Detail 2.2 Year 1993-00 Chassis W202

ZR26.017.01	FRONT	STANDARD	284	43.5	67	22	19.4	5	
ZR26.017.02	FRONT	S6	284	43.5	67	22	19.4	5	
ZR26.017.03	FRONT	S12	284	43.5	67	22	19.4	5	
ZR26.017.04	FRONT	DDS	284	43.5	67	22	19.4	5	
ZR26.016.01	REAR	STANDARD	258	53.5	67	9	7.3	5	
ZR26.016.02	REAR	S6	258	53.5	67	9	7.3	5	
ZR26.016.03	REAR	S12	258	53.5	67	9	7.3	5	
ZR26.016.04	REAR	DDS	258	53.5	67	9	7.3	5	

C220CDI

Model Detail 2.2 DIESEL Year 2000-07 Chassis W203

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

C230

Model Detail 2.3 KOMPRESSOR Year 1995-00 Chassis W202

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

C240

Model Detail 2.4 Year 1995-00 Chassis W202

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 2.6 Year 2000-07 Chassis W203

ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5	
ZR26.041.02	FRONT	S6	300	47	67	28	25	5	
ZR26.041.03	FRONT	S12	300	47	67	28	25	5	
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5	
ZR26.061.01	FRONT	STANDARD	330	46.5	67	28	26	5	+ AMG Sport Pack X-Drille
ZR26.068.01	FRONT	STANDARD	330	46.5	67	28	26	5	+ AMG Sport Pack Not X-D
ZR26.068.02	FRONT	S6	330	46.5	67	28	26	5	+ AMG Sport Pack

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.068.03	FRONT	S12	330	46.5	67	28	26	5	+ AMG Sport Pack
ZR26.068.04	FRONT	DDS	330	46.5	67	28	26	5	+ AMG Sport Pack
ZR26.068.06	FRONT	Z-SPEC S12	330	46.5	67	28	26	5	Z-Spec 2 Piece
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

C270CDI

Model Detail 2.7 DIESEL Year 2000-07 Chassis W203

ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5	
ZR26.041.02	FRONT	S6	300	47	67	28	25	5	
ZR26.041.03	FRONT	S12	300	47	67	28	25	5	
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

C280

Model Detail 2.8 Year 1993-95 Chassis W202

ZR26.017.01	FRONT	STANDARD	284	43.5	67	22	19.4	5	
ZR26.017.02	FRONT	S6	284	43.5	67	22	19.4	5	
ZR26.017.03	FRONT	S12	284	43.5	67	22	19.4	5	
ZR26.017.04	FRONT	DDS	284	43.5	67	22	19.4	5	
ZR26.016.01	REAR	STANDARD	258	53.5	67	9	7.3	5	
ZR26.016.02	REAR	S6	258	53.5	67	9	7.3	5	
ZR26.016.03	REAR	S12	258	53.5	67	9	7.3	5	
ZR26.016.04	REAR	DDS	258	53.5	67	9	7.3	5	

Model Detail 2.8 Year 1995-00 Chassis W202

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

C32 AMG

Model Detail 3.2 KOMPRESSOR Year 2002- Chassis

ZR26.051.01	FRONT	STANDARD	345	47	67	30	28	5	X-Drilled
ZR26.060.01	REAR		300	55.5	67	22	19.4	5	

C320

Model Detail 3.2 Year 2000-07 Chassis W203

ZR26.024.01	FRONT	STANDARD	300	46.5	67	28	25.4	5	1 LOCATION HOLE
ZR26.024.02	FRONT	S6	300	46.5	67	28	25.4	5	1 LOCATION HOLE
ZR26.024.03	FRONT	S12	300	46.5	67	28	25.4	5	1 LOCATION HOLE
ZR26.024.04	FRONT	DDS	300	46.5	67	28	25.4	5	1 LOCATION HOLE
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

C63 AMG

Model Detail 6.3 **Year** **Chassis** W204.077

ZR26.082.01	REAR		330	57.5	67	26	24	5	X-Drilled/Slotted
-------------	------	--	-----	------	----	----	----	---	-------------------

CL420

Model Detail 4.2 **Year** 1996-99 **Chassis** C140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5	
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5	
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5	
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5	
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5	
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5	
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5	
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5	

CL500

Model Detail 5.0 **Year** 1996-99 **Chassis** C140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5	
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5	
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5	
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5	
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5	
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5	
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5	
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5	

Model Detail 5.0 **Year** 1999- **Chassis** C215

ZR26.044.01	FRONT	STANDARD	330	77	68	32	30	5	
ZR26.044.02	FRONT	S6	330	77	68	32	30	5	
ZR26.044.03	FRONT	S12	330	77	68	32	30	5	
ZR26.044.04	FRONT	DDS	330	77	68	32	30	5	
ZR26.049.01	REAR	STANDARD	300	60	67	22	19.4	5	
ZR26.049.02	REAR	S6	300	60	67	22	19.4	5	
ZR26.049.03	REAR	S12	300	60	67	22	19.4	5	
ZR26.049.04	REAR	DDS	300	60	67	22	19.4	5	

Model Detail 4.7 **Year** 2006- **Chassis** W216

ZR26.071.01	FRONT		350	64.5	67	32	30	5	Cross Drilled
ZR26.072.01	REAR		320	58.3	67	24	21.4	5	

CL580

Model Detail 5.8 **Year** 1999- **Chassis** C215

ZR26.044.01	FRONT	STANDARD	330	77	68	32	30	5	
ZR26.044.02	FRONT	S6	330	77	68	32	30	5	
ZR26.044.03	FRONT	S12	330	77	68	32	30	5	
ZR26.044.04	FRONT	DDS	330	77	68	32	30	5	
ZR26.049.01	REAR	STANDARD	300	60	67	22	19.4	5	
ZR26.049.02	REAR	S6	300	60	67	22	19.4	5	
ZR26.049.03	REAR	S12	300	60	67	22	19.4	5	
ZR26.049.04	REAR	DDS	300	60	67	22	19.4	5	

CL600

Model Detail 6.0 **Year** 1996-99 **Chassis** C140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5	
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5	
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5	
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5	
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5	
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5	
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5	

CLK200

Model Detail 2.0 Year 1997-00 Chassis C208

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

CLK200K

Model Detail 2.0 KOMPRESSOR Year 1997-00 Chassis C208

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 2.0 KOMPRESSOR Year 2002- Chassis C209

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

CLK230K

Model Detail 2.3 KOMPRESSOR Year 1997-00 Chassis C208

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

CLK320

Model Detail 3.2 Year 1997- Chassis C208

ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5	
ZR26.041.02	FRONT	S6	300	47	67	28	25	5	
ZR26.041.03	FRONT	S12	300	47	67	28	25	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

CLK430

Model Detail 4.3 Year 1997-00 Chassis C208

ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5	
ZR26.041.02	FRONT	S6	300	47	67	28	25	5	
ZR26.041.03	FRONT	S12	300	47	67	28	25	5	
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

CLK500

Model Detail 5.0 Year 2002- Chassis C209

ZR26.051.01	FRONT	STANDARD	345	47	67	30	28	5	Cross Drilled
ZR26.060.01	REAR		300	55.5	67	22	19.4	5	

E200

Model Detail 2.0 Year 1993-96 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.0 WAGON Year 1993-96 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5	
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5	
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5	
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5	

Model Detail 2.0 Year 1995-02 Chassis W210

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 1.8 Year 2002- Chassis W211

ZR26.051.01	FRONT	STANDARD	345	47	67	30	28	5	
ZR26.051.02	FRONT	S6	345	47	67	30	28	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.051.03	FRONT	S12	345	47	67	30	28	5	
ZR26.051.04	FRONT	DDS	345	47	67	30	28	5	
ZR26.052.01	REAR	STANDARD	300	69	67	10	8.3	5	
ZR26.052.02	REAR	S6	300	69	67	10	8.3	5	
ZR26.052.03	REAR	S12	300	69	67	10	8.3	5	
ZR26.052.04	REAR	DDS	300	69	67	10	8.3	5	

E200D

Model Detail 2.0 DIESEL Year 1993-96 Chassis W124

ZR26.010.01	FRONT	STANDARD	284	46	67	12	10	5	
ZR26.010.02	FRONT	S6	284	46	67	12	10	5	
ZR26.010.03	FRONT	S12	284	46	67	12	10	5	
ZR26.010.04	FRONT	DDS	284	46	67	12	10	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

E200K

Model Detail 2.0 KOMPRESSOR Year 1995-02 Chassis W210.045

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5	1997-02
ZR26.041.02	FRONT	S6	300	47	67	28	25	5	1997-02
ZR26.041.03	FRONT	S12	300	47	67	28	25	5	1997-02
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5	1997-02
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	1997-02
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	1997-02
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	1997-02
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	1997-02
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 1.8 KOMPRESSOR Year 2002- Chassis W211

ZR26.051.01	FRONT	STANDARD	345	47	67	30	28	5	
ZR26.051.02	FRONT	S6	345	47	67	30	28	5	
ZR26.051.03	FRONT	S12	345	47	67	30	28	5	
ZR26.051.04	FRONT	DDS	345	47	67	30	28	5	
ZR26.052.01	REAR	STANDARD	300	69	67	10	8.3	5	
ZR26.052.02	REAR	S6	300	69	67	10	8.3	5	
ZR26.052.03	REAR	S12	300	69	67	10	8.3	5	
ZR26.052.04	REAR	DDS	300	69	67	10	8.3	5	

E220

Model Detail 2.2 Year 1993-96 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

Model Detail 2.2 WAGON Year 1993-96 Chassis W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5	
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5	
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5	
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5	

E220CDI

Model Detail 2.2 DIESEL Year 2002- Chassis W211

ZR26.051.01	FRONT	STANDARD	345	47	67	30	28	5	
ZR26.051.02	FRONT	S6	345	47	67	30	28	5	
ZR26.051.03	FRONT	S12	345	47	67	30	28	5	
ZR26.051.04	FRONT	DDS	345	47	67	30	28	5	
ZR26.052.01	REAR	STANDARD	300	69	67	10	8.3	5	
ZR26.052.02	REAR	S6	300	69	67	10	8.3	5	
ZR26.052.03	REAR	S12	300	69	67	10	8.3	5	
ZR26.052.04	REAR	DDS	300	69	67	10	8.3	5	

E230

Model Detail 2.3 Year 1995-00 Chassis W210

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

E240

Model Detail 2.4 Year 1995-02 Chassis W210

ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

Model Detail 2.4 Year 2002- Chassis W211

ZR26.051.01	FRONT	STANDARD	345	47	67	30	28	5	
ZR26.051.02	FRONT	S6	345	47	67	30	28	5	
ZR26.051.03	FRONT	S12	345	47	67	30	28	5	
ZR26.051.04	FRONT	DDS	345	47	67	30	28	5	
ZR26.052.01	REAR	STANDARD	300	69	67	10	8.3	5	
ZR26.052.02	REAR	S6	300	69	67	10	8.3	5	
ZR26.052.03	REAR	S12	300	69	67	10	8.3	5	
ZR26.052.04	REAR	DDS	300	69	67	10	8.3	5	

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

E250D

Model Detail 2.5 DIESEL **Year** 1993-99 **Chassis** W124

ZR26.010.01	FRONT	STANDARD	284	46	67	12	10	5
ZR26.010.02	FRONT	S6	284	46	67	12	10	5
ZR26.010.03	FRONT	S12	284	46	67	12	10	5
ZR26.010.04	FRONT	DDS	284	46	67	12	10	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

E250TD

Model Detail 2.5 DIESEL TURBO **Year** 1993-96 **Chassis** W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

E280

Model Detail 2.8 **Year** 1993-95 **Chassis** W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5

Model Detail 2.8 WAGON **Year** 1993-96 **Chassis** W124

ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5

Model Detail 2.8 **Year** 1995-02 **Chassis** W210.048

ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5
ZR26.041.02	FRONT	S6	300	47	67	28	25	5
ZR26.041.03	FRONT	S12	300	47	67	28	25	5
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5

E300TD

Model Detail 3.0 DIESEL TURBO **Year** 1993-96 **Chassis** W124

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.011.01	FRONT	STANDARD	284	43	67	22	19.4	5	
ZR26.011.02	FRONT	S6	284	43	67	22	19.4	5	
ZR26.011.03	FRONT	S12	284	43	67	22	19.4	5	
ZR26.011.04	FRONT	DDS	284	43	67	22	19.4	5	
ZR26.008.01	REAR	STANDARD	258	55	67	9	7.3	5	
ZR26.008.02	REAR	S6	258	55	67	9	7.3	5	
ZR26.008.03	REAR	S12	258	55	67	9	7.3	5	
ZR26.008.04	REAR	DDS	258	55	67	9	7.3	5	

E320

Model Detail 3.2 Year 1993-96 Chassis W124

ZR26.021.01	FRONT	STANDARD	294	49.5	67	25	22.4	5	
ZR26.021.02	FRONT	S6	294	49.5	67	25	22.4	5	
ZR26.021.03	FRONT	S12	294	49.5	67	25	22.4	5	
ZR26.021.04	FRONT	DDS	294	49.5	67	25	22.4	5	
ZR26.014.01	REAR	STANDARD	278	56	67	9	7.3	5	
ZR26.014.02	REAR	S6	278	56	67	9	7.3	5	
ZR26.014.03	REAR	S12	278	56	67	9	7.3	5	
ZR26.014.04	REAR	DDS	278	56	67	9	7.3	5	

Model Detail 3.2 WAGON Year 1993-96 Chassis W124

ZR26.021.01	FRONT	STANDARD	294	49.5	67	25	22.4	5	
ZR26.021.02	FRONT	S6	294	49.5	67	25	22.4	5	
ZR26.021.03	FRONT	S12	294	49.5	67	25	22.4	5	
ZR26.021.04	FRONT	DDS	294	49.5	67	25	22.4	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

Model Detail 3.2 Year 1995-02 Chassis W210

ZR26.041.01	FRONT	STANDARD	300	47	67	28	25	5	
ZR26.041.02	FRONT	S6	300	47	67	28	25	5	
ZR26.041.03	FRONT	S12	300	47	67	28	25	5	
ZR26.041.04	FRONT	DDS	300	47	67	28	25	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

Model Detail 3.5 Year 2002- Chassis W211

ZR26.053.01	FRONT	STANDARD	312	65	67	28	25	5	
ZR26.053.02	FRONT	S6	312	65	67	28	25	5	
ZR26.053.03	FRONT	S12	312	65	67	28	25	5	
ZR26.053.04	FRONT	DDS	312	65	67	28	25	5	
ZR26.052.01	REAR	STANDARD	300	69	67	10	8.3	5	
ZR26.052.02	REAR	S6	300	69	67	10	8.3	5	
ZR26.052.03	REAR	S12	300	69	67	10	8.3	5	
ZR26.052.04	REAR	DDS	300	69	67	10	8.3	5	

E320CDI

Model Detail 3.2 DIESEL Year 2002- Chassis W211

ZR26.053.01	FRONT	STANDARD	312	65	67	28	25	5	
ZR26.053.02	FRONT	S6	312	65	67	28	25	5	
ZR26.053.03	FRONT	S12	312	65	67	28	25	5	
ZR26.053.04	FRONT	DDS	312	65	67	28	25	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.052.01	REAR	STANDARD	300	69	67	10	8.3	5	
ZR26.052.02	REAR	S6	300	69	67	10	8.3	5	
ZR26.052.03	REAR	S12	300	69	67	10	8.3	5	
ZR26.052.04	REAR	DDS	300	69	67	10	8.3	5	

E350

Model Detail 3.5 **Year** 2006-09 **Chassis** W211

ZR26.054.01	FRONT	STANDARD	330	65	67	32	30	5	
ZR26.054.02	FRONT	S6	330	65	67	32	30	5	
ZR26.054.03	FRONT	S12	330	65	67	32	30	5	
ZR26.054.04	FRONT	DDS	330	65	67	32	30	5	

E400CDI

Model Detail 4.0 DIESEL **Year** 2003- **Chassis** W211

ZR26.054.01	FRONT	STANDARD	330	65	67	32	30	5	
ZR26.054.02	FRONT	S6	330	65	67	32	30	5	
ZR26.054.03	FRONT	S12	330	65	67	32	30	5	
ZR26.054.04	FRONT	DDS	330	65	67	32	30	5	
ZR26.055.01	REAR	STANDARD	300	68	67	22	19	5	
ZR26.055.02	REAR	S6	300	68	67	22	19	5	
ZR26.055.03	REAR	S12	300	68	67	22	19	5	
ZR26.055.04	REAR	DDS	300	68	67	22	19	5	

E420

Model Detail 4.2 **Year** 1993-95 **Chassis** W124

ZR26.045.01	FRONT	STANDARD	320	51	67	30	28	5	
ZR26.045.02	FRONT	S6	320	51	67	30	28	5	
ZR26.045.03	FRONT	S12	320	51	67	30	28	5	
ZR26.045.04	FRONT	DDS	320	51	67	30	28	5	
ZR26.050.01	REAR	STANDARD	278	56	67	24	21	5	
ZR26.050.02	REAR	S6	278	56	67	24	21	5	
ZR26.050.03	REAR	S12	278	56	67	24	21	5	
ZR26.050.04	REAR	DDS	278	56	67	24	21	5	

E430

Model Detail 4.3 **Year** 1996-02 **Chassis** W210

ZR26.040.01	FRONT	STANDARD	316	47	67	28	25.4	5	
ZR26.040.02	FRONT	S6	316	47	67	28	25.4	5	
ZR26.040.03	FRONT	S12	316	47	67	28	25.4	5	
ZR26.040.04	FRONT	DDS	316	47	67	28	25.4	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	
ZR26.025.02	REAR	S6	290	53.5	67	10	8.3	5	
ZR26.025.03	REAR	S12	290	53.5	67	10	8.3	5	
ZR26.025.04	REAR	DDS	290	53.5	67	10	8.3	5	

E500

Model Detail 5.0 **Year** 1993-95 **Chassis** W124

ZR26.045.01	FRONT	STANDARD	320	51	67	30	28	5	
ZR26.045.02	FRONT	S6	320	51	67	30	28	5	
ZR26.045.03	FRONT	S12	320	51	67	30	28	5	
ZR26.045.04	FRONT	DDS	320	51	67	30	28	5	
ZR26.050.01	REAR	STANDARD	278	56	67	24	21	5	
ZR26.050.02	REAR	S6	278	56	67	24	21	5	
ZR26.050.03	REAR	S12	278	56	67	24	21	5	
ZR26.050.04	REAR	DDS	278	56	67	24	21	5	

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 5.5 Year 2002- Chassis W211

ZR26.054.01	FRONT	STANDARD	330	65	67	32	30	5	
ZR26.054.02	FRONT	S6	330	65	67	32	30	5	
ZR26.054.03	FRONT	S12	330	65	67	32	30	5	
ZR26.054.04	FRONT	DDS	330	65	67	32	30	5	
ZR26.055.01	REAR	STANDARD	300	68	67	22	19	5	
ZR26.055.02	REAR	S6	300	68	67	22	19	5	
ZR26.055.03	REAR	S12	300	68	67	22	19	5	
ZR26.055.04	REAR	DDS	300	68	67	22	19	5	

E55 AMG

Model Detail 5.5 KOMPRESSOR Year 2003-08 Chassis W211

ZR26.087.01	FRONT		360	64.5	67	36	34	5	X-Drilled
-------------	-------	--	-----	------	----	----	----	---	-----------

ML230

Model Detail 2.3 Year 1997-05 Chassis W163

ZR26.038.01	FRONT	STANDARD	303	51	67	26	23	5	
ZR26.038.05	FRONT	L6	303	51	67	26	23	5	
ZR26.039.01	REAR	STANDARD	285	53	67	15	13	5	
ZR26.039.05	REAR	L6	285	53	67	15	13	5	

ML270CDI

Model Detail 2.7 DIESEL Year 1997-05 Chassis W163

ZR26.038.01	FRONT	STANDARD	303	51	67	26	23	5	
ZR26.038.05	FRONT	L6	303	51	67	26	23	5	
ZR26.039.01	REAR	STANDARD	285	53	67	15	13	5	
ZR26.039.05	REAR	L6	285	53	67	15	13	5	

ML320

Model Detail 3.2 Year 1997-05 Chassis W163

ZR26.038.01	FRONT	STANDARD	303	51	67	26	23	5	
ZR26.038.05	FRONT	L6	303	51	67	26	23	5	
ZR26.039.01	REAR	STANDARD	285	53	67	15	13	5	
ZR26.039.05	REAR	L6	285	53	67	15	13	5	

ML430

Model Detail 4.3 Year 1999-05 Chassis W163

ZR26.042.01	FRONT	STANDARD	345	51	67	32	30	5	
ZR26.043.01	REAR	STANDARD	331	56	67	14	12	5	

ML500

Model Detail 5.0 Year 2005- Chassis W164

ZR26.076.01	FRONT		350	54.7	67	32	29.4	5	
ZR26.079.01	FRONT		330	54.7	67	32	29.4	5	
ZR26.077.01	REAR		330	63	67	22	19.4	5	

S280

Model Detail 2.8 Year 1993-98 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5	
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5	
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5	
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5	
ZR26.033.01	REAR	STANDARD	290	60	67	12	9.8	5	
ZR26.033.02	REAR	S6	290	60	67	12	9.8	5	
ZR26.033.03	REAR	S12	290	60	67	12	9.8	5	

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

ZR26.033.04 REAR DDS 290 60 67 12 9.8 5

Model Detail 2.8 Year 1998-05 Chassis W220

ZR26.062.01 FRONT STANDARD 312 76 67 28 26 5
 ZR26.062.02 FRONT S6 312 76 67 28 26 5
 ZR26.062.03 FRONT S12 312 76 67 28 26 5
 ZR26.062.04 FRONT DDS 312 76 67 28 26 5
 ZR26.056.01 REAR STANDARD 300 58 67 11 9.3 5
 ZR26.056.02 REAR S6 300 58 67 11 9.3 5
 ZR26.056.03 REAR S12 300 58 67 11 9.3 5
 ZR26.056.04 REAR DDS 300 58 67 11 9.3 5

S300D

Model Detail 3.0 DIESEL TURBO Year 1996-98 Chassis W140

ZR26.036.01 FRONT STANDARD 320 82 67 30 27.4 5
 ZR26.036.02 FRONT S6 320 82 67 30 27.4 5
 ZR26.036.03 FRONT S12 320 82 67 30 27.4 5
 ZR26.036.04 FRONT DDS 320 82 67 30 27.4 5
 ZR26.033.01 REAR STANDARD 290 60 67 12 9.8 5
 ZR26.033.02 REAR S6 290 60 67 12 9.8 5
 ZR26.033.03 REAR S12 290 60 67 12 9.8 5
 ZR26.033.04 REAR DDS 290 60 67 12 9.8 5

S320

Model Detail 3.2 Year 1993-98 Chassis W140

ZR26.036.01 FRONT STANDARD 320 82 67 30 27.4 5
 ZR26.036.02 FRONT S6 320 82 67 30 27.4 5
 ZR26.036.03 FRONT S12 320 82 67 30 27.4 5
 ZR26.036.04 FRONT DDS 320 82 67 30 27.4 5
 ZR26.033.01 REAR STANDARD 290 60 67 12 9.8 5
 ZR26.033.02 REAR S6 290 60 67 12 9.8 5
 ZR26.033.03 REAR S12 290 60 67 12 9.8 5
 ZR26.033.04 REAR DDS 290 60 67 12 9.8 5

Model Detail 3.2 Year 1998-05 Chassis W220

ZR26.062.01 FRONT STANDARD 312 76 67 28 26 5
 ZR26.062.02 FRONT S6 312 76 67 28 26 5
 ZR26.062.03 FRONT S12 312 76 67 28 26 5
 ZR26.062.04 FRONT DDS 312 76 67 28 26 5
 ZR26.056.01 REAR STANDARD 300 58 67 11 9.3 5
 ZR26.056.02 REAR S6 300 58 67 11 9.3 5
 ZR26.056.03 REAR S12 300 58 67 11 9.3 5
 ZR26.056.04 REAR DDS 300 58 67 11 9.3 5

S320CDI

Model Detail 3.2 Year 1998-02 Chassis W220

ZR26.044.01 FRONT STANDARD 330 77 68 32 30 5
 ZR26.044.02 FRONT S6 330 77 68 32 30 5
 ZR26.044.03 FRONT S12 330 77 68 32 30 5
 ZR26.044.04 FRONT DDS 330 77 68 32 30 5
 ZR26.056.01 REAR STANDARD 300 58 67 11 9.3 5
 ZR26.056.02 REAR S6 300 58 67 11 9.3 5
 ZR26.056.03 REAR S12 300 58 67 11 9.3 5
 ZR26.056.04 REAR DDS 300 58 67 11 9.3 5

S350D

MERCEDES

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 3.5 DIESEL TURBO Year 3.5 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5
ZR26.033.01	REAR	STANDARD	290	60	67	12	9.8	5
ZR26.033.02	REAR	S6	290	60	67	12	9.8	5
ZR26.033.03	REAR	S12	290	60	67	12	9.8	5
ZR26.033.04	REAR	DDS	290	60	67	12	9.8	5

S420

Model Detail 4.2 Year 1993-98 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5

S500

Model Detail 5.0 Year 1993-98 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5

Model Detail 5.0 Year 1998-05 Chassis W220

ZR26.069.01	FRONT	STANDARD	330	47.5	67	32	29.4	5
ZR26.069.02	FRONT	S6	330	47.5	67	32	29.4	5
ZR26.069.03	FRONT	S12	330	47.5	67	32	29.4	5
ZR26.069.04	FRONT	DDS	330	47.5	67	32	29.4	5
ZR26.049.01	REAR	STANDARD	300	60	67	22	19.4	5
ZR26.049.02	REAR	S6	300	60	67	22	19.4	5
ZR26.049.03	REAR	S12	300	60	67	22	19.4	5
ZR26.049.04	REAR	DDS	300	60	67	22	19.4	5

S600

Model Detail 6.0 Year 1993-98 Chassis W140

ZR26.036.01	FRONT	STANDARD	320	82	67	30	27.4	5
ZR26.036.02	FRONT	S6	320	82	67	30	27.4	5
ZR26.036.03	FRONT	S12	320	82	67	30	27.4	5
ZR26.036.04	FRONT	DDS	320	82	67	30	27.4	5
ZR26.037.01	REAR	STANDARD	300	60	67	22	19.4	5
ZR26.037.02	REAR	S6	300	60	67	22	19.4	5
ZR26.037.03	REAR	S12	300	60	67	22	19.4	5
ZR26.037.04	REAR	DDS	300	60	67	22	19.4	5

SL320

Model Detail 3.2 Year 1989-01 Chassis R129

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.018.01	FRONT	STANDARD	300	45.5	67	28	25.4	5	
ZR26.018.02	FRONT	S6	300	45.5	67	28	25.4	5	
ZR26.018.03	FRONT	S12	300	45.5	67	28	25.4	5	
ZR26.018.04	FRONT	DDS	300	45.5	67	28	25.4	5	
ZR26.020.01	REAR	STANDARD	278	58.5	67	9.1	7.3	5	
ZR26.020.02	REAR	S6	278	58.5	67	9.1	7.3	5	
ZR26.020.03	REAR	S12	278	58.5	67	9.1	7.3	5	
ZR26.020.04	REAR	DDS	278	58.5	67	9.1	7.3	5	

SL350

Model Detail 3.7 Year 2001- Chassis R230.467

ZR26.053.01	FRONT	STANDARD	312	65	67	28	25	5	
ZR26.053.02	FRONT	S6	312	65	67	28	25	5	
ZR26.053.03	FRONT	S12	312	65	67	28	25	5	
ZR26.053.04	FRONT	DDS	312	65	67	28	25	5	
ZR26.059.01	FRONT	STANDARD	312	65	67	28	26	5	Factory X-Drilled
ZR26.056.01	REAR	STANDARD	300	58	67	11	9.3	5	
ZR26.056.02	REAR	S6	300	58	67	11	9.3	5	
ZR26.056.03	REAR	S12	300	58	67	11	9.3	5	
ZR26.056.04	REAR	DDS	300	58	67	11	9.3	5	

SL500

Model Detail 5.0 Year 1993-01 Chassis R129

ZR26.018.01	FRONT	STANDARD	300	45.5	67	28	25.4	5	
ZR26.018.02	FRONT	S6	300	45.5	67	28	25.4	5	
ZR26.018.03	FRONT	S12	300	45.5	67	28	25.4	5	
ZR26.018.04	FRONT	DDS	300	45.5	67	28	25.4	5	
ZR26.020.01	REAR	STANDARD	278	58.5	67	9.1	7.3	5	
ZR26.020.02	REAR	S6	278	58.5	67	9.1	7.3	5	
ZR26.020.03	REAR	S12	278	58.5	67	9.1	7.3	5	
ZR26.020.04	REAR	DDS	278	58.5	67	9.1	7.3	5	

SL55AMG

Model Detail 5.5 Year 1993-01 Chassis R129

ZR26.045.01	FRONT	STANDARD	320	51	67	30	28	5	
ZR26.045.02	FRONT	S6	320	51	67	30	28	5	
ZR26.045.03	FRONT	S12	320	51	67	30	28	5	
ZR26.045.04	FRONT	DDS	320	51	67	30	28	5	
ZR26.057.01	FRONT	STANDARD	334	52	67	32	30	5	
ZR26.057.02	FRONT	S6	334	52	67	32	30	5	
ZR26.057.03	FRONT	S12	334	52	67	32	30	5	
ZR26.057.04	FRONT	DDS	334	52	67	32	30	5	
ZR26.046.01	REAR	STANDARD	300	58	67	22	19	5	
ZR26.046.02	REAR	S6	300	58	67	22	19	5	
ZR26.046.03	REAR	S12	300	58	67	22	19	5	
ZR26.046.04	REAR	DDS	300	58	67	22	19	5	
ZR26.058.01	REAR	STANDARD	300	58	67	22	20	5	
ZR26.058.02	REAR	S6	300	58	67	22	20	5	
ZR26.058.03	REAR	S12	300	58	67	22	20	5	
ZR26.058.04	REAR	DDS	300	58	67	22	20	5	

SL600

Model Detail 6.0 Year 1993-01 Chassis R129

ZR26.045.01	FRONT	STANDARD	320	51	67	30	28	5	
ZR26.045.02	FRONT	S6	320	51	67	30	28	5	

MERCEDES

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR26.045.03	FRONT	S12	320	51	67	30	28	5	
ZR26.045.04	FRONT	DDS	320	51	67	30	28	5	
ZR26.046.01	REAR	STANDARD	300	58	67	22	19	5	
ZR26.046.02	REAR	S6	300	58	67	22	19	5	
ZR26.046.03	REAR	S12	300	58	67	22	19	5	
ZR26.046.04	REAR	DDS	300	58	67	22	19	5	

SL60AMG

Model Detail	6.0	Year	1993-01	Chassis	R129				
ZR26.045.01	FRONT	STANDARD	320	51	67	30	28	5	
ZR26.045.02	FRONT	S6	320	51	67	30	28	5	
ZR26.045.03	FRONT	S12	320	51	67	30	28	5	
ZR26.045.04	FRONT	DDS	320	51	67	30	28	5	
ZR26.057.01	FRONT	STANDARD	334	52	67	32	30	5	2000-01
ZR26.057.02	FRONT	S6	334	52	67	32	30	5	2000-01
ZR26.057.03	FRONT	S12	334	52	67	32	30	5	2000-01
ZR26.057.04	FRONT	DDS	334	52	67	32	30	5	2000-01
ZR26.046.01	REAR	STANDARD	300	58	67	22	19	5	
ZR26.046.02	REAR	S6	300	58	67	22	19	5	
ZR26.046.03	REAR	S12	300	58	67	22	19	5	
ZR26.046.04	REAR	DDS	300	58	67	22	19	5	
ZR26.058.01	REAR	STANDARD	300	58	67	22	20	5	2000-01
ZR26.058.02	REAR	S6	300	58	67	22	20	5	2000-01
ZR26.058.03	REAR	S12	300	58	67	22	20	5	2000-01
ZR26.058.04	REAR	DDS	300	58	67	22	20	5	2000-01

SLK200

Model Detail	2.0	Year	1996-07	Chassis	R170				
ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

SLK200K

Model Detail	2.0 KOMPRESSOR	Year	1996-07	Chassis	R170				
ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

SLK230K

Model Detail	2.3 KOMPRESSOR	Year	1996-07	Chassis	R170				
ZR26.022.01	FRONT	STANDARD	288	46.5	67	25	22.4	5	
ZR26.022.02	FRONT	S6	288	46.5	67	25	22.4	5	
ZR26.022.03	FRONT	S12	288	46.5	67	25	22.4	5	
ZR26.022.04	FRONT	DDS	288	46.5	67	25	22.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	

MERCEDES

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

SLK320

Model Detail 3.2 Year 1996-07 Chassis R170

ZR26.024.01	FRONT	STANDARD	300	46.5	67	28	25.4	5	
ZR26.024.02	FRONT	S6	300	46.5	67	28	25.4	5	
ZR26.024.03	FRONT	S12	300	46.5	67	28	25.4	5	
ZR26.024.04	FRONT	DDS	300	46.5	67	28	25.4	5	
ZR26.026.01	REAR	STANDARD	278	53.5	67	9	7.3	5	
ZR26.026.02	REAR	S6	278	53.5	67	9	7.3	5	
ZR26.026.03	REAR	S12	278	53.5	67	9	7.3	5	
ZR26.026.04	REAR	DDS	278	53.5	67	9	7.3	5	

SLK350

Model Detail 3.5 Year 2004- Chassis R171

ZR26.061.01	FRONT	STANDARD	330	46.5	67	28	26	5	
ZR26.025.01	REAR	STANDARD	290	53.5	67	10	8.3	5	

VITO

Model Detail 2.2 108 CDI DIESEL TURBO Year 1996-03 Chassis W638

ZR26.028.01	FRONT	STANDARD	276	60	67	22	19	5	
ZR26.028.02	FRONT	S6	276	60	67	22	19	5	
ZR26.028.04	FRONT	DDS	276	60	67	22	19	5	
ZR26.029.01	REAR	STANDARD	280	63	67	10	8	5	
ZR26.029.02	REAR	S6	280	63	67	10	8	5	
ZR26.029.04	REAR	DDS	280	63	67	10	8	5	

Model Detail 2.2 109 CDI DIESEL TURBO Year 2003- Chassis W639

ZR26.063.01	FRONT	STANDARD	300	58.5	67	28	25	5	
ZR26.063.02	FRONT	S6	300	58.5	67	28	25	5	
ZR26.063.04	FRONT	DDS	300	58.5	67	28	25	5	
ZR26.064.01	REAR	STANDARD	296	57.6	67	10	8	5	
ZR26.064.02	REAR	S6	296	57.6	67	10	8	5	
ZR26.064.04	REAR	DDS	296	57.6	67	10	8	5	

Model Detail 2.2 111 CDI DIESEL TURBO Year 2003- Chassis W639

ZR26.063.01	FRONT	STANDARD	300	58.5	67	28	25	5	
ZR26.063.02	FRONT	S6	300	58.5	67	28	25	5	
ZR26.063.04	FRONT	DDS	300	58.5	67	28	25	5	
ZR26.064.01	REAR	STANDARD	296	57.6	67	10	8	5	
ZR26.064.02	REAR	S6	296	57.6	67	10	8	5	
ZR26.064.04	REAR	DDS	296	57.6	67	10	8	5	