

## MITSUBISHI

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### 380

**Model Detail 3.8 Year 2005-2008 Chassis DB**

Model Detail	3.8	Year	2005-2008	Chassis	DB			
ZR28.063.01	FRONT	STANDARD	294	46	69	28	26.4	5
ZR28.063.02	FRONT	S6	294	46	69	28	26.4	5
ZR28.063.03	FRONT	S12	294	46	69	28	26.4	5
ZR28.063.04	FRONT	DDS	294	46	69	28	26.4	5
ZR28.064.01	REAR	STANDARD	302	59.2	69	18	16.4	5
ZR28.064.02	REAR	S6	302	59.2	69	18	16.4	5
ZR28.064.03	REAR	S12	302	59.2	69	18	16.4	5
ZR28.064.04	REAR	DDS	302	59.2	69	18	16.4	5

### AIRTREK

**Model Detail 2.0 4WD TURBO Year 2001- Chassis CU2W**

Model Detail	2.0 4WD TURBO	Year	2001-	Chassis	CU2W			
ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5
ZR28.058.01	REAR	STANDARD	262	60	90	10	8.4	5
ZR28.058.02	REAR	S6	262	60	90	10	8.4	5
ZR28.058.03	REAR	S12	262	60	90	10	8.4	5
ZR28.058.04	REAR	DDS	262	60	90	10	8.4	5

### CHALLENGER

**Model Detail 2.5 DIESEL TURBO Year 1998- Chassis K94W**

Model Detail	2.5 DIESEL TURBO	Year	1998-	Chassis	K94W			
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6
ZR28.053.02	FRONT	S6	276	45	87	24	22.4	6
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6
ZR28.052.01	REAR	STANDARD	315	84	108	18	16.4	6
ZR28.052.02	REAR	S6	315	84	108	18	16.4	6
ZR28.052.03	REAR	S12	315	84	108	18	16.4	6
ZR28.052.04	REAR	DDS	315	84	108	18	16.4	6
ZR28.052.05	REAR	L6	315	84	108	18	16.4	6

**Model Detail 2.8 DIESEL TURBO Year 1998- Chassis K97W**

Model Detail	2.8 DIESEL TURBO	Year	1998-	Chassis	K97W			
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6
ZR28.053.02	FRONT	S6	276	45	87	24	22.4	6
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6
ZR28.052.01	REAR	STANDARD	315	84	108	18	16.4	6
ZR28.052.02	REAR	S6	315	84	108	18	16.4	6
ZR28.052.03	REAR	S12	315	84	108	18	16.4	6
ZR28.052.04	REAR	DDS	315	84	108	18	16.4	6
ZR28.052.05	REAR	L6	315	84	108	18	16.4	6

**Model Detail 3.0 Year 1998- Chassis K96W**

Model Detail	3.0	Year	1998-	Chassis	K96W			
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6
ZR28.053.02	FRONT	S6	276	45	87	24	22.4	6
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6
ZR28.052.01	REAR	STANDARD	315	84	108	18	16.4	6
ZR28.052.02	REAR	S6	315	84	108	18	16.4	6

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.052.03	REAR	S12	315	84	108	18	16.4	6	
ZR28.052.04	REAR	DDS	315	84	108	18	16.4	6	
ZR28.052.05	REAR	L6	315	84	108	18	16.4	6	

### Model Detail 3.5 Year 1999- Chassis F99W

ZR28.054.01	FRONT	STANDARD	314	45.5	87	24	22.4	6	
ZR28.054.02	FRONT	S6	314	45.5	87	24	22.4	6	
ZR28.054.03	FRONT	S12	314	45.5	87	24	22.4	6	
ZR28.054.04	FRONT	DDS	314	45.5	87	24	22.4	6	
ZR28.054.05	FRONT	L6	314	45.5	87	24	22.4	6	
ZR28.052.01	REAR	STANDARD	315	84	108	18	16.4	6	
ZR28.052.02	REAR	S6	315	84	108	18	16.4	6	
ZR28.052.03	REAR	S12	315	84	108	18	16.4	6	
ZR28.052.04	REAR	DDS	315	84	108	18	16.4	6	
ZR28.052.05	REAR	L6	315	84	108	18	16.4	6	

## COLT RALLIART

### Model Detail 1.5 TURBO VERSION-R Year 2006-12 Chassis Z27AG

ZR28.078.02	FRONT		281	47	69	26	23.5	4	
-------------	-------	--	-----	----	----	----	------	---	--

## DELICA

### Model Detail 2.5 DIESEL Year 1986-91 Chassis HLND

ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6	
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6	
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6	
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6	

### Model Detail 2.5 DIESEL Year 1986-91 Chassis PO5V

ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6	
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6	
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6	
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6	

### Model Detail 2.5 DIESEL Year 1986-91 Chassis JINDC

ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6	
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6	
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6	
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6	

## DIAMANTE

### Model Detail 2.0 Year 1990-95 Chassis F11A

ZR28.032.01	FRONT	STANDARD	256	45.2	69	24	22.4	5	
ZR28.032.02	FRONT	S6	256	45.2	69	24	22.4	5	
ZR28.032.03	FRONT	S12	256	45.2	69	24	22.4	5	
ZR28.032.04	FRONT	DDS	256	45.2	69	24	22.4	5	
ZR28.033.01	REAR	STANDARD	258	66	90	10.4	8.4	5	
ZR28.033.02	REAR	S6	258	66	90	10.4	8.4	5	
ZR28.033.03	REAR	S12	258	66	90	10.4	8.4	5	
ZR28.033.04	REAR	DDS	258	66	90	10.4	8.4	5	

### Model Detail 2.5 Year 1990-95 Chassis F13A

ZR28.032.01	FRONT	STANDARD	256	45.2	69	24	22.4	5	
ZR28.032.02	FRONT	S6	256	45.2	69	24	22.4	5	
ZR28.032.03	FRONT	S12	256	45.2	69	24	22.4	5	
ZR28.032.04	FRONT	DDS	256	45.2	69	24	22.4	5	
ZR28.033.01	REAR	STANDARD	258	66	90	10.4	8.4	5	
ZR28.033.02	REAR	S6	258	66	90	10.4	8.4	5	

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.033.03	REAR	S12	258	66	90	10.4	8.4	5	
ZR28.033.04	REAR	DDS	258	66	90	10.4	8.4	5	

### Model Detail 2.5 Year 1991-95 Chassis F15A

ZR28.032.01	FRONT	STANDARD	256	45.2	69	24	22.4	5	
ZR28.032.02	FRONT	S6	256	45.2	69	24	22.4	5	
ZR28.032.03	FRONT	S12	256	45.2	69	24	22.4	5	
ZR28.032.04	FRONT	DDS	256	45.2	69	24	22.4	5	
ZR28.034.01	REAR	STANDARD	266	65.5	90	18	16.4	5	
ZR28.034.02	REAR	S6	266	65.5	90	18	16.4	5	
ZR28.034.03	REAR	S12	266	65.5	90	18	16.4	5	
ZR28.034.04	REAR	DDS	266	65.5	90	18	16.4	5	

### Model Detail 2.5 4WD Year 1990-95 Chassis F25A

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	

### Model Detail 3.0 Year 1990-95 Chassis F17A

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	
ZR28.034.01	REAR	STANDARD	266	65.5	90	18	16.4	5	
ZR28.034.02	REAR	S6	266	65.5	90	18	16.4	5	
ZR28.034.03	REAR	S12	266	65.5	90	18	16.4	5	
ZR28.034.04	REAR	DDS	266	65.5	90	18	16.4	5	

### Model Detail 3.0 4WD Year 1990-95 Chassis F27A

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	

### Model Detail 2.5 Year 1995-03 Chassis F31A

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	
ZR28.037.01	REAR	STANDARD	258	56.5	90	10.5	8.4	5	
ZR28.037.02	REAR	S6	258	56.5	90	10.5	8.4	5	
ZR28.037.03	REAR	S12	258	56.5	90	10.5	8.4	5	
ZR28.037.04	REAR	DDS	258	56.5	90	10.5	8.4	5	

### Model Detail 2.5 4WD Year 1995-03 Chassis F41A

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	

### Model Detail 3.0 Year 1995-03 Chassis F36A

ZR28.003.01	FRONT	STANDARD	294	46	69	24	22.4	5	
ZR28.003.02	FRONT	S6	294	46	69	24	22.4	5	
ZR28.003.03	FRONT	S12	294	46	69	24	22.4	5	
ZR28.003.04	FRONT	DDS	294	46	69	24	22.4	5	
ZR28.066.01	REAR	STANDARD	262	60	90	18	16.4	5	262 x 18
ZR28.066.02	REAR	S6	262	60	90	18	16.4	5	262 x 18

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.066.03	REAR	S12	262	60	90	18	16.4	5	
ZR28.066.04	REAR	DDS	262	60	90	18	16.4	5	

### Model Detail 3.0 4WD Year 1995-03 Chassis F47A

ZR28.003.01	FRONT	STANDARD	294	46	69	24	22.4	5	
ZR28.003.02	FRONT	S6	294	46	69	24	22.4	5	
ZR28.003.03	FRONT	S12	294	46	69	24	22.4	5	
ZR28.003.04	FRONT	DDS	294	46	69	24	22.4	5	
ZR28.040.01	REAR	STANDARD	283	61	90	19.8	18.4	5	
ZR28.040.02	REAR	S6	283	61	90	19.8	18.4	5	
ZR28.040.03	REAR	S12	283	61	90	19.8	18.4	5	
ZR28.040.04	REAR	DDS	283	61	90	19.8	18.4	5	

## FTO

### Model Detail 1.8 Year 1989-95 Chassis DE2A

ZR28.032.01	FRONT	STANDARD	256	45.2	69	24	22.4	5	
ZR28.032.02	FRONT	S6	256	45.2	69	24	22.4	5	
ZR28.032.03	FRONT	S12	256	45.2	69	24	22.4	5	
ZR28.032.04	FRONT	DDS	256	45.2	69	24	22.4	5	
ZR28.047.01	REAR	STANDARD	265	49	90	10	8.4	5	
ZR28.047.02	REAR	S6	265	49	90	10	8.4	5	
ZR28.047.03	REAR	S12	265	49	90	10	8.4	5	
ZR28.047.04	REAR	DDS	265	49	90	10	8.4	5	

### Model Detail 2.0 Year 1989-95 Chassis DE3A

ZR28.032.01	FRONT	STANDARD	256	45.2	69	24	22.4	5	
ZR28.032.02	FRONT	S6	256	45.2	69	24	22.4	5	
ZR28.032.03	FRONT	S12	256	45.2	69	24	22.4	5	
ZR28.032.04	FRONT	DDS	256	45.2	69	24	22.4	5	
ZR28.047.01	REAR	STANDARD	265	49	90	10	8.4	5	
ZR28.047.02	REAR	S6	265	49	90	10	8.4	5	
ZR28.047.03	REAR	S12	265	49	90	10	8.4	5	
ZR28.047.04	REAR	DDS	265	49	90	10	8.4	5	

### Model Detail 2.0 MIVEC Year 1994-00 Chassis DE3A

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	
ZR28.047.01	REAR	STANDARD	265	49	90	10	8.4	5	98-
ZR28.047.02	REAR	S6	265	49	90	10	8.4	5	98-
ZR28.047.03	REAR	S12	265	49	90	10	8.4	5	98-
ZR28.047.04	REAR	DDS	265	49	90	10	8.4	5	98-
ZR28.059.01	REAR	STANDARD	260	41	90	10	8.4	5	
ZR28.059.02	REAR	S6	260	41	90	10	8.4	5	
ZR28.059.03	REAR	S12	260	41	90	10	8.4	5	
ZR28.059.04	REAR	DDS	260	41	90	10	8.4	5	

## GALANT

### Model Detail 1.8 Year 1988-90 Chassis E32A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	

### Model Detail 2.0 4WD Year 1988-93 Chassis E33A

ZR28.011.01	FRONT	STANDARD	266	45.5	69	24	22.4	4	
-------------	-------	----------	-----	------	----	----	------	---	--

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.011.02	FRONT	S6	266	45.5	69	24	22.4	4	
ZR28.011.03	FRONT	S12	266	45.5	69	24	22.4	4	
ZR28.011.04	FRONT	DDS	266	45.5	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

### Model Detail 1.8 Year 1989-93 Chassis E35A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

### Model Detail 1.8 Year 1992-96 Chassis E52A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	

### Model Detail 2.0 Year 1989-92 Chassis E33A

ZR28.011.01	FRONT	STANDARD	266	45.5	69	24	22.4	4	
ZR28.011.02	FRONT	S6	266	45.5	69	24	22.4	4	
ZR28.011.03	FRONT	S12	266	45.5	69	24	22.4	4	
ZR28.011.04	FRONT	DDS	266	45.5	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

### Model Detail 1.8 Year 1992-96 Chassis E53A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	

### Model Detail 2.0 Year 1988-93 Chassis

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

### Model Detail 2.0 V6 Year 1992-96 Chassis E54A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	

### Model Detail 2.0 VR4 4WD TURBO Year 1988-93 Chassis E39A

ZR28.011.01	FRONT	STANDARD	266	45.5	69	24	22.4	4	
-------------	-------	----------	-----	------	----	----	------	---	--

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.011.02	FRONT	S6	266	45.5	69	24	22.4	4	
ZR28.011.03	FRONT	S12	266	45.5	69	24	22.4	4	
ZR28.011.04	FRONT	DDS	266	45.5	69	24	22.4	4	
ZR28.022.01	FRONT	STANDARD	276	45	69	24	22.4	4	91-93
ZR28.022.02	FRONT	S6	276	45	69	24	22.4	4	91-93
ZR28.022.03	FRONT	S12	276	45	69	24	22.4	4	91-93
ZR28.022.04	FRONT	DDS	276	45	69	24	22.4	4	91-93
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

### Model Detail 2.0 VR4 4WD TURBO Year 1992-96 Chassis E84A

ZR28.022.01	FRONT	STANDARD	276	45	69	24	22.4	4	
ZR28.022.02	FRONT	S6	276	45	69	24	22.4	4	
ZR28.022.03	FRONT	S12	276	45	69	24	22.4	4	
ZR28.022.04	FRONT	DDS	276	45	69	24	22.4	4	
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

### Model Detail 2.0 MIVEC Year 1993-96 Chassis E54A

ZR28.022.01	FRONT	STANDARD	276	45	69	24	22.4	4	
ZR28.022.02	FRONT	S6	276	45	69	24	22.4	4	
ZR28.022.03	FRONT	S12	276	45	69	24	22.4	4	
ZR28.022.04	FRONT	DDS	276	45	69	24	22.4	4	
ZR28.024.01	REAR	STANDARD	262	60	90	10	8.4	4	
ZR28.024.02	REAR	S6	262	60	90	10	8.4	4	
ZR28.024.03	REAR	S12	262	60	90	10	8.4	4	
ZR28.024.04	REAR	DDS	262	60	90	10	8.4	4	

### Model Detail 1.8 Year 1996-03 Chassis EA1A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.024.01	REAR	STANDARD	262	60	90	10	8.4	4	
ZR28.024.02	REAR	S6	262	60	90	10	8.4	4	
ZR28.024.03	REAR	S12	262	60	90	10	8.4	4	
ZR28.024.04	REAR	DDS	262	60	90	10	8.4	4	

### Model Detail 2.5 VR4 4WD TURBO Year 1996-03 Chassis EC5A

ZR28.003.01	FRONT	STANDARD	294	46	69	24	22.4	5	
ZR28.003.02	FRONT	S6	294	46	69	24	22.4	5	
ZR28.003.03	FRONT	S12	294	46	69	24	22.4	5	
ZR28.003.04	FRONT	DDS	294	46	69	24	22.4	5	
ZR28.040.01	REAR	STANDARD	283	61	90	19.8	18.4	5	
ZR28.040.02	REAR	S6	283	61	90	19.8	18.4	5	
ZR28.040.03	REAR	S12	283	61	90	19.8	18.4	5	
ZR28.040.04	REAR	DDS	283	61	90	19.8	18.4	5	

## GTO

### Model Detail 3.0 Year 1990-94 Chassis Z15A

ZR28.007.01	FRONT	STANDARD	296	45.2	69	30	28.4	5	
ZR28.007.02	FRONT	S6	296	45.2	69	30	28.4	5	
ZR28.007.03	FRONT	S12	296	45.2	69	30	28.4	5	

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.007.04	FRONT	DDS	296	45.2	69	30	28.4	5	
ZR28.008.01	REAR	STANDARD	284	52.8	90	20	18.4	5	
ZR28.008.02	REAR	S6	284	52.8	90	20	18.4	5	
ZR28.008.03	REAR	S12	284	52.8	90	20	18.4	5	
ZR28.008.04	REAR	DDS	284	52.8	90	20	18.4	5	

### Model Detail 3.0 VR4 TWIN TURBO Year 1990-94 Chassis Z16A

ZR28.007.01	FRONT	STANDARD	296	45.2	69	30	28.4	5	
ZR28.007.02	FRONT	S6	296	45.2	69	30	28.4	5	
ZR28.007.03	FRONT	S12	296	45.2	69	30	28.4	5	
ZR28.007.04	FRONT	DDS	296	45.2	69	30	28.4	5	
ZR28.008.01	REAR	STANDARD	284	52.8	90	20	18.4	5	
ZR28.008.02	REAR	S6	284	52.8	90	20	18.4	5	
ZR28.008.03	REAR	S12	284	52.8	90	20	18.4	5	
ZR28.008.04	REAR	DDS	284	52.8	90	20	18.4	5	

### Model Detail 3.0 VR4 TWIN TURBO Year 1994- Chassis Z16A

ZR28.046.01	FRONT	STANDARD	314	45.5	69	30	28.4	5	
ZR28.046.02	FRONT	S6	314	45.5	69	30	28.4	5	
ZR28.046.03	FRONT	S12	314	45.5	69	30	28.4	5	
ZR28.046.04	FRONT	DDS	314	45.5	69	30	28.4	5	
ZR28.057.01	REAR	STANDARD	297	50.5	90	20	18.4	5	
ZR28.057.02	REAR	S6	297	50.5	90	20	18.4	5	
ZR28.057.03	REAR	S12	297	50.5	90	20	18.4	5	
ZR28.057.04	REAR	DDS	297	50.5	90	20	18.4	5	

### Model Detail 3.0 Year 1994- Chassis Z15A

ZR28.007.01	FRONT	STANDARD	296	45.2	69	30	28.4	5	
ZR28.007.02	FRONT	S6	296	45.2	69	30	28.4	5	
ZR28.007.03	FRONT	S12	296	45.2	69	30	28.4	5	
ZR28.007.04	FRONT	DDS	296	45.2	69	30	28.4	5	
ZR28.008.01	REAR	STANDARD	284	52.8	90	20	18.4	5	
ZR28.008.02	REAR	S6	284	52.8	90	20	18.4	5	
ZR28.008.03	REAR	S12	284	52.8	90	20	18.4	5	
ZR28.008.04	REAR	DDS	284	52.8	90	20	18.4	5	

## L200

### Model Detail 2.0 4WD Year 1982-89 Chassis K22TUNSR5

ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6	
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6	
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6	
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6	
ZR28.050.01	FRONT	STANDARD	255	45	87	20	18.4	6	
ZR28.050.03	FRONT	S12	255	45	87	20	18.4	6	
ZR28.050.04	FRONT	DDS	255	45	87	20	18.4	6	
ZR28.050.05	FRONT	L6	255	45	87	20	18.4	6	

### Model Detail 2.5 DIESEL Year 1992- Chassis KF3

ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6	
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6	
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6	
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6	
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	94 ON
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	94 ON
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	94 ON
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	94 ON

## MITSUBISHI

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

Model Detail 2.5 DIESEL			Year 1992-			Chassis KF7		
ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6 94 ON
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6 94 ON
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6 94 ON
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6 94 ON

Model Detail 2.5 DIESEL			Year 1992-			Chassis K34		
ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6 94 ON
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6 94 ON
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6 94 ON
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6 94 ON

Model Detail 2.6			Year 1986-92			Chassis K13TUNUR7		
ZR28.017.01	FRONT	STANDARD	258	33.5	84	22	20.4	6
ZR28.017.02	FRONT	S6	258	33.5	84	22	20.4	6
ZR28.017.03	FRONT	S12	258	33.5	84	22	20.4	6
ZR28.017.04	FRONT	DDS	258	33.5	84	22	20.4	6

### L300

Model Detail 2.0			Year 1987-92			Chassis P SERIES		
ZR28.015.01	FRONT	STANDARD	277	45.5	87	22	20.4	6
ZR28.015.03	FRONT	S12	277	45.5	87	22	20.4	6
ZR28.015.04	FRONT	DDS	277	45.5	87	22	20.4	6
ZR28.015.05	FRONT	L6	277	45.5	87	22	20.4	6

Model Detail 2.4			Year 1992-97			Chassis PG5P		
ZR28.002.01	FRONT	STANDARD	254	39	87	24	22.4	5
ZR28.002.03	FRONT	S12	254	39	87	24	22.4	5
ZR28.002.04	FRONT	DDS	254	39	87	24	22.4	5

Model Detail 2.5 DIESEL			Year 1993-			Chassis		
ZR28.002.01	FRONT	STANDARD	254	39	87	24	22.4	5
ZR28.002.03	FRONT	S12	254	39	87	24	22.4	5
ZR28.002.04	FRONT	DDS	254	39	87	24	22.4	5

### LANCER

Model Detail 1.3			Year 1988-92			Chassis C61A		
ZR28.014.01	FRONT	STANDARD	243	34.5	86	13	11.4	4
ZR28.020.01	FRONT	STANDARD	234	34	86	13	11.4	4 1990-92

Model Detail 1.6			Year 1988-92			Chassis C63A		
ZR28.026.01	FRONT	STANDARD	266	34	86	24	22.4	4
ZR28.026.02	FRONT	S6	266	34	86	24	22.4	4
ZR28.026.03	FRONT	S12	266	34	86	24	22.4	4
ZR28.026.04	FRONT	DDS	266	34	86	24	22.4	4
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4



## MITSUBISHI

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 1.6 4WD TURBO Year 1988-92 Chassis C73A**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4

**Model Detail 1.6 TURBO Year 1988-92 Chassis C63A**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4

**Model Detail 1.5 Year 1995-97 Chassis CK2A**

ZR28.030.01	FRONT	STANDARD	236	45	64	18	16.4	4
ZR28.030.02	FRONT	S6	236	45	64	18	16.4	4
ZR28.030.03	FRONT	S12	236	45	64	18	16.4	4
ZR28.030.04	FRONT	DDS	236	45	64	18	16.4	4

**Model Detail 1.5 Year 1988-92 Chassis C62A**

ZR28.010.01	FRONT	STANDARD	242	34.5	86	18	16.4	4
ZR28.010.02	FRONT	S6	242	34.5	86	18	16.4	4
ZR28.010.03	FRONT	S12	242	34.5	86	18	16.4	4
ZR28.010.04	FRONT	DDS	242	34.5	86	18	16.4	4
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4

**Model Detail 1.3 Year 1991-95 Chassis CB1A**

ZR28.021.01	FRONT	STANDARD	234	45	64	13	11.4	4
-------------	-------	----------	-----	----	----	----	------	---

**Model Detail 1.6 MIVEC Year 1995-00 Chassis CK4A**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4

**Model Detail 1.8 Year 1995-00 Chassis CK6A**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4

## MITSUBISHI

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	
<b>Model Detail 1.8 4WD TURBO</b>									
					<b>Year</b>	1991-95	<b>Chassis</b>		CD5A
ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	
<b>Model Detail 1.5</b>									
					<b>Year</b>	1991-95	<b>Chassis</b>		CB2A
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4	
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4	
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4	
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4	
<b>Model Detail 1.5</b>									
					<b>Year</b>	1991-95	<b>Chassis</b>		CB3A
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4	
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4	
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4	
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4	
<b>Model Detail 1.6</b>									
					<b>Year</b>	1991-95	<b>Chassis</b>		CB6A
ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	
<b>Model Detail 1.6 MIVEC</b>									
					<b>Year</b>	1993-95	<b>Chassis</b>		CB4A
ZR28.031.01	FRONT	STANDARD	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.031.02	FRONT	S6	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.031.03	FRONT	S12	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.031.04	FRONT	DDS	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.027.01	REAR	STANDARD	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
ZR28.027.02	REAR	S6	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
ZR28.027.03	REAR	S12	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
ZR28.027.04	REAR	DDS	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
<b>Model Detail 1.3</b>									
					<b>Year</b>	1995-00	<b>Chassis</b>		CK1A
ZR28.030.01	FRONT	STANDARD	236	45	64	18	16.4	4	
ZR28.030.02	FRONT	S6	236	45	64	18	16.4	4	
ZR28.030.03	FRONT	S12	236	45	64	18	16.4	4	
ZR28.030.04	FRONT	DDS	236	45	64	18	16.4	4	
<b>Model Detail 1.8 4WD TURBO</b>									
					<b>Year</b>	1995-00	<b>Chassis</b>		CM5A
ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	

## MITSUBISHI

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
-------------------	-----------------	-------------	-------------	---------------	------------------	------------------	------------------	-------------	--------------

ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	
-------------	------	-----	-----	----	----	----	-----	---	--

### LANCER EVOLUTION

#### Model Detail 2.0 EVO 1 Year 1992-93 Chassis CD9A

ZR28.022.01	FRONT	STANDARD	276	45	69	24	22.4	4	ABS
ZR28.022.02	FRONT	S6	276	45	69	24	22.4	4	ABS
ZR28.022.03	FRONT	S12	276	45	69	24	22.4	4	ABS
ZR28.022.04	FRONT	DDS	276	45	69	24	22.4	4	ABS
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

#### Model Detail 2.0 EVO 2 Year 1993-94 Chassis CE9A

ZR28.022.01	FRONT	STANDARD	276	45	69	24	22.4	4	ABS
ZR28.022.02	FRONT	S6	276	45	69	24	22.4	4	ABS
ZR28.022.03	FRONT	S12	276	45	69	24	22.4	4	ABS
ZR28.022.04	FRONT	DDS	276	45	69	24	22.4	4	ABS
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

#### Model Detail 2.0 EVO 3 Year 1994-95 Chassis CE9A

ZR28.022.01	FRONT	STANDARD	276	45	69	24	22.4	4	ABS
ZR28.022.02	FRONT	S6	276	45	69	24	22.4	4	ABS
ZR28.022.03	FRONT	S12	276	45	69	24	22.4	4	ABS
ZR28.022.04	FRONT	DDS	276	45	69	24	22.4	4	ABS
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

#### Model Detail 2.0 EVO 4 Year 1996-97 Chassis CN9A

ZR28.003.01	FRONT	STANDARD	294	46	69	24	22.4	5	
ZR28.003.02	FRONT	S6	294	46	69	24	22.4	5	
ZR28.003.03	FRONT	S12	294	46	69	24	22.4	5	
ZR28.003.04	FRONT	DDS	294	46	69	24	22.4	5	
ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	RA VERSION
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	RA VERSION
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	RA VERSION
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	RA VERSION
ZR28.040.01	REAR	STANDARD	283	61	90	19.8	18.4	5	
ZR28.040.02	REAR	S6	283	61	90	19.8	18.4	5	
ZR28.040.03	REAR	S12	283	61	90	19.8	18.4	5	
ZR28.040.04	REAR	DDS	283	61	90	19.8	18.4	5	

#### Model Detail 2.0 EVO 5 Year 1998-99 Chassis CP9A

ZR28.004.01	FRONT	STANDARD	320	43.5	69	32	29.8	5	
ZR28.004.02	FRONT	S6	320	43.5	69	32	29.8	5	
ZR28.004.03	FRONT	S12	320	43.5	69	32	29.8	5	
ZR28.004.04	FRONT	DDS	320	43.5	69	32	29.8	5	
ZR28.056.01	REAR	STANDARD	300	58	90	22	20	5	
ZR28.056.02	REAR	S6	300	58	90	22	20	5	
ZR28.056.03	REAR	S12	300	58	90	22	20	5	
ZR28.056.04	REAR	DDS	300	58	90	22	20	5	

## MITSUBISHI

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 2.0 EVO 6 Year 1999-00 Chassis CP9A**

ZR28.004.01	FRONT	STANDARD	320	43.5	69	32	29.8	5	
ZR28.004.02	FRONT	S6	320	43.5	69	32	29.8	5	
ZR28.004.03	FRONT	S12	320	43.5	69	32	29.8	5	
ZR28.004.04	FRONT	DDS	320	43.5	69	32	29.8	5	
ZR28.056.01	REAR	STANDARD	300	58	90	22	20	5	
ZR28.056.02	REAR	S6	300	58	90	22	20	5	
ZR28.056.03	REAR	S12	300	58	90	22	20	5	
ZR28.056.04	REAR	DDS	300	58	90	22	20	5	

**Model Detail 2.0 EVO 7 Year 2001-02 Chassis CT9A**

ZR28.004.01	FRONT	STANDARD	320	43.5	69	32	29.8	5	
ZR28.004.02	FRONT	S6	320	43.5	69	32	29.8	5	
ZR28.004.03	FRONT	S12	320	43.5	69	32	29.8	5	
ZR28.004.04	FRONT	DDS	320	43.5	69	32	29.8	5	
ZR28.056.01	REAR	STANDARD	300	58	90	22	20	5	
ZR28.056.02	REAR	S6	300	58	90	22	20	5	
ZR28.056.03	REAR	S12	300	58	90	22	20	5	
ZR28.056.04	REAR	DDS	300	58	90	22	20	5	

**Model Detail 2.0 EVO 8 Year 2002-03 Chassis CT9A**

ZR28.004.01	FRONT	STANDARD	320	43.5	69	32	29.8	5	
ZR28.004.02	FRONT	S6	320	43.5	69	32	29.8	5	
ZR28.004.03	FRONT	S12	320	43.5	69	32	29.8	5	
ZR28.004.04	FRONT	DDS	320	43.5	69	32	29.8	5	
ZR28.056.01	REAR	STANDARD	300	58	90	22	20	5	
ZR28.056.02	REAR	S6	300	58	90	22	20	5	
ZR28.056.03	REAR	S12	300	58	90	22	20	5	
ZR28.056.04	REAR	DDS	300	58	90	22	20	5	

**Model Detail 2.0 EVO 9 Year 2005-07 Chassis CT9A**

ZR28.004.01	FRONT	STANDARD	320	43.5	69	32	29.8	5	
ZR28.004.02	FRONT	S6	320	43.5	69	32	29.8	5	
ZR28.004.03	FRONT	S12	320	43.5	69	32	29.8	5	
ZR28.004.04	FRONT	DDS	320	43.5	69	32	29.8	5	
ZR28.056.01	REAR	STANDARD	300	58	90	22	20	5	
ZR28.056.02	REAR	S6	300	58	90	22	20	5	
ZR28.056.03	REAR	S12	300	58	90	22	20	5	
ZR28.056.04	REAR	DDS	300	58	90	22	20	5	

**Model Detail 2.0 EVO 10 Year 2007-14 Chassis CZ4A**

ZR28.068.01	FRONT		350	43.7	69	32	30	5	350x32
ZR28.068.02	FRONT		350	43.7	69	32	30	5	350x32
ZR28.068.03	FRONT		350	43.7	69	32	30	5	350x32
ZR28.068.04	FRONT		350	43.7	69	32	30	5	350x32
ZR28.069.01	REAR		330	59	80	22	20	5	330x22
ZR28.069.02	REAR		330	59	80	22	20	5	330x22
ZR28.069.03	REAR		330	59	80	22	20	5	330x22
ZR28.069.04	REAR		330	59	80	22	20	5	330x22

## LEGNUM

**Model Detail 2.5 VR4 TWIN TURBO Year 1996-00 Chassis EC5W**

ZR28.003.01	FRONT	STANDARD	294	46	69	24	22.4	5	
ZR28.003.02	FRONT	S6	294	46	69	24	22.4	5	
ZR28.003.03	FRONT	S12	294	46	69	24	22.4	5	
ZR28.003.04	FRONT	DDS	294	46	69	24	22.4	5	
ZR28.040.01	REAR	STANDARD	283	61	90	19.8	18.4	5	

## MITSUBISHI

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR28.040.02	REAR	S6	283	61	90	19.8	18.4	5	
ZR28.040.03	REAR	S12	283	61	90	19.8	18.4	5	
ZR28.040.04	REAR	DDS	283	61	90	19.8	18.4	5	

### Model Detail 1.8 Year 1996-2000 Chassis EA1W

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.024.01	REAR	STANDARD	262	60	90	10	8.4	4	
ZR28.024.02	REAR	S6	262	60	90	10	8.4	4	
ZR28.024.03	REAR	S12	262	60	90	10	8.4	4	
ZR28.024.04	REAR	DDS	262	60	90	10	8.4	4	

### Model Detail 2.0 Year 1996-98 Chassis EA4W

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.024.01	REAR	STANDARD	262	60	90	10	8.4	4	
ZR28.024.02	REAR	S6	262	60	90	10	8.4	4	
ZR28.024.03	REAR	S12	262	60	90	10	8.4	4	
ZR28.024.04	REAR	DDS	262	60	90	10	8.4	4	

### Model Detail 2.0 4WD Year 1996-98 Chassis EC4W

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

### Model Detail 2.5 Year 1996-00 Chassis EA5W

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	
ZR28.037.01	REAR	STANDARD	258	56.5	90	10.5	8.4	5	
ZR28.037.02	REAR	S6	258	56.5	90	10.5	8.4	5	
ZR28.037.03	REAR	S12	258	56.5	90	10.5	8.4	5	
ZR28.037.04	REAR	DDS	258	56.5	90	10.5	8.4	5	

### Model Detail 2.5 4WD Year 1996-00 Chassis EC5W

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	

### Model Detail 2.4 Year 1998-00 Chassis EA3W

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	
ZR28.037.01	REAR	STANDARD	258	56.5	90	10.5	8.4	5	
ZR28.037.02	REAR	S6	258	56.5	90	10.5	8.4	5	
ZR28.037.03	REAR	S12	258	56.5	90	10.5	8.4	5	

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
------------	----------	------	------	--------	-----------	-----------	-----------	------	-------

ZR28.037.04	REAR	DDS	258	56.5	90	10.5	8.4	5	
-------------	------	-----	-----	------	----	------	-----	---	--

Model Detail	2.4 4WD	Year	1998-00	Chassis	EC3W
--------------	---------	------	---------	---------	------

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	

## LIBERO

Model Detail	1.8 4WD TURBO	Year	1992-99	Chassis	CD5W
--------------	---------------	------	---------	---------	------

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

Model Detail	1.8	Year	1994-2000	Chassis	CB5W
--------------	-----	------	-----------	---------	------

ZR28.030.01	FRONT	STANDARD	236	45	64	18	16.4	4	
ZR28.030.02	FRONT	S6	236	45	64	18	16.4	4	
ZR28.030.03	FRONT	S12	236	45	64	18	16.4	4	
ZR28.030.04	FRONT	DDS	236	45	64	18	16.4	4	

Model Detail	1.8 4WD	Year	1994-00	Chassis	CD5W
--------------	---------	------	---------	---------	------

ZR28.030.01	FRONT	STANDARD	236	45	64	18	16.4	4	
ZR28.030.02	FRONT	S6	236	45	64	18	16.4	4	
ZR28.030.03	FRONT	S12	236	45	64	18	16.4	4	
ZR28.030.04	FRONT	DDS	236	45	64	18	16.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

## MAGNA

Model Detail	2.4	Year	1994-99	Chassis	TF2M4
--------------	-----	------	---------	---------	-------

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	ABS
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	ABS
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	ABS
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	ABS
ZR28.037.01	REAR	STANDARD	258	56.5	90	10.5	8.4	5	ABS
ZR28.037.02	REAR	S6	258	56.5	90	10.5	8.4	5	ABS
ZR28.037.03	REAR	S12	258	56.5	90	10.5	8.4	5	ABS
ZR28.037.04	REAR	DDS	258	56.5	90	10.5	8.4	5	ABS

Model Detail	2.6	Year	1985-92	Chassis	TM/TN
--------------	-----	------	---------	---------	-------

ZR28.011.01	FRONT	STANDARD	266	45.5	69	24	22.4	4	
ZR28.011.02	FRONT	S6	266	45.5	69	24	22.4	4	
ZR28.011.03	FRONT	S12	266	45.5	69	24	22.4	4	
ZR28.011.04	FRONT	DDS	266	45.5	69	24	22.4	4	

Model Detail	3.5 4WD	Year	2002-03	Chassis	TJ (II)
--------------	---------	------	---------	---------	---------

ZR28.003.01	FRONT	STANDARD	294	46	69	24	22.4	5	
ZR28.003.02	FRONT	S6	294	46	69	24	22.4	5	
ZR28.003.03	FRONT	S12	294	46	69	24	22.4	5	
ZR28.003.04	FRONT	DDS	294	46	69	24	22.4	5	

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.040.01	REAR	STANDARD	283	61	90	19.8	18.4	5	
ZR28.040.02	REAR	S6	283	61	90	19.8	18.4	5	
ZR28.040.03	REAR	S12	283	61	90	19.8	18.4	5	
ZR28.040.04	REAR	DDS	283	61	90	19.8	18.4	5	

### MIRAGE

Model Detail		1.3	Year			1988-92	Chassis		C51
ZR28.014.01	FRONT	STANDARD	243	34.5	86	13	11.4	4	1990-92
ZR28.020.01	FRONT	STANDARD	234	34	86	13	11.4	4	1988-90

Model Detail		1.3	Year			1992-96	Chassis		CA1A
ZR28.021.01	FRONT	STANDARD	234	45	64	13	11.4	4	

Model Detail		1.5	Year			1992-95	Chassis		CA2A
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4	
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4	
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4	
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4	

Model Detail		1.5	Year			1992-95	Chassis		CA3A
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4	
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4	
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4	
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4	

Model Detail		1.6 CYBORG TURBO	Year			1988-92	Chassis		C53A
ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

Model Detail		1.6	Year			1988-92	Chassis		C53
ZR28.026.01	FRONT	STANDARD	266	34	86	24	22.4	4	
ZR28.026.02	FRONT	S6	266	34	86	24	22.4	4	
ZR28.026.03	FRONT	S12	266	34	86	24	22.4	4	
ZR28.026.04	FRONT	DDS	266	34	86	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

Model Detail		1.5	Year			1988-90	Chassis		C52
ZR28.010.01	FRONT	STANDARD	242	34.5	86	18	16.4	4	
ZR28.010.02	FRONT	S6	242	34.5	86	18	16.4	4	
ZR28.010.03	FRONT	S12	242	34.5	86	18	16.4	4	
ZR28.010.04	FRONT	DDS	242	34.5	86	18	16.4	4	
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4	1990-92
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4	1990-92
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4	1990-92
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4	1990-92

Model Detail		1.6 MIVEC 4WD	Year			1992-95	Chassis		CC4A
ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

### Model Detail 1.6 Year 1992-95 Chassis CB6A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

### Model Detail 1.6 MIVEC CYBORG Year 1992-95 Chassis CA4A

ZR28.031.01	FRONT	STANDARD	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.031.02	FRONT	S6	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.031.03	FRONT	S12	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.031.04	FRONT	DDS	256	45	64	24	22.4	4	4x100PCD 175PS MIVEC
ZR28.027.01	REAR	STANDARD	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
ZR28.027.02	REAR	S6	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
ZR28.027.03	REAR	S12	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC
ZR28.027.04	REAR	DDS	260	41	64	10	8.4	4	4x100PCD 175PS MIVEC

### Model Detail 1.5 Year 1988-92 Chassis C62

ZR28.010.01	FRONT	STANDARD	242	34.5	86	18	16.4	4	1990-92
ZR28.010.02	FRONT	S6	242	34.5	86	18	16.4	4	1990-92
ZR28.010.03	FRONT	S12	242	34.5	86	18	16.4	4	1990-92
ZR28.010.04	FRONT	DDS	242	34.5	86	18	16.4	4	1990-92
ZR28.029.01	FRONT	STANDARD	236	34	86	18	16.4	4	
ZR28.029.02	FRONT	S6	236	34	86	18	16.4	4	
ZR28.029.03	FRONT	S12	236	34	86	18	16.4	4	
ZR28.029.04	FRONT	DDS	236	34	86	18	16.4	4	

### Model Detail 1.3 Year 1995-99 Chassis CJ1A

ZR28.030.01	FRONT	STANDARD	236	45	64	18	16.4	4	
ZR28.030.02	FRONT	S6	236	45	64	18	16.4	4	
ZR28.030.03	FRONT	S12	236	45	64	18	16.4	4	
ZR28.030.04	FRONT	DDS	236	45	64	18	16.4	4	

### Model Detail 1.5 Year 1995-99 Chassis CJ2A

ZR28.030.01	FRONT	STANDARD	236	45	64	18	16.4	4	
ZR28.030.02	FRONT	S6	236	45	64	18	16.4	4	
ZR28.030.03	FRONT	S12	236	45	64	18	16.4	4	
ZR28.030.04	FRONT	DDS	236	45	64	18	16.4	4	

### Model Detail 1.6 MIVEC Year 1995-99 Chassis CJ4A

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	



## MITSUBISHI

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 1.8 Year 1995-99 Chassis CK6A**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	

**Model Detail 1.8 4WD TURBO Year 1995-99 Chassis CM5A**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.001.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR28.001.02	REAR	S6	260	41	90	10	8.4	4	
ZR28.001.03	REAR	S12	260	41	90	10	8.4	4	
ZR28.001.04	REAR	DDS	260	41	90	10	8.4	4	

### PAJERO

**Model Detail 2.5 4WD DIESEL Year 1991- Chassis V24**

ZR28.052.01	FRONT	STANDARD	315	84	108	18	16.4	6	
ZR28.052.03	FRONT	S12	315	84	108	18	16.4	6	
ZR28.052.04	FRONT	DDS	315	84	108	18	16.4	6	
ZR28.052.05	FRONT	L6	315	84	108	18	16.4	6	
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	94 ON
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	94 ON
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	94 ON
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	94 ON

**Model Detail 2.5 4WD DIESEL Year 1991- Chassis V44**

ZR28.052.01	FRONT	STANDARD	315	84	108	18	16.4	6	
ZR28.052.03	FRONT	S12	315	84	108	18	16.4	6	
ZR28.052.04	FRONT	DDS	315	84	108	18	16.4	6	
ZR28.052.05	FRONT	L6	315	84	108	18	16.4	6	
ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	94 ON
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	94 ON
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	94 ON
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	94 ON

**Model Detail 2.5 DIESEL Year 1984-90 Chassis LO44**

ZR28.049.01	FRONT	STANDARD	275	45	87	20	18.4	6	LWB
ZR28.049.03	FRONT	S12	275	45	87	20	18.4	6	LWB
ZR28.049.04	FRONT	DDS	275	45	87	20	18.4	6	LWB
ZR28.049.05	FRONT	L6	275	45	87	20	18.4	6	LWB
ZR28.050.01	FRONT	STANDARD	255	45	87	20	18.4	6	SWB
ZR28.050.03	FRONT	S12	255	45	87	20	18.4	6	SWB
ZR28.050.04	FRONT	DDS	255	45	87	20	18.4	6	SWB
ZR28.050.05	FRONT	L6	255	45	87	20	18.4	6	SWB
ZR28.051.01	FRONT	STANDARD	258	45	87	22	20.4	6	
ZR28.051.03	FRONT	S12	258	45	87	22	20.4	6	
ZR28.051.04	FRONT	DDS	258	45	87	22	20.4	6	
ZR28.051.05	FRONT	L6	258	45	87	22	20.4	6	

**Model Detail 2.5 DIESEL Year 1984-90 Chassis LO49**

## MITSUBISHI

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR28.049.01	FRONT	STANDARD	275	45	87	20	18.4	6	LWB
ZR28.049.03	FRONT	S12	275	45	87	20	18.4	6	LWB
ZR28.049.04	FRONT	DDS	275	45	87	20	18.4	6	LWB
ZR28.049.05	FRONT	L6	275	45	87	20	18.4	6	LWB
ZR28.050.01	FRONT	STANDARD	255	45	87	20	18.4	6	SWB
ZR28.050.03	FRONT	S12	255	45	87	20	18.4	6	SWB
ZR28.050.04	FRONT	DDS	255	45	87	20	18.4	6	SWB
ZR28.050.05	FRONT	L6	255	45	87	20	18.4	6	SWB
ZR28.051.01	FRONT	STANDARD	258	45	87	22	20.4	6	
ZR28.051.03	FRONT	S12	258	45	87	22	20.4	6	
ZR28.051.04	FRONT	DDS	258	45	87	22	20.4	6	
ZR28.051.05	FRONT	L6	258	45	87	22	20.4	6	

### Model Detail 2.5 DIESEL TURBO Year 1986-90 Chassis L144

ZR28.051.01	FRONT	STANDARD	258	45	87	22	20.4	6	
ZR28.051.03	FRONT	S12	258	45	87	22	20.4	6	
ZR28.051.04	FRONT	DDS	258	45	87	22	20.4	6	
ZR28.051.05	FRONT	L6	258	45	87	22	20.4	6	

### Model Detail 2.5 DIESEL TURBO Year 1986-90 Chassis L149

ZR28.051.01	FRONT	STANDARD	258	45	87	22	20.4	6	
ZR28.051.03	FRONT	S12	258	45	87	22	20.4	6	
ZR28.051.04	FRONT	DDS	258	45	87	22	20.4	6	
ZR28.051.05	FRONT	L6	258	45	87	22	20.4	6	

### Model Detail 2.8 DIESEL Year 1993- Chassis V26

ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	

### Model Detail 2.8 DIESEL Year 1993- Chassis V46

ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	
ZR28.052.01	REAR	STANDARD	315	84	108	18	16.4	6	

### Model Detail 3.0 V6 DIESEL Year 1990- Chassis V23

ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	

### Model Detail 3.0 V6 DIESEL Year 1990- Chassis V43

ZR28.053.01	FRONT	STANDARD	276	45	87	24	22.4	6	
ZR28.053.03	FRONT	S12	276	45	87	24	22.4	6	
ZR28.053.04	FRONT	DDS	276	45	87	24	22.4	6	
ZR28.053.05	FRONT	L6	276	45	87	24	22.4	6	

### Model Detail 3.8 4WD Year 2003-07 Chassis V77W, NP

ZR28.041.01	FRONT	STANDARD	289	46	94	25.8	24.4	6	
ZR28.041.02	FRONT	S6	289	46	94	25.8	24.4	6	
ZR28.041.04	FRONT	DDS	289	46	94	25.8	24.4	6	
ZR28.044.01	REAR	STANDARD	300	73	94	21.8	20.4	6	
ZR28.044.02	REAR	S6	300	73	94	21.8	20.4	6	
ZR28.044.04	REAR	DDS	300	73	94	21.8	20.4	6	

## SIGMA

## MITSUBISHI

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 2.0 Year 1984-88 Chassis GW**

ZR28.005.01	FRONT	STANDARD	256	32.5	80	13	11.5	4	
ZR28.005.02	FRONT	S6	256	32.5	80	13	11.5	4	
ZR28.005.03	FRONT	S12	256	32.5	80	13	11.5	4	
ZR28.005.04	FRONT	DDS	256	32.5	80	13	11.5	4	

**Model Detail 2.0 Year 1984-88 Chassis GZ**

ZR28.005.01	FRONT	STANDARD	256	32.5	80	13	11.5	4	
ZR28.005.02	FRONT	S6	256	32.5	80	13	11.5	4	
ZR28.005.03	FRONT	S12	256	32.5	80	13	11.5	4	
ZR28.005.04	FRONT	DDS	256	32.5	80	13	11.5	4	

**Model Detail 2.0 Year 1984-88 Chassis 5H41**

ZR28.005.01	FRONT	STANDARD	256	32.5	80	13	11.5	4	
ZR28.005.02	FRONT	S6	256	32.5	80	13	11.5	4	
ZR28.005.03	FRONT	S12	256	32.5	80	13	11.5	4	
ZR28.005.04	FRONT	DDS	256	32.5	80	13	11.5	4	

**Model Detail 2.0 Year 1984-88 Chassis 5X41**

ZR28.005.01	FRONT	STANDARD	256	32.5	80	13	11.5	4	
ZR28.005.02	FRONT	S6	256	32.5	80	13	11.5	4	
ZR28.005.03	FRONT	S12	256	32.5	80	13	11.5	4	
ZR28.005.04	FRONT	DDS	256	32.5	80	13	11.5	4	

## TRITON

**Model Detail 2.5 D1-D Year 2006- Chassis KB4T**

ZR28.065.01	FRONT		295	46.5	94	28	26.4	6	
ZR28.065.04	FRONT		295	46.5	94	28	26.4	6	

**Model Detail 2.5 D1-D Year 2019- Chassis MR**

ZR28.079.01	FRONT		320	46	94	28	26	6	320mm
-------------	-------	--	-----	----	----	----	----	---	-------

## V3000

**Model Detail 3.0 V6 Year 1991-96 Chassis KS5/6**

ZR28.036.01	FRONT	STANDARD	276	45	69	24	22.4	5	ABS
ZR28.036.02	FRONT	S6	276	45	69	24	22.4	5	ABS
ZR28.036.03	FRONT	S12	276	45	69	24	22.4	5	ABS
ZR28.036.04	FRONT	DDS	276	45	69	24	22.4	5	ABS
ZR28.034.01	REAR	STANDARD	266	65.5	90	18	16.4	5	
ZR28.034.02	REAR	S6	266	65.5	90	18	16.4	5	
ZR28.034.03	REAR	S12	266	65.5	90	18	16.4	5	
ZR28.034.04	REAR	DDS	266	65.5	90	18	16.4	5	

**Model Detail 3.0 V6 Year 1988-91 Chassis EA**

ZR28.028.01	FRONT	STANDARD	256	45	69	24	22.4	4	
ZR28.028.02	FRONT	S6	256	45	69	24	22.4	4	
ZR28.028.03	FRONT	S12	256	45	69	24	22.4	4	
ZR28.028.04	FRONT	DDS	256	45	69	24	22.4	4	
ZR28.023.01	REAR	STANDARD	265	49	90	10	8.4	4	
ZR28.023.02	REAR	S6	265	49	90	10	8.4	4	
ZR28.023.03	REAR	S12	265	49	90	10	8.4	4	
ZR28.023.04	REAR	DDS	265	49	90	10	8.4	4	