

NISSAN

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

180SX

Model Detail	1.8 TURBO	Year	1988-91	Chassis	RS13				
ZR29.063.01	FRONT	STANDARD	250	48	68	18	16	4	4x100 NZ New
ZR29.063.02	FRONT	S6	250	48	68	18	16	4	
ZR29.063.03	FRONT	S12	250	48	68	18	16	4	
ZR29.063.04	FRONT	DDS	250	48	68	18	16	4	
ZR29.076.01	REAR	STANDARD	258	45	68	9	8	4	
ZR29.076.02	REAR	S6	258	45	68	9	8	4	
ZR29.076.03	REAR	S12	258	45	68	9	8	4	
ZR29.076.04	REAR	DDS	258	45	68	9	8	4	

Model Detail	2.0 TURBO	Year	1991-96	Chassis	RPS13				
ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

200SX

Model Detail	2.0 TURBO	Year	1993-99	Chassis	S14				
ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	
ZR29.057.01	REAR	STANDARD	258	47	68	9	8	5	
ZR29.057.02	REAR	S6	258	47	68	9	8	5	
ZR29.057.03	REAR	S12	258	47	68	9	8	5	
ZR29.057.04	REAR	DDS	258	47	68	9	8	5	

Model Detail	2.0 TURBO	Year	2000-	Chassis	S15				
ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	1991-94
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	1991-94
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	1991-94
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	1991-94
ZR29.057.01	REAR	STANDARD	258	47	68	9	8	5	
ZR29.057.02	REAR	S6	258	47	68	9	8	5	
ZR29.057.03	REAR	S12	258	47	68	9	8	5	
ZR29.057.04	REAR	DDS	258	47	68	9	8	5	

Model Detail	1.8 TURBO	Year	1989-92	Chassis	RS13				
ZR29.087.01	FRONT	STANDARD	250	49	68	18	16	4	
ZR29.087.02	FRONT	S6	250	49	68	18	16	4	
ZR29.087.03	FRONT	S12	250	49	68	18	16	4	
ZR29.087.04	FRONT	DDS	250	49	68	18	16	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

280ZX

Model Detail	2.8	Year	1978-81	Chassis	S130				
ZR29.019.01	FRONT	STANDARD	250	29	81	20	18	4	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.019.02	FRONT	S6	250	29	81	20	18	4	
ZR29.019.03	FRONT	S12	250	29	81	20	18	4	
ZR29.019.04	FRONT	DDS	250	29	81	20	18	4	
ZR29.035.01	REAR	STANDARD	269	69	68	10	8.6	4	
ZR29.035.02	REAR	S6	269	69	68	10	8.6	4	
ZR29.035.03	REAR	S12	269	69	68	10	8.6	4	
ZR29.035.04	REAR	DDS	269	69	68	10	8.6	4	

Model Detail 2.8 Year 1981-84 Chassis S130

ZR29.019.01	FRONT	STANDARD	250	29	81	20	18	4	
ZR29.019.02	FRONT	S6	250	29	81	20	18	4	
ZR29.019.03	FRONT	S12	250	29	81	20	18	4	
ZR29.019.04	FRONT	DDS	250	29	81	20	18	4	
ZR29.034.01	REAR	STANDARD	258	47	68	10	9	4	
ZR29.034.02	REAR	S6	258	47	68	10	9	4	
ZR29.034.03	REAR	S12	258	47	68	10	9	4	
ZR29.034.04	REAR	DDS	258	47	68	10	9	4	

Model Detail 2.8 TURBO Year 1981-84 Chassis S130

ZR29.019.01	FRONT	STANDARD	250	29	81	20	18	4	
ZR29.019.02	FRONT	S6	250	29	81	20	18	4	
ZR29.019.03	FRONT	S12	250	29	81	20	18	4	
ZR29.019.04	FRONT	DDS	250	29	81	20	18	4	
ZR29.034.01	REAR	STANDARD	258	47	68	10	9	4	
ZR29.034.02	REAR	S6	258	47	68	10	9	4	
ZR29.034.03	REAR	S12	258	47	68	10	9	4	
ZR29.034.04	REAR	DDS	258	47	68	10	9	4	

300ZX

Model Detail 3.0 Year 1989-93 Chassis RZ32

ZR29.002.01	FRONT	STANDARD	280	54	68	26	24	5	
ZR29.002.02	FRONT	S6	280	54	68	26	24	5	
ZR29.002.03	FRONT	S12	280	54	68	26	24	5	
ZR29.002.04	FRONT	DDS	280	54	68	26	24	5	
ZR29.028.01	REAR	STANDARD	297	65	68	18	16	5	
ZR29.028.02	REAR	S6	297	65	68	18	16	5	
ZR29.028.03	REAR	S12	297	65	68	18	16	5	
ZR29.028.04	REAR	DDS	297	65	68	18	16	5	

Model Detail 3.0 TWIN TURBO Year 1989-94 Chassis RZ32

ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	1991-94
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	1991-94
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	1991-94
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	1991-94
ZR29.028.01	REAR	STANDARD	297	65	68	18	16	5	
ZR29.028.02	REAR	S6	297	65	68	18	16	5	
ZR29.028.03	REAR	S12	297	65	68	18	16	5	
ZR29.028.04	REAR	DDS	297	65	68	18	16	5	

Model Detail 3.0 TURBO Year 1986-89 Chassis Z31

ZR29.001.01	FRONT	STANDARD	274	36	80	22	20	5	
ZR29.001.02	FRONT	S6	274	36	80	22	20	5	
ZR29.001.03	FRONT	S12	274	36	80	22	20	5	
ZR29.001.04	FRONT	DDS	274	36	80	22	20	5	
ZR29.082.01	REAR	STANDARD	290	47	68	10	9	5	
ZR29.082.02	REAR	S6	290	47	68	10	9	5	
ZR29.082.03	REAR	S12	290	47	68	10	9	5	

NISSAN

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
-------------------	-----------------	-------------	-------------	---------------	------------------	------------------	------------------	-------------	--------------

ZR29.082.04	REAR	DDS	290	47	68	10	9	5	
-------------	------	-----	-----	----	----	----	---	---	--

350Z

Model Detail	3.5	Year	2002-	Chassis	Z33
---------------------	------------	-------------	--------------	----------------	------------

ZR29.090.01	FRONT	STANDARD	296	49.2	68	24	22	5	
ZR29.090.02	FRONT	S6	296	49.2	68	24	22	5	
ZR29.090.03	FRONT	S12	296	49.2	68	24	22	5	
ZR29.090.04	FRONT	DDS	296	49.2	68	24	22	5	
ZR29.105.01	FRONT	STANDARD	320	49.2	68	28	26	5	320mm Non Brembo
ZR29.105.02	FRONT	S6	320	49.2	68	28	26	5	320mm Non Brembo
ZR29.105.03	FRONT	S12	320	49.2	68	28	26	5	320mm Non Brembo
ZR29.105.04	FRONT	DDS	320	49.2	68	28	26	5	320mm Non Brembo
ZR29.091.01	REAR	STANDARD	292	62	68	16	14	5	
ZR29.091.02	REAR	S6	292	62	68	16	14	5	
ZR29.091.03	REAR	S12	292	62	68	16	14	5	
ZR29.091.04	REAR	DDS	292	62	68	16	14	5	

Model Detail	3.5 TRACK EDITION	Year	2002-	Chassis	Z33
---------------------	--------------------------	-------------	--------------	----------------	------------

ZR29.092.01	FRONT	STANDARD	324	49	68	30	28	5	
ZR29.092.02	FRONT	S6	324	49	68	30	28	5	
ZR29.092.03	FRONT	S12	324	49	68	30	28	5	
ZR29.092.04	FRONT	DDS	324	49	68	30	28	5	
ZR29.092.06	FRONT	2PCE	324	49	68	30	28.4	5	2 PIECE
ZR29.096.01	REAR	STANDARD	322	62.5	68	22	20.2	5	
ZR29.096.02	REAR	S6	322	62.5	68	22	20.2	5	
ZR29.096.03	REAR	S12	322	62.5	68	22	20.2	5	
ZR29.096.04	REAR	DDS	322	62.5	68	22	20.2	5	

370Z

Model Detail	3.7	Year	2008-13	Chassis	Z34
---------------------	------------	-------------	----------------	----------------	------------

ZR29.100.01	FRONT	STANDARD	355	49.2	68	32	30	5	AKEBONO
ZR29.100.02	FRONT	S6	355	49.2	68	32	30	5	AKEBONO
ZR29.100.03	FRONT	S12	355	49.2	68	32	30	5	AKEBONO
ZR29.100.04	FRONT	DDS	355	49.2	68	32	30	5	AKEBONO
ZR29.105.01	FRONT	STANDARD	320	49.2	68	28	26	5	2 POT CALIPER
ZR29.105.02	FRONT	S6	320	49.2	68	28	26	5	2 POT CALIPER
ZR29.105.03	FRONT	S12	320	49.2	68	28	26	5	2 POT CALIPER
ZR29.105.04	FRONT	DDS	320	49.2	68	28	26	5	2 POT CALIPER
ZR29.106.01	REAR	STANDARD	308	62.1	68	16	14	5	
ZR29.106.02	REAR	S6	308	62.1	68	16	14	5	
ZR29.106.03	REAR	S12	308	62.1	68	16	14	5	
ZR29.106.04	REAR	DDS	308	62.1	68	16	14	5	
ZR29.110.01	REAR	STANDARD	350	62	68	20	18	5	AKEBONO
ZR29.110.02	REAR	S6	350	62	68	20	18	5	AKEBONO
ZR29.110.03	REAR	S12	350	62	68	20	18	5	AKEBONO
ZR29.110.04	REAR	DDS	350	62	68	20	18	5	AKEBONO

AVENIR

Model Detail	2.0 DIESEL TURBO	Year	1990-98	Chassis	SW10
---------------------	-------------------------	-------------	----------------	----------------	-------------

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	

NISSAN

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

Model Detail 1.8 Year 1990-98 Chassis W10

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

Model Detail 2.0 Year 1990-98 Chassis PW10

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

Model Detail 2.0 4WD Year 1990-98 Chassis PNW10

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

Model Detail 2.0 4WD TURBO Year 1990-98 Chassis PNW10

ZR29.067.01	FRONT	STANDARD	280	49	68	26	24.2	4	
ZR29.067.02	FRONT	S6	280	49	68	26	24.2	4	
ZR29.067.03	FRONT	S12	280	49	68	26	24.2	4	
ZR29.067.04	FRONT	DDS	280	49	68	26	24.2	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

Model Detail 1.8 Year 1998-05 Chassis W11

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 2.0 Year 1998-05 Chassis PW11

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 2.0 4WD Year 1998-05 Chassis PNW11

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 2.0 4WD TURBO Year 1998-05 Chassis PNW11

ZR29.060.01	FRONT	STANDARD	280	50	68	26	24	5	
ZR29.060.02	FRONT	S6	280	50	68	26	24	5	
ZR29.060.03	FRONT	S12	280	50	68	26	24	5	
ZR29.060.04	FRONT	DDS	280	50	68	26	24	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

BLUEBIRD

Model Detail 1.8 Year 1983-87 Chassis U11

ZR29.016.01	FRONT	STANDARD	250	49	68	22	20	4	
ZR29.016.02	FRONT	S6	250	49	68	22	20	4	
ZR29.016.03	FRONT	S12	250	49	68	22	20	4	
ZR29.016.04	FRONT	DDS	250	49	68	22	20	4	

Model Detail 1.8 Year 1989-91 Chassis EU12

ZR29.025.01	FRONT	STANDARD	242	49.5	68	20	18	4	
ZR29.025.02	FRONT	S6	242	49.5	68	20	18	4	
ZR29.025.03	FRONT	S12	242	49.5	68	20	18	4	
ZR29.025.04	FRONT	DDS	242	49.5	68	20	18	4	

Model Detail 1.8 Year 1991-94 Chassis EU13

ZR29.025.01	FRONT	STANDARD	242	49.5	68	20	18	4	
ZR29.025.02	FRONT	S6	242	49.5	68	20	18	4	
ZR29.025.03	FRONT	S12	242	49.5	68	20	18	4	
ZR29.025.04	FRONT	DDS	242	49.5	68	20	18	4	

Model Detail 2.0 4WD TURBO Year 1989-91 Chassis HNU12

ZR29.059.01	FRONT	STANDARD	257	52	68	26	24	4	
ZR29.059.02	FRONT	S6	257	52	68	26	24	4	
ZR29.059.03	FRONT	S12	257	52	68	26	24	4	
ZR29.059.04	FRONT	DDS	257	52	68	26	24	4	
ZR29.034.01	REAR	STANDARD	258	47	68	10	9	4	
ZR29.034.02	REAR	S6	258	47	68	10	9	4	
ZR29.034.03	REAR	S12	258	47	68	10	9	4	
ZR29.034.04	REAR	DDS	258	47	68	10	9	4	

Model Detail 2.0 Year 1983-89 Chassis U11

ZR29.016.01	FRONT	STANDARD	250	49	68	22	20	4	
ZR29.016.02	FRONT	S6	250	49	68	22	20	4	
ZR29.016.03	FRONT	S12	250	49	68	22	20	4	

NISSAN

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

ZR29.016.04 FRONT DDS 250 49 68 22 20 4

Model Detail 2.0 4WD Year 1989-91 Chassis HNU12

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4

ZR29.003.02 FRONT S6 258 49 68 22 20 4

ZR29.003.03 FRONT S12 258 49 68 22 20 4

ZR29.003.04 FRONT DDS 258 49 68 22 20 4

ZR29.034.01 REAR STANDARD 258 47 68 10 9 4

ZR29.034.02 REAR S6 258 47 68 10 9 4

ZR29.034.03 REAR S12 258 47 68 10 9 4

ZR29.034.04 REAR DDS 258 47 68 10 9 4

Model Detail 2.0 SSS Year 1989-91 Chassis KHU12

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4

ZR29.003.02 FRONT S6 258 49 68 22 20 4

ZR29.003.03 FRONT S12 258 49 68 22 20 4

ZR29.003.04 FRONT DDS 258 49 68 22 20 4

ZR29.041.01 REAR STANDARD 258 45 68 10 8 4

ZR29.041.02 REAR S6 258 45 68 10 8 4

ZR29.041.03 REAR S12 258 45 68 10 8 4

ZR29.041.04 REAR DDS 258 45 68 10 8 4

Model Detail 2.0 Year 1991-95 Chassis HU13

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4

ZR29.003.02 FRONT S6 258 49 68 22 20 4

ZR29.003.03 FRONT S12 258 49 68 22 20 4

ZR29.003.04 FRONT DDS 258 49 68 22 20 4

ZR29.026.01 REAR STANDARD 258 44.5 68 9 8 4

ZR29.026.02 REAR S6 258 44.5 68 9 8 4

ZR29.026.03 REAR S12 258 44.5 68 9 8 4

ZR29.026.04 REAR DDS 258 44.5 68 9 8 4

Model Detail 2.0 4WD Year 1991-95 Chassis HNU13

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4

ZR29.003.02 FRONT S6 258 49 68 22 20 4

ZR29.003.03 FRONT S12 258 49 68 22 20 4

ZR29.003.04 FRONT DDS 258 49 68 22 20 4

ZR29.026.01 REAR STANDARD 258 44.5 68 9 8 4

ZR29.026.02 REAR S6 258 44.5 68 9 8 4

ZR29.026.03 REAR S12 258 44.5 68 9 8 4

ZR29.026.04 REAR DDS 258 44.5 68 9 8 4

Model Detail 2.0 DIESEL Year 1983-90 Chassis U11

ZR29.016.01 FRONT STANDARD 250 49 68 22 20 4

ZR29.016.02 FRONT S6 250 49 68 22 20 4

ZR29.016.03 FRONT S12 250 49 68 22 20 4

ZR29.016.04 FRONT DDS 250 49 68 22 20 4

Model Detail 2.0 DIESEL Year 1987-92 Chassis RU12

ZR29.016.01 FRONT STANDARD 250 49 68 22 20 4

ZR29.016.02 FRONT S6 250 49 68 22 20 4

ZR29.016.03 FRONT S12 250 49 68 22 20 4

ZR29.016.04 FRONT DDS 250 49 68 22 20 4

Model Detail 2.0 S/WAGON Year 1984-91 Chassis U11

ZR29.016.01 FRONT STANDARD 250 49 68 22 20 4

ZR29.016.02 FRONT S6 250 49 68 22 20 4

ZR29.016.03 FRONT S12 250 49 68 22 20 4

NISSAN

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

ZR29.016.04 FRONT DDS 250 49 68 22 20 4

Model Detail 2.0 4WD TURBO Year 1991-95 Chassis HNU13

ZR29.067.01 FRONT STANDARD 280 49 68 26 24.2 4
 ZR29.067.02 FRONT S6 280 49 68 26 24.2 4
 ZR29.067.03 FRONT S12 280 49 68 26 24.2 4
 ZR29.067.04 FRONT DDS 280 49 68 26 24.2 4
 ZR29.026.01 REAR STANDARD 258 44.5 68 9 8 4
 ZR29.026.02 REAR S6 258 44.5 68 9 8 4
 ZR29.026.03 REAR S12 258 44.5 68 9 8 4
 ZR29.026.04 REAR DDS 258 44.5 68 9 8 4

Model Detail 1.8 Year 1996-01 Chassis EU14

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4
 ZR29.003.02 FRONT S6 258 49 68 22 20 4
 ZR29.003.03 FRONT S12 258 49 68 22 20 4
 ZR29.003.04 FRONT DDS 258 49 68 22 20 4

Model Detail 2.0 Year 1996-01 Chassis HU14

ZR29.024.01 FRONT STANDARD 280 49 68 22 20 4
 ZR29.024.02 FRONT S6 280 49 68 22 20 4
 ZR29.024.03 FRONT S12 280 49 68 22 20 4
 ZR29.024.04 FRONT DDS 280 49 68 22 20 4
 ZR29.026.01 REAR STANDARD 258 44.5 68 9 8 4
 ZR29.026.02 REAR S6 258 44.5 68 9 8 4
 ZR29.026.03 REAR S12 258 44.5 68 9 8 4
 ZR29.026.04 REAR DDS 258 44.5 68 9 8 4

Model Detail 2.0 4WD Year 1996-01 Chassis HNU14

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4
 ZR29.003.02 FRONT S6 258 49 68 22 20 4
 ZR29.003.03 FRONT S12 258 49 68 22 20 4
 ZR29.003.04 FRONT DDS 258 49 68 22 20 4
 ZR29.026.01 REAR STANDARD 258 44.5 68 9 8 4
 ZR29.026.02 REAR S6 258 44.5 68 9 8 4
 ZR29.026.03 REAR S12 258 44.5 68 9 8 4
 ZR29.026.04 REAR DDS 258 44.5 68 9 8 4

CEFIRO

Model Detail 2.0 TURBO Year 1988-92 Chassis A31

ZR29.024.01 FRONT STANDARD 280 49 68 22 20 4
 ZR29.024.02 FRONT S6 280 49 68 22 20 4
 ZR29.024.03 FRONT S12 280 49 68 22 20 4
 ZR29.024.04 FRONT DDS 280 49 68 22 20 4
 ZR29.054.01 REAR STANDARD 268 64 68 9 8 4 NLA

Model Detail 2.0 Year 1988-92 Chassis RA31

ZR29.003.01 FRONT STANDARD 258 49 68 22 20 4
 ZR29.003.02 FRONT S6 258 49 68 22 20 4
 ZR29.003.03 FRONT S12 258 49 68 22 20 4
 ZR29.003.04 FRONT DDS 258 49 68 22 20 4
 ZR29.054.01 REAR STANDARD 268 64 68 9 8 4
 ZR29.054.02 REAR S6 268 64 68 9 8 4
 ZR29.054.03 REAR S12 268 64 68 9 8 4
 ZR29.054.04 REAR DDS 268 64 68 9 8 4

Model Detail 2.0 Year 1988-92 Chassis A31

ZR29.022.01 FRONT STANDARD 252 49 68 20 18 4

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	
ZR29.053.01	REAR	STANDARD	267	64	68	16	14	4	DR9008V NO SUPPLY

Model Detail 2.0 Year 1994-98 Chassis A32

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 2.5 Year 1994-98 Chassis A32

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 3.0 Year 1994-98 Chassis A32

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 2.5 Year 1998-02 Chassis A33

ZR29.060.01	FRONT	STANDARD	280	50	68	26	24	5	
ZR29.060.02	FRONT	S6	280	50	68	26	24	5	
ZR29.060.03	FRONT	S12	280	50	68	26	24	5	
ZR29.060.04	FRONT	DDS	280	50	68	26	24	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

FUGA 450GT

Model Detail 4.5 V8 Year 2005-10 Chassis GY50

ZR29.105.01	FRONT	STANDARD	320	49.2	68	28	26	5	
ZR29.105.02	FRONT	S6	320	49.2	68	28	26	5	
ZR29.105.03	FRONT	S12	320	49.2	68	28	26	5	
ZR29.105.04	FRONT	DDS	320	49.2	68	28	26	5	

LAUREL

Model Detail 2.0 Year 1989-93 Chassis HC33

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	+ABS
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	+ABS
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	+ABS

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	+ABS
ZR29.022.01	FRONT	STANDARD	252	49	68	20	18	4	-ABS
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	-ABS
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	-ABS
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	-ABS
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.8 DIESEL Year 1989-93 Chassis SC33

ZR29.022.01	FRONT	STANDARD	252	49	68	20	18	4	-ABS
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	-ABS
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	-ABS
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	-ABS

Model Detail 1.8 Year 1989-93 Chassis FC33

ZR29.022.01	FRONT	STANDARD	252	49	68	20	18	4	
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	

Model Detail 2.0 Year 1989-94 Chassis CC33

ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.0 TURBO Year 1989-94 Chassis CC33G

ZR29.067.01	FRONT	STANDARD	280	49	68	26	24.2	4	
ZR29.067.02	FRONT	S6	280	49	68	26	24.2	4	
ZR29.067.03	FRONT	S12	280	49	68	26	24.2	4	
ZR29.067.04	FRONT	DDS	280	49	68	26	24.2	4	
ZR29.053.01	REAR	STANDARD	267	64	68	16	14	4	NLA

Model Detail 2.0 Year 1993-97 Chassis HC34

ZR29.022.01	FRONT	STANDARD	252	49	68	20	18	4	
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.8 DIESEL Year 1993-97 Chassis SC34

ZR29.022.01	FRONT	STANDARD	252	49	68	20	18	4	
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

NISSAN

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 2.0 Year 1993-97 Chassis HC34

ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.5 Year 1993-97 Chassis GC34

ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.5 TURBO Year 1993-97 Chassis GC34

ZR29.067.01	FRONT	STANDARD	280	49	68	26	24.2	4	
ZR29.067.02	FRONT	S6	280	49	68	26	24.2	4	
ZR29.067.03	FRONT	S12	280	49	68	26	24.2	4	
ZR29.067.04	FRONT	DDS	280	49	68	26	24.2	4	
ZR29.053.01	REAR	STANDARD	267	64	68	16	14	4	NLA

MARCH

Model Detail 1.3 Year 1992-2000 Chassis K11

ZR29.111.01	FRONT	STANDARD	238	46	59	18	16	4	
-------------	-------	----------	-----	----	----	----	----	---	--

MAXIMA

Model Detail 3.0 Year 1988-91 Chassis HJ30

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.005.01	REAR	STANDARD	257	45	68	10	9	5	
ZR29.005.02	REAR	S6	257	45	68	10	9	5	
ZR29.005.03	REAR	S12	257	45	68	10	9	5	
ZR29.005.04	REAR	DDS	257	45	68	10	9	5	

Model Detail 3.0 Year 1991-93 Chassis PJ30

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.005.01	REAR	STANDARD	257	45	68	10	9	5	
ZR29.005.02	REAR	S6	257	45	68	10	9	5	
ZR29.005.03	REAR	S12	257	45	68	10	9	5	
ZR29.005.04	REAR	DDS	257	45	68	10	9	5	

Model Detail 3.0 Year 1994-99 Chassis HA32

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 3.0 Year 1999- Chassis HA33

ZR29.060.01	FRONT	STANDARD	280	50	68	26	24	5	
ZR29.060.02	FRONT	S6	280	50	68	26	24	5	
ZR29.060.03	FRONT	S12	280	50	68	26	24	5	
ZR29.060.04	FRONT	DDS	280	50	68	26	24	5	
ZR29.083.01	REAR	STANDARD	278	45	68	9	8	5	
ZR29.083.02	REAR	S6	278	45	68	9	8	5	
ZR29.083.03	REAR	S12	278	45	68	9	8	5	
ZR29.083.04	REAR	DDS	278	45	68	9	8	5	

Model Detail 3.5 Year 2001- Chassis A33

ZR29.090.01	FRONT	STANDARD	296	49.2	68	24	22	5	
ZR29.090.02	FRONT	S6	296	49.2	68	24	22	5	
ZR29.090.03	FRONT	S12	296	49.2	68	24	22	5	
ZR29.090.04	FRONT	DDS	296	49.2	68	24	22	5	

Model Detail 2.3 Year 2003-09 Chassis J31

ZR29.090.01	FRONT	STANDARD	296	49.2	68	24	22	5	
ZR29.090.02	FRONT	S6	296	49.2	68	24	22	5	
ZR29.090.03	FRONT	S12	296	49.2	68	24	22	5	
ZR29.090.04	FRONT	DDS	296	49.2	68	24	22	5	

MURANO

Model Detail 3.5 Year 2008- Chassis PNZ51

ZR29.105.01	FRONT	STANDARD	320	49.2	68	28	26	5	
ZR29.105.04	FRONT	DDS	320	49.2	68	28	26	5	

NAVARA

Model Detail 2.3 DIESEL Year 1991- Chassis PGD21

ZR29.045.01	FRONT	STANDARD	250	37.5	81	22	20	6	2WD
ZR29.045.03	FRONT	S12	250	37	81	22	20	6	2WD
ZR29.045.04	FRONT	DDS	250	37	81	22	20	6	2WD
ZR29.045.05	FRONT	L6	250	37.5	81	22	20	6	2WD
ZR29.046.01	FRONT	STANDARD	266	39.5	100	22	20	6	4WD
ZR29.046.03	FRONT	S12	266	39.5	100	22	20	6	4WD
ZR29.046.04	FRONT	DDS	266	39.5	100	22	20	6	4WD
ZR29.046.05	FRONT	L6	266	39.5	100	22	20	6	4WD

Model Detail 2.4 Year 1986-92 Chassis KGD21FU

ZR29.045.01	FRONT	STANDARD	250	37.5	81	22	20	6	2WD
ZR29.045.03	FRONT	S12	250	37	81	22	20	6	2WD
ZR29.045.04	FRONT	DDS	250	37	81	22	20	6	2WD
ZR29.045.05	FRONT	L6	250	37.5	81	22	20	6	2WD
ZR29.046.01	FRONT	STANDARD	266	39.5	100	22	20	6	4WD
ZR29.046.03	FRONT	S12	266	39.5	100	22	20	6	4WD
ZR29.046.04	FRONT	DDS	266	39.5	100	22	20	6	4WD
ZR29.046.05	FRONT	L6	266	39.5	100	22	20	6	4WD

Model Detail 2.7 DIESEL Year 1989-93 Chassis D21

ZR29.045.01	FRONT	STANDARD	250	37.5	81	22	20	6	2WD
ZR29.045.03	FRONT	S12	250	37	81	22	20	6	2WD

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.045.04	FRONT	DDS	250	37	81	22	20	6	2WD
ZR29.045.05	FRONT	L6	250	37.5	81	22	20	6	2WD
ZR29.046.01	FRONT	STANDARD	266	39.5	100	22	20	6	4WD
ZR29.046.03	FRONT	S12	266	39.5	100	22	20	6	4WD
ZR29.046.04	FRONT	DDS	266	39.5	100	22	20	6	4WD
ZR29.046.05	FRONT	L6	266	39.5	100	22	20	6	4WD

Model Detail 4.0 Year 2005- Chassis D40

ZR29.095.01	FRONT	STANDARD	296	39	68	28	26	6	
ZR29.095.02	FRONT	S6	296	39	68	28	26	6	
ZR29.095.03	FRONT	S12	296	39	68	28	26	6	
ZR29.095.04	FRONT	DDS	296	39	68	28	26	6	

Model Detail 2.5 DIESEL TURBO Year 2005- Chassis D40

ZR29.095.01	FRONT	STANDARD	296	39	68	28	26	6	296mm
ZR29.095.02	FRONT	S6	296	39	68	28	26	6	
ZR29.095.03	FRONT	S12	296	39	68	28	26	6	
ZR29.095.04	FRONT	DDS	296	39	68	28	26	6	
ZR29.121.01	FRONT		320	39	68	28	26	6	17" WHEELS 320mm
ZR29.121.04	FRONT		320	39	68	28	26	6	17" WHEELS 320mm

Model Detail 3.0 DIESEL TURBO Year 2010-16 Chassis CAND40

ZR29.121.01	FRONT		320	39	68	28	26	6	
ZR29.121.04	FRONT		320	39	68	28	26	6	

PATHFINDER

Model Detail 4.0 Year 2005-10 Chassis R51

ZR29.095.01	FRONT	STANDARD	296	39	68	28	26	6	
ZR29.095.02	FRONT	S6	296	39	68	28	26	6	
ZR29.095.04	FRONT	DDS	296	39	68	28	26	6	
ZR29.121.01	FRONT		320	39	68	28	26	6	320mm
ZR29.121.04	FRONT		320	39	68	28	26	6	320mm

PATROL

Model Detail 4.2 DIESEL Year 1987-92 Chassis Y60

ZR29.033.01	FRONT	STANDARD	294	30	104	20	18	6	
ZR29.033.02	FRONT	S6	294	30	104	20	18	6	
ZR29.033.03	FRONT	S12	294	30	104	20	18	6	
ZR29.033.04	FRONT	DDS	294	30	104	20	18	6	
ZR29.048.01	FRONT	STANDARD	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.048.02	FRONT	S6	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.048.03	FRONT	S12	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.048.04	FRONT	DDS	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.02	REAR	S6	315	80	111	18	16	6	
ZR29.047.03	REAR	S12	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	

Model Detail 4.2 DIESEL Year 1992-95 Chassis Y60

ZR29.033.01	FRONT	STANDARD	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.033.02	FRONT	S6	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.033.03	FRONT	S12	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.033.04	FRONT	DDS	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.048.01	FRONT	STANDARD	306	80	104	26	24	6	
ZR29.048.02	FRONT	S6	306	80	104	26	24	6	
ZR29.048.03	FRONT	S12	306	80	104	26	24	6	
ZR29.048.04	FRONT	DDS	306	80	104	26	24	6	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.02	REAR	S6	315	80	111	18	16	6	
ZR29.047.03	REAR	S12	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	

Model Detail 4.8 DIESEL Year 2001-12 Chassis TFSY61

ZR29.114.01	FRONT		316	47	109	34	32	6	
ZR29.114.04	FRONT		316	47	109	34	32	6	
ZR29.118.01	REAR		330	89	111	18	16	6	
ZR29.118.04	REAR		330	89	111	18	16	6	

Model Detail 4.2 DIESEL TURBO Year 1997-07 Chassis WRGY61,UCNY61,U

ZR29.115.01	FRONT		306	47	109	32	30	6	
ZR29.115.04	FRONT		306	47	109	32	30	6	
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	

Model Detail 4.5 Year 1997-01 Chassis TBSY61, WGY61

ZR29.115.01	FRONT		306	47	109	32	30	6	
ZR29.115.04	FRONT		306	47	109	32	30	6	
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	

Model Detail 3.0 DIESEL TURBO Year 2000-18 Chassis Y61

ZR29.115.01	FRONT		306	47	109	32	30	6	
ZR29.115.04	FRONT		306	47	109	32	30	6	
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	

PRIMERA

Model Detail 1.8 Year 1990-91 Chassis P10

ZR29.025.01	FRONT	STANDARD	242	49.5	68	20	18	4	
ZR29.025.02	FRONT	S6	242	49.5	68	20	18	4	
ZR29.025.03	FRONT	S12	242	49.5	68	20	18	4	
ZR29.025.04	FRONT	DDS	242	49.5	68	20	18	4	

Model Detail 2.0 Year 1990-95 Chassis HP10

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.041.01	REAR	STANDARD	258	45	68	10	8	4	
ZR29.041.02	REAR	S6	258	45	68	10	8	4	
ZR29.041.03	REAR	S12	258	45	68	10	8	4	
ZR29.041.04	REAR	DDS	258	45	68	10	8	4	

Model Detail 1.8 Year 1995-00 Chassis P11

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	

Model Detail 2.0 Year 1995-98 Chassis HP11

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	97-98 15" WHEELS
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	97-98 15" WHEELS

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	97-98 15" WHEELS
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	97-98 15" WHEELS
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

Model Detail 2.0 4WD Year 1995-00 Chassis HNP11

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	98-00
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	98-00
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	98-00
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	98-00
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	98-00
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	98-00
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	98-00
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	98-00

Model Detail 1.8 Year 1998-00 Chassis QP11

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	

Model Detail 2.0 Year 1998-00 Chassis GP11

ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.026.01	REAR	STANDARD	258	44.5	68	9	8	4	
ZR29.026.02	REAR	S6	258	44.5	68	9	8	4	
ZR29.026.03	REAR	S12	258	44.5	68	9	8	4	
ZR29.026.04	REAR	DDS	258	44.5	68	9	8	4	

PULSAR

Model Detail 1.5 Year 1990-94 Chassis FN14

ZR29.036.01	FRONT	STANDARD	240	45.5	61	18	16	4	
ZR29.036.02	FRONT	S6	240	45.5	61	18	16	4	
ZR29.036.03	FRONT	S12	240	45.5	61	18	16	4	
ZR29.036.04	FRONT	DDS	240	45.5	61	18	16	4	

Model Detail 1.5 Year 1995-99 Chassis FN15

ZR29.030.01	FRONT	STANDARD	232	45	61	18	16	4	
ZR29.030.02	FRONT	S6	232	45	61	18	16	4	
ZR29.030.03	FRONT	S12	232	45	61	18	16	4	
ZR29.030.04	FRONT	DDS	232	45	61	18	16	4	

Model Detail 1.6 Year 1990-94 Chassis EN14

ZR29.050.01	FRONT	STANDARD	250	45.5	61	18	16	4	
ZR29.050.02	FRONT	S6	250	45.5	61	18	16	4	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.050.03	FRONT	S12	250	45.5	61	18	16	4	
ZR29.050.04	FRONT	DDS	250	45.5	61	18	16	4	

Model Detail 1.6 Year 1995-99 Chassis EN15

ZR29.078.01	FRONT	STANDARD	247	45	61	18	16	4	
ZR29.078.02	FRONT	S6	247	45	61	18	16	4	
ZR29.078.03	FRONT	S12	247	45	61	18	16	4	
ZR29.078.04	FRONT	DDS	247	45	61	18	16	4	

Model Detail 1.8 GTI Year 1990-94 Chassis HN14

ZR29.055.01	FRONT	STANDARD	252	45	61	20	18	4	
ZR29.055.02	FRONT	S6	252	45	61	20	18	4	
ZR29.055.03	FRONT	S12	252	45	61	20	18	4	
ZR29.055.04	FRONT	DDS	252	45	61	20	18	4	
ZR29.072.01	REAR	STANDARD	234	40	68	7	6	4	
ZR29.072.02	REAR	S6	234	40	68	7	6	4	
ZR29.072.03	REAR	S12	234	40	68	7	6	4	
ZR29.072.04	REAR	DDS	234	40	68	7	6	4	

Model Detail 2.0 GTIR TURBO Year 1990-94 Chassis N14

ZR29.056.01	FRONT	STANDARD	257	45	61	26	24	4	
ZR29.056.02	FRONT	S6	257	45	61	26	24	4	
ZR29.056.03	FRONT	S12	257	45	61	26	24	4	
ZR29.056.04	FRONT	DDS	257	45	61	26	24	4	

Model Detail 1.8 GTI Year 1995-99 Chassis HN15

ZR29.078.01	FRONT	STANDARD	247	45	61	18	16	4	
ZR29.078.02	FRONT	S6	247	45	61	18	16	4	
ZR29.078.03	FRONT	S12	247	45	61	18	16	4	
ZR29.078.04	FRONT	DDS	247	45	61	18	16	4	
ZR29.072.01	REAR	STANDARD	234	40	68	7	6	4	
ZR29.072.02	REAR	S6	234	40	68	7	6	4	
ZR29.072.03	REAR	S12	234	40	68	7	6	4	
ZR29.072.04	REAR	DDS	234	40	68	7	6	4	

Model Detail 1.6 VZ-R Year 1997 Chassis JN15

ZR29.056.01	FRONT	STANDARD	257	45	61	26	24	4	
ZR29.056.02	FRONT	S6	257	45	61	26	24	4	
ZR29.056.03	FRONT	S12	257	45	61	26	24	4	
ZR29.056.04	FRONT	DDS	257	45	61	26	24	4	
ZR29.076.01	REAR	STANDARD	258	45	68	9	8	4	
ZR29.076.02	REAR	S6	258	45	68	9	8	4	
ZR29.076.03	REAR	S12	258	45	68	9	8	4	
ZR29.076.04	REAR	DDS	258	45	68	9	8	4	

QASHQAI

Model Detail 2.0 4WD Year 2006-13 Chassis FBNJ10

ZR29.112.01	FRONT	STANDARD	296	44	68	26	24	5	
ZR29.112.02	FRONT	S6	296	44	68	26	24	5	
ZR29.112.03	FRONT	S12	296	44	68	26	24	5	
ZR29.112.04	FRONT	DDS	296	44	68	26	24	5	
ZR29.113.01	REAR	STANDARD	292	62	68	9	8	5	
ZR29.113.02	REAR	S6	292	62	68	9	8	5	
ZR29.113.03	REAR	S12	292	62	68	9	8	5	
ZR29.113.04	REAR	DDS	292	62	68	9	8	5	

SAFARI

NISSAN

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
Model Detail 4.2 DIESEL					Year 1987-92		Chassis Y60		
ZR29.033.01	FRONT	STANDARD	294	30	104	20	18	6	
ZR29.033.02	FRONT	S6	294	30	104	20	18	6	
ZR29.033.03	FRONT	S12	294	30	104	20	18	6	
ZR29.033.04	FRONT	DDS	294	30	104	20	18	6	
ZR29.048.01	FRONT	STANDARD	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.048.02	FRONT	S6	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.048.03	FRONT	S12	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.048.04	FRONT	DDS	306	80	104	26	24	6	306mm x 26mm 92 ON
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.02	REAR	S6	315	80	111	18	16	6	
ZR29.047.03	REAR	S12	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	
Model Detail 4.2 DIESEL					Year 1992-95		Chassis Y60		
ZR29.033.01	FRONT	STANDARD	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.033.02	FRONT	S6	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.033.03	FRONT	S12	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.033.04	FRONT	DDS	294	30	104	20	18	6	294mm x 20mm Pre 92
ZR29.048.01	FRONT	STANDARD	306	80	104	26	24	6	
ZR29.048.02	FRONT	S6	306	80	104	26	24	6	
ZR29.048.03	FRONT	S12	306	80	104	26	24	6	
ZR29.048.04	FRONT	DDS	306	80	104	26	24	6	
ZR29.047.01	REAR	STANDARD	315	80	111	18	16	6	
ZR29.047.02	REAR	S6	315	80	111	18	16	6	
ZR29.047.03	REAR	S12	315	80	111	18	16	6	
ZR29.047.04	REAR	DDS	315	80	111	18	16	6	
SENTRA									
Model Detail 1.3					Year 1987-89		Chassis BN13		
ZR29.017.01	FRONT	STANDARD	240	45.5	61	12	11	4	
ZR29.017.02	FRONT	S6	240	45.5	61	12	11	4	
ZR29.017.03	FRONT	S12	240	45.5	61	12	11	4	
ZR29.017.04	FRONT	DDS	240	45.5	61	12	11	4	
ZR29.036.01	FRONT	STANDARD	240	45.5	61	18	16	4	
ZR29.036.02	FRONT	S6	240	45.5	61	18	16	4	
ZR29.036.03	FRONT	S12	240	45.5	61	18	16	4	
ZR29.036.04	FRONT	DDS	240	45.5	61	18	16	4	
Model Detail 1.4					Year 1989-93		Chassis UN13		
ZR29.017.01	FRONT	STANDARD	240	45.5	61	12	11	4	
ZR29.017.02	FRONT	S6	240	45.5	61	12	11	4	
ZR29.017.03	FRONT	S12	240	45.5	61	12	11	4	
ZR29.017.04	FRONT	DDS	240	45.5	61	12	11	4	
ZR29.036.01	FRONT	STANDARD	240	45.5	61	18	16	4	
ZR29.036.02	FRONT	S6	240	45.5	61	18	16	4	
ZR29.036.03	FRONT	S12	240	45.5	61	18	16	4	
ZR29.036.04	FRONT	DDS	240	45.5	61	18	16	4	
Model Detail 1.6					Year 1987-91		Chassis PN13		
ZR29.017.01	FRONT	STANDARD	240	45.5	61	12	11	4	
ZR29.017.02	FRONT	S6	240	45.5	61	12	11	4	
ZR29.017.03	FRONT	S12	240	45.5	61	12	11	4	
ZR29.017.04	FRONT	DDS	240	45.5	61	12	11	4	
ZR29.036.01	FRONT	STANDARD	240	45.5	61	18	16	4	
ZR29.036.02	FRONT	S6	240	45.5	61	18	16	4	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.036.03	FRONT	S12	240	45.5	61	18	16	4	
ZR29.036.04	FRONT	DDS	240	45.5	61	18	16	4	

Model Detail 1.6 Year 1989-91 Chassis PN13A

ZR29.017.01	FRONT	STANDARD	240	45.5	61	12	11	4	
ZR29.017.02	FRONT	S6	240	45.5	61	12	11	4	
ZR29.017.03	FRONT	S12	240	45.5	61	12	11	4	
ZR29.017.04	FRONT	DDS	240	45.5	61	12	11	4	
ZR29.036.01	FRONT	STANDARD	240	45.5	61	18	16	4	
ZR29.036.02	FRONT	S6	240	45.5	61	18	16	4	
ZR29.036.03	FRONT	S12	240	45.5	61	18	16	4	
ZR29.036.04	FRONT	DDS	240	45.5	61	18	16	4	

Model Detail 1.6 Year 1992-96 Chassis PN14

ZR29.036.01	FRONT	STANDARD	240	45.5	61	18	16	4	
ZR29.036.02	FRONT	S6	240	45.5	61	18	16	4	
ZR29.036.03	FRONT	S12	240	45.5	61	18	16	4	
ZR29.036.04	FRONT	DDS	240	45.5	61	18	16	4	

SILVIA

Model Detail 1.8 Year 1988-91 Chassis SR13

ZR29.087.01	FRONT	STANDARD	250	49	68	18	16	4	
ZR29.087.02	FRONT	S6	250	49	68	18	16	4	
ZR29.087.03	FRONT	S12	250	49	68	18	16	4	
ZR29.087.04	FRONT	DDS	250	49	68	18	16	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

Model Detail 1.8 TURBO Year 1988-91 Chassis SR13

ZR29.087.01	FRONT	STANDARD	250	49	68	18	16	4	
ZR29.087.02	FRONT	S6	250	49	68	18	16	4	
ZR29.087.03	FRONT	S12	250	49	68	18	16	4	
ZR29.087.04	FRONT	DDS	250	49	68	18	16	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

Model Detail 1.8 Year 1983-88 Chassis S12

ZR29.040.01	FRONT	STANDARD	250	22	73	18	16	4	
ZR29.040.02	FRONT	S6	250	22	73	18	16	4	
ZR29.040.03	FRONT	S12	250	22	73	18	16	4	
ZR29.040.04	FRONT	DDS	250	22	73	18	16	4	

Model Detail 1.8 TURBO Year 1983-1986 Chassis S12

ZR29.040.01	FRONT	STANDARD	250	22	73	18	16	4	
ZR29.040.02	FRONT	S6	250	22	73	18	16	4	
ZR29.040.03	FRONT	S12	250	22	73	18	16	4	
ZR29.040.04	FRONT	DDS	250	22	73	18	16	4	
ZR29.034.01	REAR	STANDARD	258	47	68	10	9	4	
ZR29.034.02	REAR	S6	258	47	68	10	9	4	
ZR29.034.03	REAR	S12	258	47	68	10	9	4	
ZR29.034.04	REAR	DDS	258	47	68	10	9	4	

Model Detail 1.8 TURBO Year 1986-88 Chassis S12

ZR29.040.01	FRONT	STANDARD	250	22	73	18	16	4	
-------------	-------	----------	-----	----	----	----	----	---	--

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.040.02	FRONT	S6	250	22	73	18	16	4	
ZR29.040.03	FRONT	S12	250	22	73	18	16	4	
ZR29.040.04	FRONT	DDS	250	22	73	18	16	4	
ZR29.034.01	REAR	STANDARD	258	47	68	10	9	4	
ZR29.034.02	REAR	S6	258	47	68	10	9	4	
ZR29.034.03	REAR	S12	258	47	68	10	9	4	
ZR29.034.04	REAR	DDS	258	47	68	10	9	4	

Model Detail 2.0 Year 1991-93 Chassis KPS13

ZR29.087.01	FRONT	STANDARD	250	49	68	18	16	4	
ZR29.087.02	FRONT	S6	250	49	68	18	16	4	
ZR29.087.03	FRONT	S12	250	49	68	18	16	4	
ZR29.087.04	FRONT	DDS	250	49	68	18	16	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

Model Detail 2.0 TURBO Year 1991-93 Chassis KPS13

ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

Model Detail 2.0 Year 1993-96 Chassis S14

ZR29.022.01	FRONT	STANDARD	252	49	68	20	18	4	
ZR29.022.02	FRONT	S6	252	49	68	20	18	4	
ZR29.022.03	FRONT	S12	252	49	68	20	18	4	
ZR29.022.04	FRONT	DDS	252	49	68	20	18	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

Model Detail 2.0 Year 1996 Chassis S14

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.065.01	REAR	STANDARD	258	46.5	68	9	8	4	
ZR29.065.02	REAR	S6	258	46.5	68	9	8	4	
ZR29.065.03	REAR	S12	258	46.5	68	9	8	4	
ZR29.065.04	REAR	DDS	258	46.5	68	9	8	4	

Model Detail 2.0 Year 1993-98 Chassis CS14

ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	
ZR29.057.01	REAR	STANDARD	258	47	68	9	8	5	
ZR29.057.02	REAR	S6	258	47	68	9	8	5	
ZR29.057.03	REAR	S12	258	47	68	9	8	5	
ZR29.057.04	REAR	DDS	258	47	68	9	8	5	

NISSAN

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 2.0 TURBO Year 1993-98 Chassis CS14

ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	
ZR29.057.01	REAR	STANDARD	258	47	68	9	8	5	
ZR29.057.02	REAR	S6	258	47	68	9	8	5	
ZR29.057.03	REAR	S12	258	47	68	9	8	5	
ZR29.057.04	REAR	DDS	258	47	68	9	8	5	

Model Detail 2.0 TURBO Year 1999- Chassis S15

ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	
ZR29.057.01	REAR	STANDARD	258	47	68	9	8	5	
ZR29.057.02	REAR	S6	258	47	68	9	8	5	
ZR29.057.03	REAR	S12	258	47	68	9	8	5	
ZR29.057.04	REAR	DDS	258	47	68	9	8	5	

Model Detail 2.0 Year 1999-02 Chassis S15

ZR29.004.01	FRONT	STANDARD	280	49	68	22	20	5	
ZR29.004.02	FRONT	S6	280	49	68	22	20	5	
ZR29.004.03	FRONT	S12	280	49	68	22	20	5	
ZR29.004.04	FRONT	DDS	280	49	68	22	20	5	
ZR29.057.01	REAR	STANDARD	258	47	68	9	8	5	
ZR29.057.02	REAR	S6	258	47	68	9	8	5	
ZR29.057.03	REAR	S12	258	47	68	9	8	5	
ZR29.057.04	REAR	DDS	258	47	68	9	8	5	

SKYLINE

Model Detail 2.0 TURBO Year 1989-93 Chassis R32

ZR29.058.01	FRONT	STANDARD	280	54	68	30	28	5	
ZR29.058.02	FRONT	S6	280	54	68	30	28	5	
ZR29.058.03	FRONT	S12	280	54	68	30	28	5	
ZR29.058.04	FRONT	DDS	280	54	68	30	28	5	
ZR29.028.01	REAR	STANDARD	297	65	68	18	16	5	
ZR29.028.02	REAR	S6	297	65	68	18	16	5	
ZR29.028.03	REAR	S12	297	65	68	18	16	5	
ZR29.028.04	REAR	DDS	297	65	68	18	16	5	

Model Detail 3.0 Year 1987-91 Chassis JR31

ZR29.042.01	FRONT	STANDARD	250	48	HUB	22	20	4	
ZR29.042.02	FRONT	S6	250	48	HUB	22	20	4	
ZR29.042.03	FRONT	S12	250	48	HUB	22	20	4	
ZR29.042.04	FRONT	DDS	250	48	HUB	22	20	4	
ZR29.043.01	REAR	STANDARD	260	60	68	10.4	9.4	4	
ZR29.043.02	REAR	S6	260	60	68	10.4	9.4	4	
ZR29.043.03	REAR	S12	260	60	68	10.4	9.4	4	
ZR29.043.04	REAR	DDS	260	60	68	10.4	9.4	4	

Model Detail 2.5 Year 1993- Chassis ENR33

ZR29.067.01	FRONT	STANDARD	280	49	68	26	24.2	4	
ZR29.067.02	FRONT	S6	280	49	68	26	24.2	4	
ZR29.067.03	FRONT	S12	280	49	68	26	24.2	4	
ZR29.067.04	FRONT	DDS	280	49	68	26	24.2	4	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.5 TURBO Year 1993- Chassis ECR33

ZR29.066.01	FRONT	STANDARD	296	54	68	32	30	5	
ZR29.066.02	FRONT	S6	296	54	68	32	30	5	
ZR29.066.03	FRONT	S12	296	54	68	32	30	5	
ZR29.066.04	FRONT	DDS	296	54	68	32	30	5	
ZR29.028.01	REAR	STANDARD	297	65	68	18	16	5	
ZR29.028.02	REAR	S6	297	65	68	18	16	5	
ZR29.028.03	REAR	S12	297	65	68	18	16	5	
ZR29.028.04	REAR	DDS	297	65	68	18	16	5	

Model Detail 2.0 Year 1989-93 Chassis R32

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.5 Year 1991-93 Chassis R32

ZR29.024.01	FRONT	STANDARD	280	49	68	22	20	4	
ZR29.024.02	FRONT	S6	280	49	68	22	20	4	
ZR29.024.03	FRONT	S12	280	49	68	22	20	4	
ZR29.024.04	FRONT	DDS	280	49	68	22	20	4	
ZR29.053.01	REAR	STANDARD	267	64	68	16	14	4	NCA
ZR29.053.02	REAR	S6	267	64	68	16	14	4	NCA
ZR29.053.03	REAR	S12	267	64	68	16	14	4	NCA
ZR29.053.04	REAR	DDS	267	64	68	16	14	4	NCA

Model Detail 2.6 TWIN TURBO Year 1989-93 Chassis R32

ZR29.066.01	FRONT	STANDARD	296	54	68	32	30	5	
ZR29.066.02	FRONT	S6	296	54	68	32	30	5	
ZR29.066.03	FRONT	S12	296	54	68	32	30	5	
ZR29.066.04	FRONT	DDS	296	54	68	32	30	5	
ZR29.028.01	REAR	STANDARD	297	65	68	18	16	5	
ZR29.028.02	REAR	S6	297	65	68	18	16	5	
ZR29.028.03	REAR	S12	297	65	68	18	16	5	
ZR29.028.04	REAR	DDS	297	65	68	18	16	5	

Model Detail 2.6 TWIN TURBO Year 1993-96 Chassis R33

ZR29.062.01	FRONT	STANDARD	324	54	68	30	28	5	
ZR29.062.02	FRONT	S6	324	54	68	30	28	5	
ZR29.062.03	FRONT	S12	324	54	68	30	28	5	
ZR29.062.04	FRONT	DDS	324	54	68	30	28	5	
ZR29.086.01	REAR	STANDARD	300	63	68	22	20	5	
ZR29.086.02	REAR	S6	300	63	68	22	20	5	
ZR29.086.03	REAR	S12	300	63	68	22	20	5	
ZR29.086.04	REAR	DDS	300	63	68	22	20	5	

Model Detail 2.0 Year 1993- Chassis R33

ZR29.003.01	FRONT	STANDARD	258	49	68	22	20	4	
ZR29.003.02	FRONT	S6	258	49	68	22	20	4	

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.003.03	FRONT	S12	258	49	68	22	20	4	
ZR29.003.04	FRONT	DDS	258	49	68	22	20	4	
ZR29.054.01	REAR	STANDARD	268	64	68	9	8	4	
ZR29.054.02	REAR	S6	268	64	68	9	8	4	
ZR29.054.03	REAR	S12	268	64	68	9	8	4	
ZR29.054.04	REAR	DDS	268	64	68	9	8	4	

Model Detail 2.5 TURBO Year 1998- Chassis R34

ZR29.089.01	FRONT	STANDARD	310	54	68	30	28	5	
ZR29.089.02	FRONT	S6	310	54	68	30	28	5	
ZR29.089.03	FRONT	S12	310	54	68	30	28	5	
ZR29.089.04	FRONT	DDS	310	54	68	30	28	5	
ZR29.028.01	REAR	STANDARD	297	65	68	18	16	5	
ZR29.028.02	REAR	S6	297	65	68	18	16	5	
ZR29.028.03	REAR	S12	297	65	68	18	16	5	
ZR29.028.04	REAR	DDS	297	65	68	18	16	5	

Model Detail 2.6 TWIN TURBO Year 1998- Chassis BNR34

ZR29.062.01	FRONT	STANDARD	324	54	68	30	28	5	
ZR29.062.02	FRONT	S6	324	54	68	30	28	5	
ZR29.062.03	FRONT	S12	324	54	68	30	28	5	
ZR29.062.04	FRONT	DDS	324	54	68	30	28	5	
ZR29.086.01	REAR	STANDARD	300	63	68	22	20	5	
ZR29.086.02	REAR	S6	300	63	68	22	20	5	
ZR29.086.03	REAR	S12	300	63	68	22	20	5	
ZR29.086.04	REAR	DDS	300	63	68	22	20	5	

Model Detail 3.0 Year 2001- Chassis HV35

ZR29.090.01	FRONT	STANDARD	296	49.2	68	24	22	5	
ZR29.090.02	FRONT	S6	296	49.2	68	24	22	5	
ZR29.090.03	FRONT	S12	296	49.2	68	24	22	5	
ZR29.090.04	FRONT	DDS	296	49.2	68	24	22	5	
ZR29.091.01	REAR	STANDARD	292	62	68	16	14	5	
ZR29.091.02	REAR	S6	292	62	68	16	14	5	
ZR29.091.03	REAR	S12	292	62	68	16	14	5	
ZR29.091.04	REAR	DDS	292	62	68	16	14	5	

Model Detail 3.5 GT350 Year 2002-06 Chassis PV35

ZR29.090.01	FRONT	STANDARD	296	49.2	68	24	22	5	2001-04
ZR29.090.02	FRONT	S6	296	49.2	68	24	22	5	2001-04
ZR29.090.03	FRONT	S12	296	49.2	68	24	22	5	2001-04
ZR29.090.04	FRONT	DDS	296	49.2	68	24	22	5	2001-04
ZR29.092.01	FRONT	STANDARD	324	49	68	30	28	5	Brembo Calipers
ZR29.092.02	FRONT	S6	324	49	68	30	28	5	Brembo Calipers
ZR29.092.03	FRONT	S12	324	49	68	30	28	5	Brembo Calipers
ZR29.092.04	FRONT	DDS	324	49	68	30	28	5	Brembo Calipers
ZR29.105.01	FRONT	STANDARD	320	49.2	68	28	26	5	2005-
ZR29.105.02	FRONT	S6	320	49.2	68	28	26	5	2005-
ZR29.105.03	FRONT	S12	320	49.2	68	28	26	5	2005-
ZR29.105.04	FRONT	DDS	320	49.2	68	28	26	5	2005-
ZR29.092.06	FRONT Z-SPE	2PCE	324	49	68	30	28.4	5	Brembo Calipers
ZR29.105.06	FRONT Z-SPE	Z-SPEC S12	320	49.2	68	28	26	5	2005-
ZR29.091.01	REAR	STANDARD	292	62	68	16	14	5	2001-04
ZR29.091.02	REAR	S6	292	62	68	16	14	5	2001-04
ZR29.091.03	REAR	S12	292	62	68	16	14	5	2001-04
ZR29.091.04	REAR	DDS	292	62	68	16	14	5	2001-04
ZR29.096.01	REAR	STANDARD	322	62.5	68	22	20.2	5	Brembo Calipers

NISSAN

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR29.096.02	REAR	S6	322	62.5	68	22	20.2	5	Brembo Calipers
ZR29.096.03	REAR	S12	322	62.5	68	22	20.2	5	Brembo Calipers
ZR29.096.04	REAR	DDS	322	62.5	68	22	20.2	5	Brembo Calipers
ZR29.106.01	REAR	STANDARD	308	62.1	68	16	14	5	2005-
ZR29.106.02	REAR	S6	308	62.1	68	16	14	5	2005-
ZR29.106.03	REAR	S12	308	62.1	68	16	14	5	2005-
ZR29.106.04	REAR	DDS	308	62.1	68	16	14	5	2005-

Model Detail 2.5 250GT Year 2006- Chassis V36

ZR29.105.01	FRONT	STANDARD	320	49.2	68	28	26	5	
ZR29.105.02	FRONT	S6	320	49.2	68	28	26	5	
ZR29.105.03	FRONT	S12	320	49.2	68	28	26	5	
ZR29.105.04	FRONT	DDS	320	49.2	68	28	26	5	
ZR29.106.01	REAR	STANDARD	308	62.1	68	16	14	5	
ZR29.106.02	REAR	S6	308	62.1	68	16	14	5	
ZR29.106.03	REAR	S12	308	62.1	68	16	14	5	
ZR29.106.04	REAR	DDS	308	62.1	68	16	14	5	

Model Detail 2.5 Year 1998-02 Chassis ER34

ZR29.060.01	FRONT	STANDARD	280	50	68	26	24	5	
ZR29.060.02	FRONT	S6	280	50	68	26	24	5	
ZR29.060.03	FRONT	S12	280	50	68	26	24	5	
ZR29.060.04	FRONT	DDS	280	50	68	26	24	5	
ZR29.079.01	REAR	STANDARD	266	64	68	16	14	5	

Model Detail 3.7 370GT Year 2008-14 Chassis V36-KV36

ZR29.116.01	FRONT		329.5	49.3	68	32	30	5	
ZR29.116.02	FRONT		329.5	49.3	68	32	30	5	
ZR29.116.04	FRONT		329.5	49.3	68	32	30	5	

TEANA

Model Detail 2.3 Year 2003-09 Chassis J31

ZR29.090.01	FRONT	STANDARD	296	49.2	68	24	22	5	
ZR29.090.02	FRONT	S6	296	49.2	68	24	22	5	
ZR29.090.03	FRONT	S12	296	49.2	68	24	22	5	
ZR29.090.04	FRONT	DDS	296	49.2	68	24	22	5	
ZR29.113.01	REAR	STANDARD	292	62	68	9	8	5	

TERRANO

Model Detail 2.7 DIESEL TURBO Year 1988-95 Chassis WBYD21

ZR29.046.01	FRONT	STANDARD	266	39.5	100	22	20	6	
ZR29.046.03	FRONT	S12	266	39.5	100	22	20	6	
ZR29.046.04	FRONT	DDS	266	39.5	100	22	20	6	
ZR29.046.05	FRONT	L6	266	39.5	100	22	20	6	

Model Detail 3.0 V6 Year 1987- Chassis WHYD21

ZR29.044.01	FRONT	STANDARD	260	38	81	26	24	6	
ZR29.044.03	FRONT	S12	260	38	81	26	24	6	
ZR29.044.04	FRONT	DDS	260	38	81	26	24	6	
ZR29.044.05	FRONT	L6	260	38	81	26	24	6	

Model Detail 3.2 DIESEL TURBO Year 1996-00 Chassis RR50

ZR29.080.01	FRONT	STANDARD	283	38	100	28	26	6	<1998
ZR29.080.04	FRONT	DDS	283	38	100	28	26	6	<1998
ZR29.108.01	FRONT	STANDARD	300	38	100	28	26	6	1998>

URVAN

Model Detail 2.7 DIESEL Year 1987- Chassis E24

--	--	--	--	--	--	--	--	--	--

NISSAN

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR29.044.01	FRONT	STANDARD	260	38	81	26	24	6	
ZR29.044.02	FRONT	S6	260	38	81	26	24	6	
ZR29.044.03	FRONT	S12	260	38	81	26	24	6	
ZR29.044.04	FRONT	DDS	260	38	81	26	24	6	

VANETTE

Model Detail 1.5 Year 1982-89 Chassis C120

ZR29.049.01	FRONT	STANDARD	250	30	73	22	20	4	
ZR29.049.03	FRONT	S12	250	30	73	22	20	4	
ZR29.049.04	FRONT	DDS	250	30	73	22	20	4	
ZR29.077.01	FRONT	STANDARD	232	22	73	18	16	4	
ZR29.077.03	FRONT	S12	232	22	73	18	16	4	
ZR29.077.04	FRONT	DDS	232	22	73	18	16	4	

Model Detail 1.5 Year 1988-90 Chassis C22

ZR29.049.01	FRONT	STANDARD	250	30	73	22	20	4	
ZR29.049.03	FRONT	S12	250	30	73	22	20	4	
ZR29.049.04	FRONT	DDS	250	30	73	22	20	4	

Model Detail 2.0 DIESEL Year 1986-90 Chassis C22

ZR29.049.01	FRONT	STANDARD	250	30	73	22	20	4	
ZR29.049.03	FRONT	S12	250	30	73	22	20	4	
ZR29.049.04	FRONT	DDS	250	30	73	22	20	4	

X-TRAIL

Model Detail 2.5 Year 2007-14 Chassis TANT31

ZR29.112.01	FRONT	STANDARD	296	44	68	26	24	5	
ZR29.112.04	FRONT	DDS	296	44	68	26	24	5	
ZR29.091.01	REAR	STANDARD	292	62	68	16	14	5	
ZR29.091.04	REAR	DDS	292	62	68	16	14	5	
ZR29.113.01	REAR	STANDARD	292	62	68	9	8	5	
ZR29.113.04	REAR	DDS	292	62	68	9	8	5	