

## SUBARU

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### EXIGA

Model Detail	2.0					Year	2008-	Chassis	YA4
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.026.01	REAR		286	63.5	58	10	8.5	5	
ZR40.026.02	REAR		286	63.5	58	10	8.5	5	
ZR40.026.03	REAR	S12	286	63.5	58	10.	8.5	5	
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5	

Model Detail	2.0 TURBO					Year	2008-18	Chassis	YA5
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.026.01	REAR		286	63.5	58	10	8.5	5	
ZR40.026.02	REAR		286	63.5	58	10	8.5	5	
ZR40.026.03	REAR	S12	286	63.5	58	10.	8.5	5	
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5	

Model Detail	2.0					Year	2008-18	Chassis	YA5
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.026.01	REAR		286	63.5	58	10	8.5	5	
ZR40.026.02	REAR		286	63.5	58	10	8.5	5	
ZR40.026.03	REAR	S12	286	63.5	58	10.	8.5	5	
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5	

Model Detail	2.5					Year	2009-18	Chassis	YA9
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.026.01	REAR		286	63.5	58	10	8.5	5	
ZR40.026.02	REAR		286	63.5	58	10	8.5	5	
ZR40.026.03	REAR	S12	286	63.5	58	10.	8.5	5	
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5	

### FORESTER

Model Detail	2.0 4WD					Year	1997-02	Chassis	SF5
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5	
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5	
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5	
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5	

Model Detail	2.5 4WD					Year	1998-02	Chassis	SF9
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	

## SUBARU

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5	
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5	
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5	
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5	

### IMPREZA

#### Model Detail 1.8 4WD WAGON Year 1992- Chassis GF6

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5	
ZR40.011.02	FRONT	S6	260	57	58	24	22	5	
ZR40.011.03	FRONT	S12	260	57	58	24	22	5	
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5	

#### Model Detail 1.8 4WD Year 1992- Chassis GC6

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5	
ZR40.011.02	FRONT	S6	260	57	58	24	22	5	
ZR40.011.03	FRONT	S12	260	57	58	24	22	5	
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5	

### IMPREZA WRX

#### Model Detail 2.0 4WD TURBO Year 1993-99 Chassis GC8

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	93-11/94
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	93-11/94
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	93-11/94
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	93-11/94
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	12/94-
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	12/94-
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	12/94-
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	12/94-
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	

#### Model Detail 2.0 4WD Year 2000- Chassis GD9

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5	
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5	
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5	
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5	

#### Model Detail 2.0 4WD TURBO Year 2000- Chassis GDA

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5	
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5	
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5	
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5	

#### Model Detail 2.5 4WD TURBO Year 2005-07 Chassis GDG

ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	

## SUBARU

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.019.01	REAR	STANDARD	290	67.5	58	18	16	5	
ZR40.019.02	REAR	S6	290	67.5	58	18	16	5	
ZR40.019.03	REAR	S12	290	67.5	58	18	16	5	
ZR40.019.04	REAR	DDS	290	67.5	58	18	16	5	

### Model Detail 2.0 4WD TURBO Year 2007-11 Chassis GH8

ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.026.01	REAR		286	63.5	58	10	8.5	5	
ZR40.026.02	REAR		286	63.5	58	10	8.5	5	
ZR40.026.03	REAR	S12	286	63.5	58	10	8.5	5	
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5	

### Model Detail 2.5 4WD TURBO Year 2008- Chassis GHE

ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.026.01	REAR		286	63.5	58	10	8.5	5	
ZR40.026.02	REAR		286	63.5	58	10	8.5	5	
ZR40.026.03	REAR	S12	286	63.5	58	10	8.5	5	
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5	

## IMPREZA WRX STI (GDB-A)

### Model Detail 2.0 4WD TURBO (GDB-A) Year 2000-01 Chassis GDB-A

ZR40.017.01	FRONT	STANDARD	326	53	58	30	28	5	Use ZR40.023.01
ZR40.017.02	FRONT	S6	326	53	58	30	28	5	
ZR40.017.03	FRONT	S12	326	53	58	30	28	5	
ZR40.017.04	FRONT	DDS	326	53	58	30	28	5	
ZR40.018.01	REAR	STANDARD	316	67.5	58	20	18	5	
ZR40.018.02	REAR	S6	316	67.5	58	20	18	5	
ZR40.018.03	REAR	S12	316	67.5	58	20	18	5	
ZR40.018.04	REAR	DDS	316	67.5	58	20	18	5	

## IMPREZA WRX STI (GDB-B)

### Model Detail 2.0 4WD TURBO (GDB-B) Year 2001-02 Chassis GDB-B

ZR40.017.01	FRONT	STANDARD	326	53	58	30	28	5	
ZR40.017.02	FRONT	S6	326	53	58	30	28	5	
ZR40.017.03	FRONT	S12	326	53	58	30	28	5	
ZR40.017.04	FRONT	DDS	326	53	58	30	28	5	
ZR40.018.01	REAR	STANDARD	316	67.5	58	20	18	5	
ZR40.018.02	REAR	S6	316	67.5	58	20	18	5	
ZR40.018.03	REAR	S12	316	67.5	58	20	18	5	
ZR40.018.04	REAR	DDS	316	67.5	58	20	18	5	

## IMPREZA WRX STI (GDB-C)

### Model Detail 2.0 4WD TURBO (GDB-C) Year 2002-03 Chassis GDB-C

ZR40.017.01	FRONT	STANDARD	326	53	58	30	28	5	
ZR40.017.02	FRONT	S6	326	53	58	30	28	5	
ZR40.017.03	FRONT	S12	326	53	58	30	28	5	
ZR40.017.04	FRONT	DDS	326	53	58	30	28	5	
ZR40.018.01	REAR	STANDARD	316	67.5	58	20	18	5	

## SUBARU

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR40.018.02	REAR	S6	316	67.5	58	20	18	5	
ZR40.018.03	REAR	S12	316	67.5	58	20	18	5	
ZR40.018.04	REAR	DDS	316	67.5	58	20	18	5	

### IMPREZA WRX STI (GDB-D)

Model Detail	2.0 4WD TURBO (GDB-D)	Year	2003-04	Chassis	GDB-D			
ZR40.017.01	FRONT	STANDARD	326	53	58	30	28	5
ZR40.017.02	FRONT	S6	326	53	58	30	28	5
ZR40.017.03	FRONT	S12	326	53	58	30	28	5
ZR40.017.04	FRONT	DDS	326	53	58	30	28	5
ZR40.018.01	REAR	STANDARD	316	67.5	58	20	18	5
ZR40.018.02	REAR	S6	316	67.5	58	20	18	5
ZR40.018.03	REAR	S12	316	67.5	58	20	18	5
ZR40.018.04	REAR	DDS	316	67.5	58	20	18	5

### IMPREZA WRX STI (GDB-E)

Model Detail	2.0 4WD TURBO (GDB-E)	Year	2004-05	Chassis	GDB-E			
ZR40.023.01	FRONT	STANDARD	326	53	58	30	28	5
ZR40.023.02	FRONT	S6	326	53	58	30	28	5
ZR40.023.03	FRONT	S12	326	53	58	30	28	5
ZR40.023.04	FRONT	DDS	326	53	58	30	28	5
ZR40.024.01	REAR	STANDARD	316	67.5	58	20	18	5
ZR40.024.02	REAR	S6	316	67.5	58	20	18	5
ZR40.024.03	REAR	S12	316	67.5	58	20	18	5
ZR40.024.04	REAR	DDS	316	67.5	58	20	18	5

### IMPREZA WRX STI (GDB-F)

Model Detail	2.0 4WD TURBO (GDB-F)	Year	2005-06	Chassis	GDB-F			
ZR40.023.01	FRONT	STANDARD	326	53	58	30	28	5
ZR40.023.02	FRONT	S6	326	53	58	30	28	5
ZR40.023.03	FRONT	S12	326	53	58	30	28	5
ZR40.023.04	FRONT	DDS	326	53	58	30	28	5
ZR40.024.01	REAR	STANDARD	316	67.5	58	20	18	5
ZR40.024.02	REAR	S6	316	67.5	58	20	18	5
ZR40.024.03	REAR	S12	316	67.5	58	20	18	5
ZR40.024.04	REAR	DDS	316	67.5	58	20	18	5

### IMPREZA WRX STI (GDB-G)

Model Detail	2.0 4WD TURBO (GDB-G)	Year	2007-08	Chassis	GDB-G			
ZR40.023.01	FRONT	STANDARD	326	53	58	30	28	5
ZR40.023.02	FRONT	S6	326	53	58	30	28	5
ZR40.023.03	FRONT	S12	326	53	58	30	28	5
ZR40.023.04	FRONT	DDS	326	53	58	30	28	5
ZR40.024.01	REAR	STANDARD	316	67.5	58	20	18	5
ZR40.024.02	REAR	S6	316	67.5	58	20	18	5
ZR40.024.03	REAR	S12	316	67.5	58	20	18	5
ZR40.024.04	REAR	DDS	316	67.5	58	20	18	5

### IMPREZA WRX STI (GRB)

Model Detail	2.0 4WD TURBO (GRB)	Year	2008-09	Chassis	GRB				
ZR40.023.01	FRONT	STANDARD	326	53	58	30	28	5	
ZR40.023.02	FRONT	S6	326	53	58	30	28	5	
ZR40.023.03	FRONT	S12	326	53	58	30	28	5	
ZR40.023.04	FRONT	DDS	326	53	58	30	28	5	
ZR40.024.01	REAR	STANDARD	316	67.5	58	20	18	5	67.5 Height

## SUBARU

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR40.024.02	REAR	S6	316	67.5	58	20	18	5	67.5 Height
ZR40.024.03	REAR	S12	316	67.5	58	20	18	5	67.5 Height
ZR40.024.04	REAR	DDS	316	67.5	58	20	18	5	67.5 Height
ZR40.027.01	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.027.02	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.027.03	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.027.04	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra

### IMPREZA WRX STI (GRF)

Model Detail	2.5 4WD TURBO (GRF)	Year	2008-09	Chassis	GRF				
ZR40.023.01	FRONT	STANDARD	326	53	58	30	28	5	
ZR40.023.02	FRONT	S6	326	53	58	30	28	5	
ZR40.023.03	FRONT	S12	326	53	58	30	28	5	
ZR40.023.04	FRONT	DDS	326	53	58	30	28	5	
ZR40.030.04	FRONT		316	50.4	68	28	25	5	
ZR40.027.01	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.027.02	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.027.03	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.027.04	REAR		316	63.8	58	20	18	5	63.8 Height (hole for H/Bra
ZR40.029.01	REAR		290	63.6	58	18	16	5	AUTO Sti - Non Brembo 10
ZR40.029.02	REAR		290	63.6	58	18	16	5	
ZR40.029.03	REAR		290	63.6	58	18	16	5	
ZR40.029.04	REAR		290	63.6	58	18	16	5	

### IMPREZA WRX STI (V1)

Model Detail	2.0 4WD TURBO (V1)	Year	1992-94	Chassis	GC8A/B				
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	

### IMPREZA WRX STI (V2)

Model Detail	2.0 4WD TURBO (V2)	Year	1995-96	Chassis	GC8C				
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	

### IMPREZA WRX STI (V3)

Model Detail	2.0 4WD TURBO (V3)	Year	1996-97	Chassis	GC8D				
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	

## SUBARU

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
-------------------	-----------------	-------------	-------------	---------------	------------------	------------------	------------------	-------------	--------------

ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	
-------------	------	-----	-----	------	----	----	----	---	--

### IMPREZA WRX STI (V4)

<b>Model Detail</b>	<b>2.0 4WD TURBO (V4)</b>	<b>Year</b>	<b>1997-98</b>	<b>Chassis</b>	<b>GC8E</b>
---------------------	---------------------------	-------------	----------------	----------------	-------------

ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	

### IMPREZA WRX STI (V5)

<b>Model Detail</b>	<b>2.0 4WD TURBO (V5)</b>	<b>Year</b>	<b>1998-99</b>	<b>Chassis</b>	<b>GC8F</b>
---------------------	---------------------------	-------------	----------------	----------------	-------------

ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	
ZR40.019.01	REAR	STANDARD	290	67.5	58	18	16	5	190mm H/Brake Drum
ZR40.019.02	REAR	S6	290	67.5	58	18	16	5	190mm H/Brake Drum
ZR40.019.03	REAR	S12	290	67.5	58	18	16	5	190mm H/Brake Drum
ZR40.019.04	REAR	DDS	290	67.5	58	18	16	5	190mm H/Brake Drum

### IMPREZA WRX STI (V6)

<b>Model Detail</b>	<b>2.0 4WD TURBO (V6)</b>	<b>Year</b>	<b>1999-00</b>	<b>Chassis</b>	<b>GC8G</b>
---------------------	---------------------------	-------------	----------------	----------------	-------------

ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	STI WAGON
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	STI WAGON
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	STI WAGON
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	STI WAGON
ZR40.019.01	REAR	STANDARD	290	67.5	58	18	16	5	190mm H/Brake Drum
ZR40.019.02	REAR	S6	290	67.5	58	18	16	5	190mm H/Brake Drum
ZR40.019.03	REAR	S12	290	67.5	58	18	16	5	190mm H/Brake Drum
ZR40.019.04	REAR	DDS	290	67.5	58	18	16	5	190mm H/Brake Drum

### LEGACY

<b>Model Detail</b>	<b>1.8</b>	<b>Year</b>	<b>1989-93</b>	<b>Chassis</b>	<b>BC2</b>
---------------------	------------	-------------	----------------	----------------	------------

ZR40.001.01	FRONT	STANDARD	242	53	58	18	16	5	
ZR40.001.02	FRONT	S6	242	53	58	18	16	5	
ZR40.001.03	FRONT	S12	242	53	58	18	16	5	
ZR40.001.04	FRONT	DDS	242	53	58	18	16	5	

<b>Model Detail</b>	<b>1.8 4WD</b>	<b>Year</b>	<b>1989-93</b>	<b>Chassis</b>	<b>BC3/BF3</b>
---------------------	----------------	-------------	----------------	----------------	----------------

ZR40.001.01	FRONT	STANDARD	242	53	58	18	16	5	
ZR40.001.02	FRONT	S6	242	53	58	18	16	5	
ZR40.001.03	FRONT	S12	242	53	58	18	16	5	
ZR40.001.04	FRONT	DDS	242	53	58	18	16	5	

## SUBARU

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 2.0 4WD TURBO GT Year 1993-98 Chassis BD5/BG5**

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5
ZR40.015.02	FRONT	S6	277	57	58	24	22	5
ZR40.015.03	FRONT	S12	277	57	58	24	22	5
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5

**Model Detail 2.0 4WD TURBO RS Year 1989-93 Chassis BC5**

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5
ZR40.015.02	FRONT	S6	277	57	58	24	22	5
ZR40.015.03	FRONT	S12	277	57	58	24	22	5
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5

**Model Detail 2.0 4WD TURBO GT Year 1989-93 Chassis BC5/BF5**

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5
ZR40.015.02	FRONT	S6	277	57	58	24	22	5
ZR40.015.03	FRONT	S12	277	57	58	24	22	5
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5

**Model Detail 2.0 4WD Year 1989-93 Chassis BC5/BF5**

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5
ZR40.011.02	FRONT	S6	260	57	58	24	22	5
ZR40.011.03	FRONT	S12	260	57	58	24	22	5
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5

**Model Detail 2.0 Year 1989-93 Chassis BC4/BF4**

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5
ZR40.011.02	FRONT	S6	260	57	58	24	22	5
ZR40.011.03	FRONT	S12	260	57	58	24	22	5
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5

**Model Detail 2.0 TX Year 1993-97 Chassis BD4/BG4**

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5
ZR40.011.02	FRONT	S6	260	57	58	24	22	5
ZR40.011.03	FRONT	S12	260	57	58	24	22	5
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5

**Model Detail 2.0 4WD TX Year 1993-97 Chassis BD5/BG5**

## SUBARU

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5	
ZR40.011.02	FRONT	S6	260	57	58	24	22	5	
ZR40.011.03	FRONT	S12	260	57	58	24	22	5	
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5	

### Model Detail 2.0 4WD TURBO RS Year 1993-98 Chassis BD5

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	96-98
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	96-98
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	96-98
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	96-98
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	

### Model Detail 2.0 4WD TS Year 1993-97 Chassis BD5/BG5

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5	
ZR40.011.02	FRONT	S6	260	57	58	24	22	5	
ZR40.011.03	FRONT	S12	260	57	58	24	22	5	
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5	
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5	
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5	
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5	
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5	

### Model Detail 2.0 4WD TURBO GTB Year 1993-97 Chassis BG5

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	

### Model Detail 2.0 TS Year 1993-97 Chassis BD4/BG4

ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5	
ZR40.011.02	FRONT	S6	260	57	58	24	22	5	
ZR40.011.03	FRONT	S12	260	57	58	24	22	5	
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5	
ZR40.012.01	REAR	STANDARD	266	67.5	58	10	8.5	5	
ZR40.012.02	REAR	S6	266	67.5	58	10	8.5	5	
ZR40.012.03	REAR	S12	266	67.5	58	10	8.5	5	
ZR40.012.04	REAR	DDS	266	67.5	58	10	8.5	5	

### Model Detail 2.5 4WD 250T Year 1994-97 Chassis BD9/BG9

ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.002.01	REAR	STANDARD	266	67.5	58	18	16	5	
ZR40.002.02	REAR	S6	266	67.5	58	18	16	5	
ZR40.002.03	REAR	S12	266	67.5	58	18	16	5	



## SUBARU

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR40.002.04	REAR	DDS	266	67.5	58	18	16	5	
<b>Model Detail 2.0 4WD TURBO RSKB4</b>									
					<b>Year</b>	1998-03	<b>Chassis</b>		BE5
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.013.01	REAR	STANDARD	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.02	REAR	S6	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.03	REAR	S12	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.04	REAR	DDS	290	67.5	58	18	16	5	171MM H/BRAKE
<b>Model Detail 2.0 4WD TX</b>									
					<b>Year</b>	1998-02	<b>Chassis</b>		BH5
ZR40.011.01	FRONT	STANDARD	260	57	58	24	22	5	
ZR40.011.02	FRONT	S6	260	57	58	24	22	5	
ZR40.011.03	FRONT	S12	260	57	58	24	22	5	
ZR40.011.04	FRONT	DDS	260	57	58	24	22	5	
<b>Model Detail 2.5 4WD 250T</b>									
					<b>Year</b>	1998-02	<b>Chassis</b>		BH9
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5	
ZR40.015.02	FRONT	S6	277	57	58	24	22	5	
ZR40.015.03	FRONT	S12	277	57	58	24	22	5	
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5	
ZR40.020.01	REAR	STANDARD	290	67.5	58	10	8.5	5	
ZR40.020.02	REAR	S6	290	67.5	58	10	8.5	5	
ZR40.020.03	REAR	S12	290	67.5	58	10	8.5	5	
ZR40.020.04	REAR	DDS	290	67.5	58	10	8.5	5	
<b>Model Detail 2.0 4WD TURBO GTB</b>									
					<b>Year</b>	1998-02	<b>Chassis</b>		BH5
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.013.01	REAR	STANDARD	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.02	REAR	S6	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.03	REAR	S12	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.04	REAR	DDS	290	67.5	58	18	16	5	171MM H/BRAKE
<b>Model Detail 3.0 4WD GT30</b>									
					<b>Year</b>	2002-03	<b>Chassis</b>		BHE
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.022.01	REAR	STANDARD	290	67.5	58	18	16	5	190MM H/BRAKE
ZR40.022.02	REAR	S6	290	67.5	58	18	16	5	190MM H/BRAKE
ZR40.022.03	REAR	S12	290	67.5	58	18	16	5	190MM H/BRAKE
ZR40.022.04	REAR	DDS	290	67.5	58	18	16	5	190MM H/BRAKE
<b>Model Detail 3.0 4WD</b>									
					<b>Year</b>	2002-03	<b>Chassis</b>		BEE
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5	
ZR40.016.02	FRONT	S6	294	57	58	24	22	5	
ZR40.016.03	FRONT	S12	294	57	58	24	22	5	
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5	
ZR40.013.01	REAR	STANDARD	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.02	REAR	S6	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.03	REAR	S12	290	67.5	58	18	16	5	171MM H/BRAKE
ZR40.013.04	REAR	DDS	290	67.5	58	18	16	5	171MM H/BRAKE

## SUBARU

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### LEGACY (BL5)

<b>Model Detail</b>	<b>2.0 4WD TURBO GT</b>				<b>Year</b>	<b>2003-09</b>	<b>Chassis</b>	<b>BL5</b>	
ZR40.021.01	FRONT	STANDARD	316	56.7	58	30	28	5	
ZR40.021.02	FRONT	S6	316	56.7	58	30	28	5	
ZR40.021.03	FRONT	S12	316	56.7	58	30	28	5	
ZR40.021.04	FRONT	DDS	316	56.7	58	30	28	5	
ZR40.013.01	REAR	STANDARD	290	67.5	58	18	16	5	
ZR40.013.02	REAR	S6	290	67.5	58	18	16	5	
ZR40.013.03	REAR	S12	290	67.5	58	18	16	5	
ZR40.013.04	REAR	DDS	290	67.5	58	18	16	5	

### LEGACY (BP5)

<b>Model Detail</b>	<b>2.0 4WD TURBO GT</b>				<b>Year</b>	<b>2003-09</b>	<b>Chassis</b>	<b>BP5</b>	
ZR40.021.01	FRONT	STANDARD	316	56.7	58	30	28	5	
ZR40.021.02	FRONT	S6	316	56.7	58	30	28	5	
ZR40.021.03	FRONT	S12	316	56.7	58	30	28	5	
ZR40.021.04	FRONT	DDS	316	56.7	58	30	28	5	
ZR40.013.01	REAR	STANDARD	290	67.5	58	18	16	5	
ZR40.013.02	REAR	S6	290	67.5	58	18	16	5	
ZR40.013.03	REAR	S12	290	67.5	58	18	16	5	
ZR40.013.04	REAR	DDS	290	67.5	58	18	16	5	
ZR40.022.01	REAR	STANDARD	290	67.5	58	18	16	5	NOW USE ZR40.013.01
ZR40.022.02	REAR	S6	290	67.5	58	18	16	5	NOW USE ZR40.013.02
ZR40.022.03	REAR	S12	290	67.5	58	18	16	5	NOW USE ZR40.013.03
ZR40.022.04	REAR	DDS	290	67.5	58	18	16	5	NOW USE ZR40.013.04

### LEGACY (BPE)

<b>Model Detail</b>	<b>3.0</b>				<b>Year</b>	<b>2003-09</b>	<b>Chassis</b>	<b>BPE</b>	
ZR40.021.01	FRONT	STANDARD	316	56.7	58	30	28	5	
ZR40.021.02	FRONT	S6	316	56.7	58	30	28	5	
ZR40.021.03	FRONT	S12	316	56.7	58	30	28	5	
ZR40.021.04	FRONT	DDS	316	56.7	58	30	28	5	
ZR40.013.01	REAR	STANDARD	290	67.5	58	18	16	5	
ZR40.013.02	REAR	S6	290	67.5	58	18	16	5	
ZR40.013.03	REAR	S12	290	67.5	58	18	16	5	
ZR40.013.04	REAR	DDS	290	67.5	58	18	16	5	