

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### 86

Model Detail 2.0			Year 2012-		Chassis ZN6			
ZR40.015.01	FRONT	STANDARD	277	57	58	24	22	5
ZR40.015.02	FRONT	S6	277	57	58	24	22	5
ZR40.015.03	FRONT	S12	277	57	58	24	22	5
ZR40.015.04	FRONT	DDS	277	57	58	24	22	5
ZR40.026.01	REAR		286	63.5	58	10	8.5	5
ZR40.026.02	REAR		286	63.5	58	10	8.5	5
ZR40.026.03	REAR	S12	286	63.5	58	10.	8.5	5
ZR40.026.04	REAR	DDS	286	63.5	58	10	8.5	5

### 86 GT (GT86)

Model Detail 2.0			Year 2012		Chassis ZN6			
ZR40.016.01	FRONT	STANDARD	294	57	58	24	22	5
ZR40.016.02	FRONT	S6	294	57	58	24	22	5
ZR40.016.03	FRONT	S12	294	57	58	24	22	5
ZR40.016.04	FRONT	DDS	294	57	58	24	22	5
ZR40.029.01	REAR		290	63.6	58	18	16	5
ZR40.029.02	REAR		290	63.6	58	18	16	5
ZR40.029.03	REAR		290	63.6	58	18	16	5
ZR40.029.04	REAR		290	63.6	58	18	16	5

### ALTEZZA

Model Detail 2.0			Year 1998-05		Chassis GXE10			
ZR42.118.01	FRONT	STANDARD	275	48	62	25	23	5
ZR42.118.02	FRONT	S6	275	48	62	25	23	5
ZR42.118.03	FRONT	S12	275	48	62	25	23	5
ZR42.118.04	FRONT	DDS	275	48	62	25	23	5

Model Detail 2.0			Year 1998-05		Chassis SXE10			
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT	S6	296	51	62	32	30	5
ZR42.032.03	FRONT	S12	296	51	62	32	30	5
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5
ZR42.103.01	REAR	STANDARD	307	63	62	12	10.5	5
ZR42.103.02	REAR	S6	307	63	62	12	10.5	5
ZR42.103.03	REAR	S12	307	63	62	12	10.5	5
ZR42.103.04	REAR	DDS	307	63	62	12	10.5	5

Model Detail 3.0			Year 1998-05		Chassis JCE10			
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT	S6	296	51	62	32	30	5
ZR42.032.03	FRONT	S12	296	51	62	32	30	5
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5
ZR42.103.01	REAR	STANDARD	307	63	62	12	10.5	5
ZR42.103.02	REAR	S6	307	63	62	12	10.5	5
ZR42.103.03	REAR	S12	307	63	62	12	10.5	5
ZR42.103.04	REAR	DDS	307	63	62	12	10.5	5

### ARISTO

Model Detail 3.0			Year 1997-04		Chassis JZS160			
ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT	S6	296	51	62	32	30	5
ZR42.032.03	FRONT	S12	296	51	62	32	30	5
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5

## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.010.01	REAR	STANDARD	307	67	62	16	15	5	
ZR42.010.02	REAR	S6	307	67	62	16	15	5	
ZR42.010.03	REAR	S12	307	67	62	16	15	5	
ZR42.010.04	REAR	DDS	307	67	62	16	15	5	

### Model Detail 3.0 TURBO Year 1997-04 Chassis JZS161

ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	

## AURION

### Model Detail 3.5 Year 2006-12 Chassis GSV40

ZR42.133.01	FRONT		295	49	62	28	25	5	
ZR42.133.02	FRONT	S6	295	49	62	28	25	5	
ZR42.133.03	FRONT	DDS	295	49	62	28	25	5	
ZR42.133.04	FRONT	S12	295	49	62	28	25	5	
ZR42.143.01	REAR		286	66	62	10	8.5	5	

### Model Detail 3.5 Year 2012-17 Chassis GVS50

ZR42.133.01	FRONT		295	49	62	28	25	5	
ZR42.133.02	FRONT	S6	295	49	62	28	25	5	
ZR42.133.03	FRONT	DDS	295	49	62	28	25	5	
ZR42.133.04	FRONT	S12	295	49	62	28	25	5	
ZR42.143.01	REAR		286	66	62	10	8.5	5	

## AVALON

### Model Detail 3.0 Year 1995- Chassis MCX10

ZR42.057.01	FRONT	STANDARD	276	49.5	62	28	26	5	
ZR42.057.02	FRONT	S6	276	49.5	62	28	26	5	
ZR42.057.03	FRONT	S12	276	49.5	62	28	26	5	
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5	

## AVENSIS

### Model Detail 2.0 Year 2009- Chassis ZRT272

ZR42.157.01	FRONT		295	49.2	62	26	23	5	
ZR42.157.02	FRONT		295	49.2	62	26	23	5	
ZR42.157.03	FRONT		295	49.2	62	26	23	5	
ZR42.157.04	FRONT		295	49.2	62	26	23	5	
ZR42.158.01	REAR		290	33.7	62	11	9	5	
ZR42.158.02	REAR		290	33.7	62	11	9	5	
ZR42.158.03	REAR		290	33.7	62	11	9	5	
ZR42.158.04	REAR		290	33.7	62	11	9	5	

## CALDINA

### Model Detail 1.8 Year 1997-02 Chassis AT211G

ZR42.036.01	FRONT	STANDARD	260	49	55	25	23	5	
ZR42.036.02	FRONT	S6	260	49	55	25	23	5	

### Model Detail 2.0 4WD Year 1992-97 Chassis ST195G

ZR42.113.01	FRONT	STANDARD	255	49.5	55	28	27	5	
ZR42.113.02	FRONT	S6	255	49.5	55	28	27	5	

### Model Detail 2.0 Year 1992-97 Chassis ST191G

ZR42.113.01	FRONT	STANDARD	255	49.5	55	28	27	5	
ZR42.113.02	FRONT	S6	255	49.5	55	28	27	5	

### Model Detail 2.0 Year 1997-02 Chassis ST210G

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.036.01	FRONT	STANDARD	260	49	55	25	23	5	
ZR42.036.02	FRONT	S6	260	49	55	25	23	5	

**Model Detail 2.0 4WD TURBO GT-T Year 1997-02 Chassis ST215W**

ZR42.065.01	FRONT	STANDARD	275	49	55	28	26	5	
ZR42.065.02	FRONT	S6	275	49	55	28	26	5	
ZR42.065.03	FRONT	S12	275	49	55	28	26	5	
ZR42.065.04	FRONT	DDS	275	49	55	28	26	5	
ZR42.116.02	REAR	S6	269	60	54	9	8	5	
ZR42.116.03	REAR	S12	269	60	54	9	8	5	
ZR42.116.04	REAR	DDS	269	60	54	9	8	5	
ZR42.116.01	REAR	STANDARD	269	60	54	9	8	5	

**Model Detail 1.8 Year 1992-97 Chassis ST190G**

ZR42.034.01	FRONT	STANDARD	255	49.5	55	25	24	5	
ZR42.034.02	FRONT	S6	255	49.5	55	25	24	5	

**Model Detail 2.0 DIESEL Year 1992-97 Chassis CT190G**

ZR42.034.01	FRONT	STANDARD	255	49.5	55	25	24	5	
ZR42.034.02	FRONT	S6	255	49.5	55	25	24	5	

**Model Detail 2.0 4WD Year 1997-02 Chassis ST215G**

ZR42.036.01	FRONT	STANDARD	260	49	55	25	23	5	
ZR42.036.02	FRONT	S6	260	49	55	25	23	5	

**Model Detail 2.2 4WD DIESEL TURBO Year 1997-02 Chassis CT216G**

ZR42.036.01	FRONT	STANDARD	260	49	55	25	23	5	
ZR42.036.02	FRONT	S6	260	49	55	25	23	5	

**Model Detail 2.0 4WD TURBO GT-FOUR Year 2002-07 Chassis ST246W**

ZR42.152.01	FRONT		296	49.5	55	28	26	5	
ZR42.152.02	FRONT		296	49.5	55	28	26	5	
ZR42.152.03	FRONT		296	49.5	55	28	26	5	
ZR42.152.04	FRONT		296	49.5	55	28	26	5	
ZR42.153.01	REAR		288	55.7	55	10	9	5	
ZR42.153.02	REAR		288	55.7	55	10	9	5	
ZR42.153.03	REAR		288	55.7	55	10	9	5	
ZR42.153.04	REAR		288	55.7	55	10	9	5	

## CAMRY

**Model Detail 1.8 Year 1990- Chassis SV30**

ZR42.055.01	FRONT	STANDARD	255	49	62	28	26	5	
ZR42.055.02	FRONT	S6	255	49	62	28	26	5	
ZR42.055.03	FRONT	S12	255	49	62	28	26	5	
ZR42.055.04	FRONT	DDS	255	49	62	28	26	5	

**Model Detail 2.0 Year 1986-88 Chassis SV21**

ZR42.053.01	FRONT	STANDARD	255	47.5	54	22	21	5	
ZR42.053.02	FRONT	S6	255	47.5	54	22	21	5	
ZR42.053.03	FRONT	S12	255	47.5	54	22	21	5	
ZR42.053.04	FRONT	DDS	255	47.5	54	22	21	5	
ZR42.054.01	FRONT	STANDARD	255	48	54	25	24	5	ABS (OPTIONED)
ZR42.054.02	FRONT	S6	255	48	54	25	24	5	ABS (OPTIONED)
ZR42.054.03	FRONT	S12	255	48	54	25	24	5	ABS (OPTIONED)
ZR42.054.04	FRONT	DDS	255	48	54	25	24	5	ABS (OPTIONED)
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	
ZR42.061.02	REAR	S6	269	65	54	10	9	5	
ZR42.061.03	REAR	S12	269	65	54	10	9	5	
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 2.0 Year 1990- Chassis SV32/33**

ZR42.055.01	FRONT	STANDARD	255	49	62	28	26	5
ZR42.055.02	FRONT	S6	255	49	62	28	26	5
ZR42.055.03	FRONT	S12	255	49	62	28	26	5
ZR42.055.04	FRONT	DDS	255	49	62	28	26	5
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5
ZR42.058.02	REAR	S6	269	65	62	10	9	5
ZR42.058.03	REAR	S12	269	65	62	10	9	5
ZR42.058.04	REAR	DDS	269	65	62	10	9	5

**Model Detail 2.0 DIESEL TURBO Year 1990- Chassis CV30**

ZR42.055.01	FRONT	STANDARD	255	49	62	28	26	5
ZR42.055.02	FRONT	S6	255	49	62	28	26	5
ZR42.055.03	FRONT	S12	255	49	62	28	26	5
ZR42.055.04	FRONT	DDS	255	49	62	28	26	5
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5
ZR42.058.02	REAR	S6	269	65	62	10	9	5
ZR42.058.03	REAR	S12	269	65	62	10	9	5
ZR42.058.04	REAR	DDS	269	65	62	10	9	5

**Model Detail 2.2 Year 1992-97 Chassis SXV10L**

ZR42.055.01	FRONT	STANDARD	255	49	62	28	26	5
ZR42.055.02	FRONT	S6	255	49	62	28	26	5
ZR42.055.03	FRONT	S12	255	49	62	28	26	5
ZR42.055.04	FRONT	DDS	255	49	62	28	26	5
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5
ZR42.058.02	REAR	S6	269	65	62	10	9	5
ZR42.058.03	REAR	S12	269	65	62	10	9	5
ZR42.058.04	REAR	DDS	269	65	62	10	9	5

**Model Detail 2.2 Year 1997- Chassis SXV20**

ZR42.055.01	FRONT	STANDARD	255	49	62	28	26	5
ZR42.055.02	FRONT	S6	255	49	62	28	26	5
ZR42.055.03	FRONT	S12	255	49	62	28	26	5
ZR42.055.04	FRONT	DDS	255	49	62	28	26	5
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5
ZR42.058.02	REAR	S6	269	65	62	10	9	5
ZR42.058.03	REAR	S12	269	65	62	10	9	5
ZR42.058.04	REAR	DDS	269	65	62	10	9	5

**Model Detail 3.0 Year 1993- Chassis VCV10L**

ZR42.057.01	FRONT	STANDARD	276	49.5	62	28	26	5
ZR42.057.02	FRONT	S6	276	49.5	62	28	26	5
ZR42.057.03	FRONT	S12	276	49.5	62	28	26	5
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5
ZR42.058.02	REAR	S6	269	65	62	10	9	5
ZR42.058.03	REAR	S12	269	65	62	10	9	5
ZR42.058.04	REAR	DDS	269	65	62	10	9	5

**Model Detail 2.0 Year 1994- Chassis SV41**

ZR42.056.01	REAR	STANDARD	288	65	62	10	9	5
ZR42.056.02	REAR	S6	288	65	62	10	9	5
ZR42.056.03	REAR	S12	288	65	62	10	9	5
ZR42.056.04	REAR	DDS	288	65	62	10	9	5
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5
ZR42.058.02	REAR	S6	269	65	62	10	9	5

## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.058.03	REAR	S12	269	65	62	10	9	5	
ZR42.058.04	REAR	DDS	269	65	62	10	9	5	

### CELICA

#### Model Detail 2.0 Year 1984-89 Chassis ST162

ZR42.059.01	FRONT	STANDARD	258	47.5	54	22	21	5	
ZR42.059.02	FRONT	S6	258	47.5	54	22	21	5	
ZR42.059.03	FRONT	S12	258	47.5	54	22	21	5	
ZR42.059.04	FRONT	DDS	258	47.5	54	22	21	5	
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	
ZR42.061.02	REAR	S6	269	65	54	10	9	5	
ZR42.061.03	REAR	S12	269	65	54	10	9	5	
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	

#### Model Detail 2.0 Year 1989-94 Chassis ST182

ZR42.062.01	FRONT	STANDARD	255	46	54	22	20	5	
ZR42.062.02	FRONT	S6	255	46	54	22	20	5	
ZR42.062.03	FRONT	S12	255	46	54	22	20	5	
ZR42.062.04	FRONT	DDS	255	46	54	22	20	5	
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	
ZR42.061.02	REAR	S6	269	65	54	10	9	5	
ZR42.061.03	REAR	S12	269	65	54	10	9	5	
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	

#### Model Detail 2.0 4WS GT-R Year 1989-94 Chassis ST183

ZR42.063.01	FRONT	STANDARD	278	46	54	25	23	5	
ZR42.063.02	FRONT	S6	278	46	54	25	23	5	
ZR42.063.03	FRONT	S12	278	46	54	25	23	5	
ZR42.063.04	FRONT	DDS	278	46	54	25	23	5	
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	
ZR42.061.02	REAR	S6	269	65	54	10	9	5	
ZR42.061.03	REAR	S12	269	65	54	10	9	5	
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	

#### Model Detail 2.0 SUPER STRUT Year 1993-99 Chassis ST202

ZR42.065.01	FRONT	STANDARD	275	49	55	28	26	5	
ZR42.065.02	FRONT	S6	275	49	55	28	26	5	
ZR42.065.03	FRONT	S12	275	49	55	28	26	5	
ZR42.065.04	FRONT	DDS	275	49	55	28	26	5	
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	54mm c/hole 10mm new
ZR42.061.02	REAR	S6	269	65	54	10	9	5	54mm c/hole 10mm new
ZR42.061.03	REAR	S12	269	65	54	10	9	5	54mm c/hole 10mm new
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	54mm c/hole 10mm new
ZR42.091.01	REAR	STANDARD	269	65	55	9	8	5	95- on (55 c/hole 9mm ne
ZR42.091.02	REAR	S6	269	65	55	9	8	5	95- on (55 c/hole 9mm ne
ZR42.091.03	REAR	S12	269	65	55	9	8	5	95- on (55 c/hole 9mm ne
ZR42.091.04	REAR	DDS	269	65	55	9	8	5	95- on (55 c/hole 9mm ne

#### Model Detail 1.8 (142KW) Year 1999-05 Chassis ZZT231

ZR42.095.01	FRONT	STANDARD	275	49.5	55	24.8	23	5	
ZR42.095.02	FRONT	S6	275	49.5	55	24.8	23	5	
ZR42.095.03	FRONT	S12	275	49.5	55	24.8	23	5	
ZR42.095.04	FRONT	DDS	275	49.5	55	24.8	23	5	
ZR42.120.01	REAR	STANDARD	269	52	55	8.8	7.5	5	
ZR42.120.02	REAR	S6	269	52	55	8.8	7.5	5	
ZR42.120.03	REAR	S12	269	52	55	8.8	7.5	5	
ZR42.120.04	REAR	DDS	269	52	55	8.8	7.5	5	

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

<b>Model Detail</b>		<b>2.0</b>					<b>Year</b>	<b>1993-99</b>	<b>Chassis</b>	<b>ST204</b>	
ZR42.065.01	FRONT	STANDARD	275	49	55	28	26	5			
ZR42.065.02	FRONT	S6	275	49	55	28	26	5			
ZR42.065.03	FRONT	S12	275	49	55	28	26	5			
ZR42.065.04	FRONT	DDS	275	49	55	28	26	5			
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	<95		
ZR42.061.02	REAR	S6	269	65	54	10	9	5	<95		
ZR42.061.03	REAR	S12	269	65	54	10	9	5	<95		
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	<95		
ZR42.091.01	REAR	STANDARD	269	65	55	9	8	5	>95		
ZR42.091.02	REAR	S6	269	65	55	9	8	5	>95		
ZR42.091.03	REAR	S12	269	65	55	9	8	5	>95		
ZR42.091.04	REAR	DDS	269	65	55	9	8	5	>95		

### CELICA GT-FOUR

<b>Model Detail</b>		<b>2.0 4WD TURBO GT-FOUR</b>					<b>Year</b>	<b>1990-93</b>	<b>Chassis</b>	<b>ST185H</b>	
ZR42.063.01	FRONT	STANDARD	278	46	54	25	23	5			
ZR42.063.02	FRONT	S6	278	46	54	25	23	5			
ZR42.063.03	FRONT	S12	278	46	54	25	23	5			
ZR42.063.04	FRONT	DDS	278	46	54	25	23	5			
ZR42.064.01	REAR	STANDARD	288	60	54	10	9	5			
ZR42.064.02	REAR	S6	288	60	54	10	9	5			
ZR42.064.03	REAR	S12	288	60	54	10	9	5			
ZR42.064.04	REAR	DDS	288	60	54	10	9	5			

<b>Model Detail</b>		<b>2.0 4WD TURBO GT-FOUR</b>					<b>Year</b>	<b>1987-89</b>	<b>Chassis</b>	<b>ST165</b>	
ZR42.030.01	FRONT	STANDARD	255	46	54	25	24	5			
ZR42.030.02	FRONT	S6	255	46	54	25	24	5			
ZR42.030.03	FRONT	S12	255	46	54	25	24	5			
ZR42.030.04	FRONT	DDS	255	46	54	25	24	5			
ZR42.119.01	REAR	STANDARD	269	60	54	10	9	5			
ZR42.119.02	REAR	S6	269	60	54	10	9	5			
ZR42.119.03	REAR	S12	269	60	54	10	9	5			
ZR42.119.04	REAR	DDS	269	60	54	10	9	5			

<b>Model Detail</b>		<b>2.0 4WD TURBO GT-FOUR</b>					<b>Year</b>	<b>1994-99</b>	<b>Chassis</b>	<b>ST205</b>	
ZR42.038.01	FRONT	STANDARD	315	59	55	32	30	5			
ZR42.038.02	FRONT	S6	315	59	55	32	30	5			
ZR42.038.03	FRONT	S12	315	59	55	32	30	5			
ZR42.038.04	FRONT	DDS	315	59	55	32	30	5			
ZR42.108.01	REAR	STANDARD	315	59	55	16	15	5			
ZR42.108.02	REAR	S6	315	59	55	16	15	5			
ZR42.108.03	REAR	S12	315	59	55	16	15	5			
ZR42.108.04	REAR	DDS	315	59	55	16	15	5			

### CHASER

<b>Model Detail</b>		<b>2.5</b>					<b>Year</b>	<b>2000-</b>	<b>Chassis</b>	<b>JXZ110</b>	
ZR42.118.01	FRONT	STANDARD	275	48	62	25	23	5	CHECK DIMS		
ZR42.118.02	FRONT	S6	275	48	62	25	23	5	CHECK DIMS		
ZR42.118.03	FRONT	S12	275	48	62	25	23	5	CHECK DIMS		
ZR42.118.04	FRONT	DDS	275	48	62	25	23	5	CHECK DIMS		

### COROLLA (E100 SERIES)

<b>Model Detail</b>		<b>1.3</b>					<b>Year</b>	<b>1991-97</b>	<b>Chassis</b>	<b>EE101</b>	
ZR42.046.01	FRONT	STANDARD	238	48	55	22	20	4			

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.046.02	FRONT	S6	238	48	55	22	20	4	
ZR42.046.03	FRONT	S12	238	48	55	22	20	4	
ZR42.046.04	FRONT	DDS	238	48	55	22	20	4	

**Model Detail 1.5 Year 1991-97 Chassis AE100**

ZR42.046.01	FRONT	STANDARD	238	48	55	22	20	4	
ZR42.046.02	FRONT	S6	238	48	55	22	20	4	
ZR42.046.03	FRONT	S12	238	48	55	22	20	4	
ZR42.046.04	FRONT	DDS	238	48	55	22	20	4	

**Model Detail 1.6 Year 1991-97 Chassis AE101**

ZR42.045.01	FRONT	STANDARD	255	48	55	22	20	4	
ZR42.045.02	FRONT	S6	255	48	55	22	20	4	
ZR42.045.03	FRONT	S12	255	48	55	22	20	4	
ZR42.045.04	FRONT	DDS	255	48	55	22	20	4	

**Model Detail 1.6 FX-GT SUPER STRUT Year 1992-94 Chassis AE101**

ZR42.111.01	FRONT	STANDARD	275	50	55	25	23	4	
ZR42.111.02	FRONT	S6	275	50	55	25	23	4	
ZR42.111.03	FRONT	S12	275	50	55	25	23	4	
ZR42.111.04	FRONT	DDS	275	50	55	25	23	4	
ZR42.094.01	REAR	STANDARD	266	37	55	9	8	4	
ZR42.094.02	REAR	S6	266	37	55	9	8	4	
ZR42.094.03	REAR	S12	266	37	55	9	8	4	
ZR42.094.04	REAR	DDS	266	37	55	9	8	4	

**Model Detail 2.0 DIESEL Year 1991-97 Chassis CE100**

ZR42.046.01	FRONT	STANDARD	238	48	55	22	20	4	
ZR42.046.02	FRONT	S6	238	48	55	22	20	4	
ZR42.046.03	FRONT	S12	238	48	55	22	20	4	
ZR42.046.04	FRONT	DDS	238	48	55	22	20	4	

**Model Detail 2.0 4WD DIESEL Year 1992-97 Chassis CE104**

ZR42.045.01	FRONT	STANDARD	255	48	55	22	20	4	
ZR42.045.02	FRONT	S6	255	48	55	22	20	4	
ZR42.045.03	FRONT	S12	255	48	55	22	20	4	
ZR42.045.04	FRONT	DDS	255	48	55	22	20	4	

**Model Detail 1.6 GT Year 1991-97 Chassis AE101**

ZR42.045.01	FRONT	STANDARD	255	48	55	22	20	4	
ZR42.045.02	FRONT	S6	255	48	55	22	20	4	
ZR42.045.03	FRONT	S12	255	48	55	22	20	4	
ZR42.045.04	FRONT	DDS	255	48	55	22	20	4	
ZR42.094.01	REAR	STANDARD	266	37	55	9	8	4	
ZR42.094.02	REAR	S6	266	37	55	9	8	4	
ZR42.094.03	REAR	S12	266	37	55	9	8	4	
ZR42.094.04	REAR	DDS	266	37	55	9	8	4	

**Model Detail 2.0 4WD Year 1992-97 Chassis AE104**

ZR42.045.01	FRONT	STANDARD	255	48	55	22	20	4	
ZR42.045.02	FRONT	S6	255	48	55	22	20	4	
ZR42.045.03	FRONT	S12	255	48	55	22	20	4	
ZR42.045.04	FRONT	DDS	255	48	55	22	20	4	

## COROLLA (E110 SERIES)

**Model Detail 1.6 Year 1995-02 Chassis AE111**

ZR42.107.01	FRONT	STANDARD	258	48	55	18	17	4	
ZR42.107.02	FRONT	S6	258	48	55	18	17	4	

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.107.03	FRONT	S12	258	48	55	18	17	4	
ZR42.107.04	FRONT	DDS	258	48	55	18	17	4	

**Model Detail 1.6 4WD Year 1995-02 Chassis AE114**

ZR42.121.01	FRONT	STANDARD	238	48	55	18	16	4	
ZR42.121.02	FRONT	S6	237	48	55	18	16	4	

**Model Detail 1.6 LEVIN Year 1995-02 Chassis AE111**

ZR42.122.01	FRONT	STANDARD	258	48	55	22	20	4	
ZR42.122.02	FRONT	S6	258	48	55	22	20	4	
ZR42.122.03	FRONT	S12	258	48	55	22	20	4	
ZR42.122.04	FRONT	DDS	258	48	55	22	20	4	
ZR42.094.01	REAR	STANDARD	266	37	55	9	8	4	
ZR42.094.02	REAR	S6	266	37	55	9	8	4	
ZR42.094.03	REAR	S12	266	37	55	9	8	4	
ZR42.094.04	REAR	DDS	266	37	55	9	8	4	

**Model Detail 1.3 Year 1995-02 Chassis EE111**

ZR42.121.01	FRONT	STANDARD	238	48	55	18	16	4	
ZR42.121.02	FRONT	S6	237	48	55	18	16	4	

**Model Detail 1.5 Year 1995-02 Chassis AE110**

ZR42.121.01	FRONT	STANDARD	238	48	55	18	16	4	
ZR42.121.02	FRONT	S6	237	48	55	18	16	4	

**Model Detail 2.0 DIESEL Year 1995-02 Chassis CE110**

ZR42.121.01	FRONT	STANDARD	238	48	55	18	16	4	
ZR42.121.02	FRONT	S6	237	48	55	18	16	4	

**Model Detail 2.0 4WD DIESEL Year 1995-02 Chassis CE114**

ZR42.121.01	FRONT	STANDARD	238	48	55	18	16	4	
ZR42.121.02	FRONT	S6	237	48	55	18	16	4	

**Model Detail 2.2 DIESEL Year 1998-02 Chassis CE113**

ZR42.121.01	FRONT	STANDARD	238	48	55	18	16	4	
ZR42.121.02	FRONT	S6	237	48	55	18	16	4	

**Model Detail 2.2 4WD DIESEL Year 1998-02 Chassis CE116**

ZR42.045.01	FRONT	STANDARD	255	48	55	22	20	4	
ZR42.045.02	FRONT	S6	255	48	55	22	20	4	
ZR42.045.03	FRONT	S12	255	48	55	22	20	4	
ZR42.045.04	FRONT	DDS	255	48	55	22	20	4	

**Model Detail 1.6 LEVIN SUPER STRUT Year 1995-02 Chassis AE111**

ZR42.111.01	FRONT	STANDARD	275	50	55	25	23	4	
ZR42.111.02	FRONT	S6	275	50	55	25	23	4	
ZR42.111.03	FRONT	S12	275	50	55	25	23	4	
ZR42.111.04	FRONT	DDS	275	50	55	25	23	4	
ZR42.094.01	REAR	STANDARD	266	37	55	9	8	4	
ZR42.094.02	REAR	S6	266	37	55	9	8	4	
ZR42.094.03	REAR	S12	266	37	55	9	8	4	
ZR42.094.04	REAR	DDS	266	37	55	9	8	4	

## COROLLA (E120 SERIES)

**Model Detail 1.8 Year 2000-08 Chassis ZZE122**

ZR42.110.01	FRONT	STANDARD	255	49.5	55	25	23	4	
ZR42.110.02	FRONT	S6	255	49.5	55	25	23	4	
ZR42.110.03	FRONT	S12	255	49.5	55	25	23	4	
ZR42.110.04	FRONT	DDS	255	49.5	55	25	23	4	



## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.047.01	REAR	STANDARD	269	56	55	9	8	4	
ZR42.047.02	REAR	S6	269	56	55	9	8	4	
ZR42.047.03	REAR	S12	269	56	55	9	8	4	
ZR42.047.04	REAR	DDS	269	56	55	9	8	4	

### Model Detail 1.8 4WD Year 2000-08 Chassis ZZE124

ZR42.110.01	FRONT	STANDARD	255	49.5	55	25	23	4	
ZR42.110.02	FRONT	S6	255	49.5	55	25	23	4	
ZR42.110.03	FRONT	S12	255	49.5	55	25	23	4	
ZR42.110.04	FRONT	DDS	255	49.5	55	25	23	4	
ZR42.047.01	REAR	STANDARD	269	56	55	9	8	4	
ZR42.047.02	REAR	S6	269	56	55	9	8	4	
ZR42.047.03	REAR	S12	269	56	55	9	8	4	
ZR42.047.04	REAR	DDS	269	56	55	9	8	4	

### Model Detail 1.8 FIELDER Z Year 2000-08 Chassis ZZE123G

ZR42.111.01	FRONT	STANDARD	275	50	55	25	23	4	
ZR42.111.02	FRONT	S6	275	50	55	25	23	4	
ZR42.111.03	FRONT	S12	275	50	55	25	23	4	
ZR42.111.04	FRONT	DDS	275	50	55	25	23	4	
ZR42.047.01	REAR	STANDARD	269	56	55	9	8	4	
ZR42.047.02	REAR	S6	269	56	55	9	8	4	
ZR42.047.03	REAR	S12	269	56	55	9	8	4	
ZR42.047.04	REAR	DDS	269	56	55	9	8	4	

### Model Detail 1.8 FIELDER S Year 2000-08 Chassis ZZE122G

ZR42.110.01	FRONT	STANDARD	255	49.5	55	25	23	4	
ZR42.110.02	FRONT	S6	255	49.5	55	25	23	4	
ZR42.110.03	FRONT	S12	255	49.5	55	25	23	4	
ZR42.110.04	FRONT	DDS	255	49.5	55	25	23	4	
ZR42.047.01	REAR	STANDARD	269	56	55	9	8	4	
ZR42.047.02	REAR	S6	269	56	55	9	8	4	
ZR42.047.03	REAR	S12	269	56	55	9	8	4	
ZR42.047.04	REAR	DDS	269	56	55	9	8	4	

## COROLLA (E80 SERIES)

### Model Detail 1.3 Year 1983-87 Chassis AE81

ZR42.043.01	FRONT	STANDARD	243	48	54	13.5	12.5	4	
ZR42.043.02	FRONT	S6	243	48	54	13.5	12.5	4	
ZR42.043.03	FRONT	S12	243	48	54	13.5	12.5	4	
ZR42.043.04	FRONT	DDS	243	48	54	13.5	12.5	4	

### Model Detail 1.6 FX-GT Year 1983-87 Chassis AE82

ZR42.001.01	FRONT	STANDARD	243	48	54	18	17	4	
ZR42.001.02	FRONT	S6	243	48	54	18	17	4	
ZR42.001.03	FRONT	S12	243	48	54	18	17	4	
ZR42.001.04	FRONT	DDS	243	48	54	18	17	4	
ZR42.101.01	REAR	STANDARD	242	37	54	9	8	4	
ZR42.101.02	REAR	S6	242	37	54	9	8	4	
ZR42.101.03	REAR	S12	242	37	54	9	8	4	
ZR42.101.04	REAR	DDS	242	37	54	9	8	4	

### Model Detail 1.6 SPRINTER TRUENO Year 1983-87 Chassis AE86

ZR42.028.01	FRONT	STANDARD	234	38	64	18	17	4	
ZR42.028.02	FRONT	S6	234	38	64	18	17	4	
ZR42.028.03	FRONT	S12	234	38	64	18	17	4	
ZR42.028.04	FRONT	DDS	234	38	64	18	17	4	

## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.100.01	REAR	STANDARD	231.5	47	60	10	9	4	
ZR42.100.02	REAR	S6	231.5	47	60	10	9	4	
ZR42.100.03	REAR	S12	231.5	47	60	10	9	4	
ZR42.100.04	REAR	DDS	231.5	47	60	10	9	4	

### Model Detail 1.6 LEVIN Year 1983-87 Chassis AE85

ZR42.028.01	FRONT	STANDARD	234	38	64	18	17	4	
ZR42.028.02	FRONT	S6	234	38	64	18	17	4	
ZR42.028.03	FRONT	S12	234	38	64	18	17	4	
ZR42.028.04	FRONT	DDS	234	38	64	18	17	4	
ZR42.100.01	REAR	STANDARD	231.5	47	60	10	9	4	
ZR42.100.02	REAR	S6	231.5	47	60	10	9	4	
ZR42.100.03	REAR	S12	231.5	47	60	10	9	4	
ZR42.100.04	REAR	DDS	231.5	47	60	10	9	4	

## COROLLA (E90 SERIES)

### Model Detail 1.3 Year 1987-91 Chassis EE90

ZR42.029.01	FRONT	STANDARD	238	48	54	12	11	4	
ZR42.029.02	FRONT	S6	238	48	54	12	11	4	
ZR42.029.03	FRONT	S12	238	48	54	12	11	4	
ZR42.029.04	FRONT	DDS	238	48	54	12	11	4	

### Model Detail 1.5 Year 1987-92 Chassis AE91

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	

### Model Detail 1.6 FX-GT Year 1987-92 Chassis AE92

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	
ZR42.044.01	FRONT	STANDARD	258	48	54	22	20	4	Some 91- on
ZR42.044.02	FRONT	S6	258	48	54	22	20	4	Some 91- on
ZR42.044.03	FRONT	S12	258	48	54	22	20	4	Some 91- on
ZR42.044.04	FRONT	DDS	258	48	54	22	20	4	Some 91- on
ZR42.101.01	REAR	STANDARD	242	37	54	9	8	4	
ZR42.101.02	REAR	S6	242	37	54	9	8	4	
ZR42.101.03	REAR	S12	242	37	54	9	8	4	
ZR42.101.04	REAR	DDS	242	37	54	9	8	4	

### Model Detail 1.6 4WD Year 1989-92 Chassis AE95

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	

### Model Detail 1.8 DIESEL Year 1987-92 Chassis CE90

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	

## COROLLA BLADE

### Model Detail 3.5 Year 2007-10 Chassis GRE156

ZR42.133.01	FRONT		295	49	62	28	25	5	
-------------	-------	--	-----	----	----	----	----	---	--

## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.133.02	FRONT	S6	295	49	62	28	25	5	
ZR42.133.03	FRONT	DDS	295	49	62	28	25	5	
ZR42.133.04	FRONT	S12	295	49	62	28	25	5	
ZR42.155.01	REAR		278.6	30.2	62	9.9	8.6	5	
ZR42.155.02	REAR		278.6	30.2	62	9.9	8.6	5	
ZR42.155.03	REAR		278.6	30.2	62	9.9	8.6	5	
ZR42.155.04	REAR		278.6	30.2	62	9.9	8.6	5	

### Model Detail 2.4 Year 2006-10 Chassis AZE156

ZR42.154.01	FRONT		275	46.3	62	25	22	5	
ZR42.154.02	FRONT		275	46.3	62	25	22	5	
ZR42.154.03	FRONT		275	46.3	62	25	22	5	
ZR42.154.04	FRONT		275	46.3	62	25	22	5	
ZR42.155.01	REAR		278.6	30.2	62	9.9	8.6	5	
ZR42.155.02	REAR		278.6	30.2	62	9.9	8.6	5	
ZR42.155.03	REAR		278.6	30.2	62	9.9	8.6	5	
ZR42.155.04	REAR		278.6	30.2	62	9.9	8.6	5	

## COROLLA RUNX

### Model Detail 1.8 Year 2000-07 Chassis ZZE123

ZR42.111.01	FRONT	STANDARD	275	50	55	25	23	4	
ZR42.111.02	FRONT	S6	275	50	55	25	23	4	
ZR42.111.03	FRONT	S12	275	50	55	25	23	4	
ZR42.111.04	FRONT	DDS	275	50	55	25	23	4	
ZR42.047.01	REAR	STANDARD	269	56	55	9	8	4	
ZR42.047.02	REAR	S6	269	56	55	9	8	4	
ZR42.047.03	REAR	S12	269	56	55	9	8	4	
ZR42.047.04	REAR	DDS	269	56	55	9	8	4	

## CORONA

### Model Detail 1.8 Year 1984-88 Chassis ST150

ZR42.060.01	FRONT	STANDARD	243	48	54	22	21	4	
ZR42.060.02	FRONT	S6	243	48	54	22	21	4	
ZR42.060.03	FRONT	S12	243	48	54	22	21	4	
ZR42.060.04	FRONT	DDS	243	48	54	22	21	4	

### Model Detail 1.8 Year 1988-90 Chassis ST170

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	

### Model Detail 1.8 Year 1992-94 Chassis ST190

ZR42.034.01	FRONT	STANDARD	255	49.5	55	25	24	5	
ZR42.034.02	FRONT	S6	255	49.5	55	25	24	5	

### Model Detail 2.0 Year 1988-89 Chassis ST171

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	
ZR42.045.01	FRONT	STANDARD	255	48	55	22	20	4	
ZR42.045.02	FRONT	S6	255	48	55	22	20	4	
ZR42.045.03	FRONT	S12	255	48	55	22	20	4	
ZR42.045.04	FRONT	DDS	255	48	55	22	20	4	

### Model Detail 2.0 Year 1986-88 Chassis ST151

ZR42.060.01	FRONT	STANDARD	243	48	54	22	21	4	
-------------	-------	----------	-----	----	----	----	----	---	--

## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.060.02	FRONT	S6	243	48	54	22	21	4	
ZR42.060.03	FRONT	S12	243	48	54	22	21	4	
ZR42.060.04	FRONT	DDS	243	48	54	22	21	4	

### Model Detail 2.0 DIESEL Year 1987-89 Chassis CT170

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	

### Model Detail 2.0 DIESEL Year 1987-89 Chassis CT176

ZR42.002.01	FRONT	STANDARD	238	48	54	18	17	4	
ZR42.002.02	FRONT	S6	238	48	54	18	17	4	
ZR42.002.03	FRONT	S12	238	48	54	18	17	4	
ZR42.002.04	FRONT	DDS	238	48	54	18	17	4	

## CROWN MAJESTA

### Model Detail 4.3 Year 2004-08 Chassis UZS186

ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5	296 x 32
ZR42.032.02	FRONT	S6	296	51	62	32	30	5	296 x 32
ZR42.032.03	FRONT	S12	296	51	62	32	30	5	296 x 32
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5	296 x 32
ZR42.131.01	FRONT		296	49.2	62	28	26	5	296 x 28
ZR42.131.02	FRONT		296	49.2	62	28	26	5	296 x 28
ZR42.131.03	FRONT		296	49.2	62	28	26	5	296.x 28
ZR42.131.04	FRONT		296	49.2	62	28	26	5	296 x 28
ZR42.168.01	REAR		310	67.5	62	18	16.5	5	
ZR42.168.02	REAR		310	67.5	62	18	16.5	5	
ZR42.168.03	REAR		310	67.5	62	18	16.5	5	
ZR42.168.04	REAR		310	67.5	62	18	16.5	5	

## CURREN

### Model Detail 2.0 SUPER STRUT Year 1994-99 Chassis ST206

ZR42.065.01	FRONT	STANDARD	275	49	55	28	26	5	
ZR42.065.02	FRONT	S6	275	49	55	28	26	5	
ZR42.065.03	FRONT	S12	275	49	55	28	26	5	
ZR42.065.04	FRONT	DDS	275	49	55	28	26	5	
ZR42.061.01	REAR	STANDARD	269	65	54	10	9	5	
ZR42.061.02	REAR	S6	269	65	54	10	9	5	
ZR42.061.03	REAR	S12	269	65	54	10	9	5	
ZR42.061.04	REAR	DDS	269	65	54	10	9	5	

## CYNOS

### Model Detail 1.5 Year 1991-95 Chassis EL44

ZR42.042.01	FRONT	STANDARD	254	43	55	18	17	4	
ZR42.042.02	FRONT	S6	254	43	55	18	17	4	
ZR42.042.03	FRONT	S12	254	43	55	18	17	4	
ZR42.042.04	FRONT	DDS	254	43	55	18	17	4	

### Model Detail 1.5 Year 1995-99 Chassis EL54

ZR42.042.01	FRONT	STANDARD	254	43	55	18	17	4	
ZR42.042.02	FRONT	S6	254	43	55	18	17	4	
ZR42.042.03	FRONT	S12	254	43	55	18	17	4	
ZR42.042.04	FRONT	DDS	254	43	55	18	17	4	

## HARREIR

### Model Detail 3.0 4WD Year 1997-03 Chassis MCU15W

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.123.01 FRONT STANDARD 296 49 62 28 26 5

### HI-ACE

**Model Detail 2.0 Year 1983-89 Chassis YH51**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.0 Year 1983-89 Chassis YH61**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.0 Year 1983-89 Chassis YH71**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.2 Year 1986-90 Chassis YH63**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.4 Year 1989-94 Chassis RZH101**

ZR42.073.01 FRONT STANDARD 255 47 84 25 23 5

ZR42.073.02 FRONT S6 255 47 84 25 23 5

ZR42.073.03 FRONT S12 255 47 84 25 23 5

ZR42.073.04 FRONT DDS 255 47 84 25 23 5

Special Order

**Model Detail 2.4 DIESEL Year 1987-89 Chassis LH51**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.4 DIESEL Year 1987-89 Chassis LH61**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.4 DIESEL Year 1987-89 Chassis LH71**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.5 DIESEL TURBO Year 2004-07 Chassis KDH225**

ZR42.135.01 FRONT STANDARD 295 49 62 28 26 5

ZR42.135.02 FRONT S6 286 49 100 28 26 6

ZR42.135.04 FRONT DDS 286 49 100 28 26 6

**Model Detail 2.5 DIESEL TURBO Year 2005-07 Chassis KDH220**

ZR42.129.01 FRONT

ZR42.129.04 FRONT 285 49 105 28 26 6

**Model Detail 3.0 DIESEL TURBO Year 1993-04 Chassis KZH100**

ZR42.074.01 FRONT STANDARD 285 46 84 28 26 5

ZR42.074.04 FRONT DDS 285 46 84 28 26 5

### HI-LUX

**Model Detail 1.8 Year 1988-95 Chassis YN80**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 1.8 Year 1988-95 Chassis YN85**

ZR42.003.05 FRONT L6 257 47 84 25 24 5

**Model Detail 2.0 4WD Year 1984-90 Chassis YN61**

ZR42.023.05 FRONT L6 302 49 100 12.7 11.5 6

**Model Detail 2.2 4WD Year 1986-92 Chassis YN67**

ZR42.023.05 FRONT L6 302 49 100 12.7 11.5 6

**Model Detail 2.4 4WD DIESEL Year 1983-88 Chassis LN60**

ZR42.023.05 FRONT L6 302 49 100 12.7 11.5 6

**Model Detail 2.4 4WD DIESEL Year 1983-88 Chassis LN65**

ZR42.023.05 FRONT L6 302 49 100 12.7 11.5 6

**Model Detail 2.4 4WD DIESEL Year 1988- Chassis LN85**

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.003.01	FRONT	STANDARD	257	47	84	25	24	5	
ZR42.003.02	FRONT	S6	257	47	84	25	24	5	
ZR42.003.04	FRONT	DDS	257	47	84	25	24	5	

**Model Detail 2.4 4WD DIESEL TURBO Year 1992-99 Chassis LN130**

ZR42.078.01	FRONT	STANDARD	291	66	100	25	23	6	
ZR42.078.02	FRONT	S6	291	66	100	25	23	6	
ZR42.078.04	FRONT	DDS	291	66	100	25	23	6	

**Model Detail 2.8 DIESEL Year 1988-94 Chassis LN106**

ZR42.005.01	FRONT	STANDARD	302	49	100	20	19	6	
ZR42.005.04	FRONT	DDS	302	49	100	20	19	6	

**Model Detail 3.0 Year 1990-95 Chassis VZN130**

ZR42.078.05	FRONT	L6	291	66	100	25	23	6	06/91-95
ZR42.080.05	FRONT	L6	289	64.5	100	20	18	6	88-91

**Model Detail 3.0 4WD DIESEL TURBO Year 1993-96 Chassis KZN130**

ZR42.078.01	FRONT	STANDARD	291	66	100	25	23	6	
ZR42.078.04	FRONT	DDS	291	66	100	25	23	6	

**Model Detail 2.8 DIESEL Year 1996-98 Chassis LN106**

ZR42.005.01	FRONT	STANDARD	302	49	100	20	19	6	
ZR42.005.04	FRONT	DDS	302	49	100	20	19	6	
ZR42.080.01	FRONT	STANDARD	289	64.5	100	20	18	6	
ZR42.080.04	FRONT	STANDARD	289	64.5	100	20	18	6	

**Model Detail 2.2 DIESEL Year 1981-84 Chassis LN40**

ZR42.024.05	FRONT	L6	252	26.5	79	20	19	5	
-------------	-------	----	-----	------	----	----	----	---	--

**Model Detail 2.2 DIESEL Year 1981-84 Chassis LN46**

ZR42.023.05	FRONT	L6	302	49	100	12.7	11.5	6	
-------------	-------	----	-----	----	-----	------	------	---	--

**Model Detail 2.2 DIESEL Year 1981-84 Chassis LN55**

ZR42.003.05	FRONT	L6	257	47	84	25	24	5	
-------------	-------	----	-----	----	----	----	----	---	--

**Model Detail 1.6 Year 1979-83 Chassis RN40**

ZR42.024.05	FRONT	L6	252	26.5	79	20	19	5	
-------------	-------	----	-----	------	----	----	----	---	--

**Model Detail 1.8 Year 1979-83 Chassis RN41**

ZR42.022.05	FRONT	L6	266	43	79	12.7	11.5	5	
-------------	-------	----	-----	----	----	------	------	---	--

**Model Detail 2.0 Year 1984-88 Chassis YN65**

ZR42.023.05	FRONT	L6	302	49	100	12.7	11.5	6	
-------------	-------	----	-----	----	-----	------	------	---	--

**Model Detail 3.0 DIESEL TURBO 2WD Year 2005-08 Chassis KUN16**

ZR42.115.01	FRONT	STANDARD	255	59	62	28	26	5	
ZR42.115.02	FRONT	S6	255	59	62	28	26	5	
ZR42.115.04	FRONT	DDS	255	59	62	28	26	5	

**Model Detail 3.0 DIESEL TURBO 2WD Year 2008- Chassis KUN16**

ZR42.136.01	FRONT	STANDARD	275	58.6	62	28	26	5	
ZR42.136.02	FRONT	S6	275	58.6	62	28	26	5	
ZR42.136.04	FRONT	DDS	275	58.6	62	28	26	5	

**Model Detail 3.0 DIESEL Year 1997-05 Chassis LN147**

ZR42.003.01	FRONT	STANDARD	257	47	84	25	24	5	
ZR42.003.04	FRONT	DDS	257	47	84	25	24	5	

## HI-LUX SURF

**Model Detail 3.0 DIESEL TURBO 4WD Year 2005- Chassis KUN26**

ZR42.114.01	FRONT	STANDARD	298	66	108	25	23	6	
-------------	-------	----------	-----	----	-----	----	----	---	--

## TOYOTA

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR42.114.04	FRONT	DDS	298	67	108	25	23	6	
ZR42.140.01	FRONT	STANDARD	319	67.5	108	28	26	6	2008- Facelift
ZR42.140.04	FRONT	DDS	319	67.5	108	28	26	6	2008- Facelift

### Model Detail 3.0 DIESEL TURBO 4WD SR5 Year 2005- Chassis KDN26R

ZR42.114.01	FRONT	STANDARD	298	66	108	25	23	6	
ZR42.114.04	FRONT	DDS	298	67	108	25	23	6	
ZR42.140.01	FRONT	STANDARD	319	67.5	108	28	26	6	2008- Facelift
ZR42.140.04	FRONT	DDS	319	67.5	108	28	26	6	2008- Facelift

### Model Detail 3.0 DIESEL TURBO Year 1995-00 Chassis KZN185G

ZR42.088.01	FRONT	STANDARD	319	70	108	22	20	6	
ZR42.088.02	FRONT	S6	319	70	108	22	20	6	
ZR42.088.04	FRONT	DDS	319	70	108	22	20	6	

### Model Detail 2.7 Year 1995-01 Chassis RZN185

ZR42.088.01	FRONT	STANDARD	319	70	108	22	20	6	
ZR42.088.02	FRONT	S6	319	70	108	22	20	6	
ZR42.088.04	FRONT	DDS	319	70	108	22	20	6	

## LANDCRUISER

### Model Detail 4.2 DIESEL Year 1990- Chassis HDJ81

ZR42.084.01	FRONT	STANDARD	311	58	105	32	30	6	
ZR42.084.04	FRONT	DDS	311	58	105	32	30	6	
ZR42.086.01	REAR	STANDARD	336	103	106	18	16	6	
ZR42.086.04	REAR	DDS	336	103	106	18	16	6	

### Model Detail 3.0 DIESEL Year 1974-80 Chassis BJ40

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	
-------------	-------	----	-----	----	-----	----	----	---	--

### Model Detail 3.4 DIESEL Year 1984-90 Chassis BJ70

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	
-------------	-------	----	-----	----	-----	----	----	---	--

### Model Detail 3.4 DIESEL Year 1985-90 Chassis BJ75

ZR42.005.01	FRONT	STANDARD	302	49	100	20	19	6	
ZR42.005.04	FRONT	DDS	302	49	100	20	19	6	

### Model Detail 3.9 Year 1969-75 Chassis FJ40

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	
-------------	-------	----	-----	----	-----	----	----	---	--

### Model Detail 4.0 Year 1984-90 Chassis FJ62

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	
-------------	-------	----	-----	----	-----	----	----	---	--

### Model Detail 4.2 DIESEL TURBO Year 1990-94 Chassis HDJ82

ZR42.082.01	FRONT	STANDARD	286	58	106	25	23	6	<1992
ZR42.082.04	FRONT	DDS	286	58	106	25	23	6	<1992
ZR42.084.01	FRONT	STANDARD	311	58	105	32	30	6	
ZR42.084.04	FRONT	DDS	311	58	105	32	30	6	
ZR42.085.01	REAR	STANDARD	312	103	106	18	16	6	<1992
ZR42.085.04	REAR	DDS	312	103	106	18	16	6	<1992
ZR42.086.01	REAR	STANDARD	336	103	106	18	16	6	
ZR42.086.04	REAR	DDS	336	103	106	18	16	6	

### Model Detail 4.2 DIESEL Year 1990-99 Chassis HZJ81

ZR42.082.01	FRONT	STANDARD	286	58	106	25	23	6	<1992
ZR42.082.04	FRONT	DDS	286	58	106	25	23	6	<1992
ZR42.084.01	FRONT	STANDARD	311	58	105	32	30	6	
ZR42.084.04	FRONT	DDS	311	58	105	32	30	6	
ZR42.085.01	REAR	STANDARD	312	103	106	18	16	6	<1992
ZR42.085.04	REAR	DDS	312	103	106	18	16	6	<1992

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.086.01 REAR STANDARD 336 103 106 18 16 6  
ZR42.086.04 REAR DDS 336 103 106 18 16 6

**Model Detail 4.0 DIESEL Year 1990-92 Chassis FJ80**

ZR42.082.04 FRONT DDS 286 58 106 25 23 6

**Model Detail 4.2 DIESEL TURBO Year 1990-94 Chassis HDJ80**

ZR42.082.01 FRONT STANDARD 286 58 106 25 23 6 <1992  
ZR42.082.04 FRONT DDS 286 58 106 25 23 6 <1992  
ZR42.084.01 FRONT STANDARD 311 58 105 32 30 6  
ZR42.084.04 FRONT DDS 311 58 105 32 30 6  
ZR42.085.01 REAR STANDARD 312 103 106 18 16 6 <1992  
ZR42.085.04 REAR DDS 312 103 106 18 16 6 <1992  
ZR42.086.01 REAR STANDARD 336 103 106 18 16 6  
ZR42.086.04 REAR DDS 336 103 106 18 16 6

**Model Detail 4.2 DIESEL Year 1990-94 Chassis HZJ80**

ZR42.082.01 FRONT STANDARD 286 58 106 25 23 6 <1992  
ZR42.082.04 FRONT DDS 286 58 106 25 23 6 <1992  
ZR42.084.01 FRONT STANDARD 311 58 105 32 30 6  
ZR42.084.04 FRONT DDS 311 58 105 32 30 6  
ZR42.085.01 REAR STANDARD 312 103 106 18 16 6 <1992  
ZR42.085.04 REAR DDS 312 103 106 18 16 6 <1992  
ZR42.086.01 REAR STANDARD 336 103 106 18 16 6  
ZR42.086.04 REAR DDS 336 103 106 18 16 6

**Model Detail 4.2 DIESEL Year 1997-98 Chassis HDJ100**

ZR42.006.01 FRONT STANDARD 312 71 115 32 30 5  
ZR42.006.04 FRONT DDS 312 71 115 32 30 5  
ZR42.007.01 REAR STANDARD 330 103 110 18 16 5  
ZR42.007.04 REAR DDS 330 103 110 18 16 5

**Model Detail DIESEL Year 1980-84 Chassis HJ47**

ZR42.005.05 FRONT L6 302 49 100 20 19 6

**Model Detail 4.2 Year 1980-84 Chassis FJ60**

ZR42.005.05 FRONT L6 302 49 100 20 19 6

**Model Detail DIESEL Year 1980-90 Chassis HJ60**

ZR42.005.05 FRONT L6 302 49 100 20 19 6

**Model Detail 4.2 DIESEL Year 1990-92 Chassis HZJ75**

ZR42.005.01 FRONT STANDARD 302 49 100 20 19 6  
ZR42.005.04 FRONT DDS 302 49 100 20 19 6  
ZR42.087.01 REAR STANDARD 312 68 106 18 16 6  
ZR42.087.04 REAR DDS 312 68 106 18 16 6

**Model Detail Year 1990-92 Chassis HZJ70**

ZR42.005.05 FRONT L6 302 49 100 20 19 6

**Model Detail DIESEL TURBO Year 1985-92 Chassis LJ70**

ZR42.005.05 FRONT L6 302 49 100 20 19 6 01/90-12/96  
ZR42.023.05 FRONT L6 302 49 100 12.7 11.5 6 11/84-12/89

**Model Detail PRADO 3.0 DIESEL TURBO Year 1997-98 Chassis KZJ95**

ZR42.088.04 FRONT DDS 319 70 108 22 20 6  
ZR42.089.04 REAR DDS 312 68 106 18 16 6

**Model Detail PRADO 2.7 Year 1996-98 Chassis RZJ95**

ZR42.088.04 FRONT DDS 319 70 108 22 20 6  
ZR42.089.04 REAR DDS 312 68 106 18 16 6



## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail PRADO 3.4 Year 1996-98 Chassis VZJ95**

ZR42.088.04	FRONT	DDS	319	70	108	22	20	6	
ZR42.089.04	REAR	DDS	312	68	106	18	16	6	

**Model Detail 3.5 DIESEL Year 1990-92 Chassis PZJ70**

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	
-------------	-------	----	-----	----	-----	----	----	---	--

**Model Detail 4.7 Year 1998-99 Chassis UZJ100**

ZR42.006.04	FRONT	DDS	312	71	115	32	30	5	
ZR42.007.04	REAR	DDS	330	103	110	18	16	5	

**Model Detail 3.4 DIESEL Year 1980-84 Chassis BJ42**

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	
-------------	-------	----	-----	----	-----	----	----	---	--

**Model Detail DIESEL TURBO Year 1985-90 Chassis BJ74**

ZR42.005.01	FRONT	STANDARD	302	49	100	20	19	6	
ZR42.005.04	FRONT	DDS	302	49	100	20	19	6	

**Model Detail Year 1984-91 Chassis RJ70**

ZR42.005.05	FRONT	L6	302	49	100	20	19	6	1990-
ZR42.023.05	FRONT	L6	302	49	100	12.7	11.5	6	

**Model Detail Year 1992- Chassis FZJ80**

ZR42.082.04	FRONT	DDS	286	58	106	25	23	6	1990-08/92
ZR42.084.04	FRONT	DDS	311	58	105	32	30	6	09/92-98
ZR42.085.04	REAR	DDS	312	103	106	18	16	6	1990-08/92
ZR42.086.04	REAR	DDS	336	103	106	18	16	6	09/92-98

**Model Detail PRADO 2.5 DIESEL TURBO Year 1990-93 Chassis LJ71**

ZR42.005.01	FRONT	STANDARD	302	49	100	20	19	6	
ZR42.005.05	FRONT	L6	302	49	100	20	19	6	

**Model Detail PRADO 2.5 DIESEL TURBO Year 1990-93 Chassis LJ78**

ZR42.005.01	FRONT	STANDARD	302	49	100	20	19	6	
ZR42.005.05	FRONT	L6	302	49	100	20	19	6	

**Model Detail PRADO 3.0 DIESEL TURBO Year 2003- Chassis KZJ120R**

ZR42.128.01	FRONT	STANDARD	338	68	108	28	26	6	
ZR42.128.04	FRONT	DDS	338	68	108	28	26	6	
ZR42.089.04	REAR	DDS	312	68	106	18	16	6	
ZR42.089.04	REAR	DDS	312	68	106	18	16	6	

**Model Detail PRADO 4.0 Year 2003- Chassis GRJ120R**

ZR42.128.01	FRONT	STANDARD	338	68	108	28	26	6	
ZR42.128.04	FRONT	DDS	338	68	108	28	26	6	
ZR42.089.01	REAR	STANDARD	312	68	106	18	16	6	
ZR42.089.04	REAR	DDS	312	68	106	18	16	6	

**Model Detail 4.2 DIESEL TURBO Year 2002-07 Chassis HDJ79**

ZR42.092.01	FRONT	STANDARD	322	65	115	32	30	5	
ZR42.092.04	FRONT	DDS	322	65	115	32	30	5	
ZR42.090.01	REAR	STANDARD	312	102.5	110	18	16	5	
ZR42.090.04	REAR	DDS	312	102.5	110	18	16	5	

### LANDCRUISER (VDJ78)

**Model Detail 4.5 DIESEL TURBO Year 2007- Chassis VDJ78**

ZR42.092.01	FRONT	STANDARD	322	65	115	32	30	5	
ZR42.092.04	FRONT	DDS	322	65	115	32	30	5	
ZR42.090.01	REAR	STANDARD	312	102.5	110	18	16	5	
ZR42.090.04	REAR	DDS	312	102.5	110	18	16	5	

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### MARK X

**Model Detail 2.5 Year 2004-10 Chassis GRX120**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.131.01	FRONT		296	49.2	62	28	26	5	
ZR42.131.02	FRONT		296	49.2	62	28	26	5	
ZR42.131.03	FRONT		296	49.2	62	28	26	5	
ZR42.131.04	FRONT		296	49.2	62	28	26	5	
ZR42.132.01	REAR								

**Model Detail 2.5 4WD Year 2004-10 Chassis GRX125**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.131.01	FRONT		296	49.2	62	28	26	5	
ZR42.131.02	FRONT		296	49.2	62	28	26	5	
ZR42.131.03	FRONT		296	49.2	62	28	26	5	
ZR42.131.04	FRONT		296	49.2	62	28	26	5	
ZR42.132.01	REAR								

**Model Detail 3.0 Year 2004-10 Chassis GRX121**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.131.01	FRONT		296	49.2	62	28	26	5	
ZR42.131.02	FRONT		296	49.2	62	28	26	5	
ZR42.131.03	FRONT		296	49.2	62	28	26	5	
ZR42.131.04	FRONT		296	49.2	62	28	26	5	
ZR42.132.01	REAR								

### MR2

**Model Detail 2.0 Year 1989-91 Chassis SW20**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.011.01	FRONT	STANDARD	258	47.5	62	25	24	5	
ZR42.011.02	FRONT	S6	258	47.5	62	25	24	5	
ZR42.011.03	FRONT	S12	258	47.5	62	25	24	5	
ZR42.011.04	FRONT	DDS	258	47.5	62	25	24	5	
ZR42.013.01	REAR	STANDARD	263	45	62	16	15	10	
ZR42.013.02	REAR	S6	263	45	62	16	15	10	
ZR42.013.03	REAR	S12	263	45	62	16	15	10	
ZR42.013.04	REAR	DDS	263	45	62	16	15	10	

**Model Detail 2.0 Year 1991- Chassis SW20**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.012.01	FRONT	STANDARD	275	47	62	30	28	5	
ZR42.012.02	FRONT	S6	275	47	62	30	28	5	
ZR42.012.03	FRONT	S12	275	47	62	30	28	5	
ZR42.012.04	FRONT	DDS	275	47	62	30	28	5	
ZR42.014.01	REAR	STANDARD	281	46.5	62	22	21	10	
ZR42.014.02	REAR	S6	281	46.5	62	22	21	10	
ZR42.014.03	REAR	S12	281	46.5	62	22	21	10	
ZR42.014.04	REAR	DDS	281	46.5	62	22	21	10	

**Model Detail 1.6 Year 1984-86 Chassis AW11**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.001.01	FRONT	STANDARD	243	48	54	18	17	4	
ZR42.001.02	FRONT	S6	243	48	54	18	17	4	
ZR42.001.03	FRONT	S12	243	48	54	18	17	4	
ZR42.001.04	FRONT	DDS	243	48	54	18	17	4	

**Model Detail 1.6 Year 1986-88 Chassis AW11**

Part Number	Position	Type	Diam	Height	Cntr Hole	Thickness	Min Thick	Stud	Notes
ZR42.066.01	FRONT	STANDARD	258	47	54	22	21	4	
ZR42.066.02	FRONT	S6	258	47	54	22	21	4	
ZR42.066.03	FRONT	S12	258	47	54	22	21	4	
ZR42.066.04	FRONT	DDS	258	47	54	22	21	4	
ZR42.067.01	REAR	STANDARD	263	40.5	54	10	9	4	
ZR42.067.02	REAR	S6	263	40.5	54	10	9	4	
ZR42.067.03	REAR	S12	263	40.5	54	10	9	4	

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.067.04 REAR DDS 263 40.5 54 10 9 4

**Model Detail 1.6 SUPER CHARGED Year 1986-89 Chassis AW11**

ZR42.066.01 FRONT STANDARD 258 47 54 22 21 4  
 ZR42.066.02 FRONT S6 258 47 54 22 21 4  
 ZR42.066.03 FRONT S12 258 47 54 22 21 4  
 ZR42.066.04 FRONT DDS 258 47 54 22 21 4  
 ZR42.067.01 REAR STANDARD 263 40.5 54 10 9 4  
 ZR42.067.02 REAR S6 263 40.5 54 10 9 4  
 ZR42.067.03 REAR S12 263 40.5 54 10 9 4  
 ZR42.067.04 REAR DDS 263 40.5 54 10 9 4

**Model Detail 2.0 TURBO Year 1989-91 Chassis SW20**

ZR42.011.01 FRONT STANDARD 258 47.5 62 25 24 5  
 ZR42.011.02 FRONT S6 258 47.5 62 25 24 5  
 ZR42.011.03 FRONT S12 258 47.5 62 25 24 5  
 ZR42.011.04 FRONT DDS 258 47.5 62 25 24 5  
 ZR42.013.01 REAR STANDARD 263 45 62 16 15 10  
 ZR42.013.02 REAR S6 263 45 62 16 15 10  
 ZR42.013.03 REAR S12 263 45 62 16 15 10  
 ZR42.013.04 REAR DDS 263 45 62 16 15 10

**Model Detail 2.0 TURBO Year 1991- Chassis SW20**

ZR42.012.01 FRONT STANDARD 275 47 62 30 28 5  
 ZR42.012.02 FRONT S6 275 47 62 30 28 5  
 ZR42.012.03 FRONT S12 275 47 62 30 28 5  
 ZR42.012.04 FRONT DDS 275 47 62 30 28 5  
 ZR42.014.01 REAR STANDARD 281 46.5 62 22 21 10  
 ZR42.014.02 REAR S6 281 46.5 62 22 21 10  
 ZR42.014.03 REAR S12 281 46.5 62 22 21 10  
 ZR42.014.04 REAR DDS 281 46.5 62 22 21 10

## MR-S

**Model Detail 1.8 Year 1999-07 Chassis ZZW30**

ZR42.112.01 FRONT STANDARD 255 43.3 55 20 18 4  
 ZR42.112.02 FRONT S6 255 43.3 55 20 18 4  
 ZR42.112.03 FRONT S12 255 43.3 55 20 18 4  
 ZR42.112.04 FRONT DDS 255 43.3 55 20 18 4  
 ZR42.117.01 REAR STANDARD 263 41.5 55 16 15 4  
 ZR42.117.02 REAR S6 263 41.5 55 16 15 4  
 ZR42.117.03 REAR S12 263 41.5 55 16 15 4  
 ZR42.117.04 REAR DDS 263 41.5 55 16 15 4

## PREVIA

**Model Detail 2.4 Year 1990-93 Chassis**

ZR42.015.01 FRONT STANDARD 255 53 62 25 23 5  
 ZR42.015.02 FRONT S6 255 53 62 25 23 5  
 ZR42.015.03 FRONT S12 255 53 62 25 23 5  
 ZR42.015.04 FRONT DDS 255 53 62 25 23 5

## RAV4

**Model Detail 2.0 4WD Year 1994-00 Chassis SXA10G**

ZR42.041.01 FRONT STANDARD 302 46 62 18 16 5  
 ZR42.041.04 FRONT DDS 302 46 62 18 16 5  
 ZR42.041.05 FRONT L6 302 46 62 18 16 5

**Model Detail 2.0 4WD Year 1995-00 Chassis SXA11G**

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	

**Model Detail 2.0 4WD (165PS) Year 1995-98 Chassis SXA10W**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	

**Model Detail 2.0 4WD (165PS) Year 1995-98 Chassis SXA11W**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	

**Model Detail 2.0 Year 1997-00 Chassis SXA15G**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	

**Model Detail 2.0 Year 1997-00 Chassis SXA16G**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	

**Model Detail 2.0 4WD (180PS) Year 1998-00 Chassis SXA10W**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	
ZR42.124.01	REAR	STANDARD	303	58	62	9	8	5	
ZR42.124.04	REAR	DDS	303	58	62	9	8	5	

**Model Detail 2.0 4WD (180PS) Year 1998-00 Chassis SXA11W**

ZR42.041.01	FRONT	STANDARD	302	46	62	18	16	5	
ZR42.041.04	FRONT	DDS	302	46	62	18	16	5	
ZR42.041.05	FRONT	L6	302	46	62	18	16	5	
ZR42.124.01	REAR	STANDARD	303	58	62	9	8	5	
ZR42.124.04	REAR	DDS	303	58	62	9	8	5	

**Model Detail 2.0 4WD Year 2000-05 Chassis ACA20W**

ZR42.106.01	FRONT	STANDARD	275	50	62	25	23	5	
ZR42.106.04	FRONT	DDS	275	50	62	25	23	5	

**Model Detail 2.0 4WD Year 2000-05 Chassis ACA21W**

ZR42.106.01	FRONT	STANDARD	275	50	62	25	23	5	
ZR42.106.04	FRONT	DDS	275	50	62	25	23	5	

**Model Detail 1.8 Year 2000-05 Chassis ZCA25W**

ZR42.106.01	FRONT	STANDARD	275	50	62	25	23	5	
ZR42.106.04	FRONT	DDS	275	50	62	25	23	5	

**Model Detail 1.8 Year 2000-05 Chassis ZCA26W**

ZR42.106.01	FRONT	STANDARD	275	50	62	25	23	5	
ZR42.106.04	FRONT	DDS	275	50	62	25	23	5	

**Model Detail 2.4 4WD Year 2003-07 Chassis ACA23**

ZR42.106.01	FRONT	STANDARD	275	50	62	25	23	5	
ZR42.106.04	FRONT	DDS	275	50	62	25	23	5	
ZR42.125.01	REAR	STANDARD	303	62	62	9	8	5	
ZR42.125.04	REAR	DDS	303	62	62	9	8	5	

## SOARER

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

**Model Detail 2.5 TURBO Year 1991- Chassis JZZ30**

ZR42.032.01	FRONT	STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT	S6	296	51	62	32	30	5
ZR42.032.03	FRONT	S12	296	51	62	32	30	5
ZR42.032.04	FRONT	DDS	296	51	62	32	30	5
ZR42.008.01	REAR	STANDARD	291	67.5	60	16	15	5
ZR42.008.02	REAR	S6	291	67.5	60	16	15	5
ZR42.008.03	REAR	S12	291	67.5	60	16	15	5
ZR42.008.04	REAR	DDS	291	67.5	60	16	15	5

**Model Detail 4.0 Year 1991- Chassis UZZ30**

ZR42.057.01	FRONT	STANDARD	276	49.5	62	28	26	5
ZR42.057.02	FRONT	S6	276	49.5	62	28	26	5
ZR42.057.03	FRONT	S12	276	49.5	62	28	26	5
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5
ZR42.008.01	REAR	STANDARD	291	67.5	60	16	15	5
ZR42.008.02	REAR	S6	291	67.5	60	16	15	5
ZR42.008.03	REAR	S12	291	67.5	60	16	15	5
ZR42.008.04	REAR	DDS	291	67.5	60	16	15	5

## STARLET

**Model Detail 1.3 GLANZA Year 1996- Chassis EP91**

ZR42.042.01	FRONT	STANDARD	254	43	55	18	17	4
ZR42.042.02	FRONT	S6	254	43	55	18	17	4
ZR42.042.03	FRONT	S12	254	43	55	18	17	4
ZR42.042.04	FRONT	DDS	254	43	55	18	17	4
ZR42.130.01	REAR	STANDARD	240	80		9	8	4
ZR42.130.02	REAR	S6	240	80		9	8	4
ZR42.130.03	REAR	S12	240	80		9	8	4
ZR42.130.04	REAR	DDS	240	80		9	8	4

**Model Detail 1.3 Year 1990-93 Chassis EPKD**

ZR42.017.01	FRONT	STANDARD	238	44	55	18	17	4
ZR42.017.02	FRONT	S6	238	44	55	18	17	4
ZR42.017.03	FRONT	S12	238	44	55	18	17	4
ZR42.017.04	FRONT	DDS	238	44	55	18	17	4

**Model Detail 1.3 TURBO GT Year 1989-95 Chassis EP82**

ZR42.042.01	FRONT	STANDARD	254	43	55	18	17	4
ZR42.042.02	FRONT	S6	254	43	55	18	17	4
ZR42.042.03	FRONT	S12	254	43	55	18	17	4
ZR42.042.04	FRONT	DDS	254	43	55	18	17	4
ZR42.130.01	REAR	STANDARD	240	80		9	8	4
ZR42.130.02	REAR	S6	240	80		9	8	4
ZR42.130.04	REAR	DDS	240	80		9	8	4

**Model Detail 1.3 Year 1984-87 Chassis EP81**

ZR42.017.01	FRONT	STANDARD	238	44	55	18	17	4
ZR42.017.02	FRONT	S6	238	44	55	18	17	4
ZR42.017.03	FRONT	S12	238	44	55	18	17	4
ZR42.017.04	FRONT	DDS	238	44	55	18	17	4

**Model Detail 1.3 Year 1996- Chassis EP91**

ZR42.027.01	FRONT	STANDARD	226	41.5	54	16	15	4
ZR42.027.02	FRONT	S6	226	41.5	54	16	15	4
ZR42.027.03	FRONT	S12	226	41.5	54	16	15	4
ZR42.027.04	FRONT	DDS	226	41.5	54	16	15	4

## TOYOTA

**PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES**

### SUPRA

Model Detail	3.0 TURBO	Year	1993-	Chassis	JZA80		
ZR42.096.01	FRONT STANDARD	323	50	62	30	28	5
ZR42.096.02	FRONT S6	323	50	62	30	28	5
ZR42.096.04	FRONT DDS	323	50	62	30	28	5
ZR42.096.06	FRONT Z-SPEC S12	323	50	62	30	28	5
ZR42.109.01	REAR STANDARD	324	67.5	62	16	15	5
ZR42.109.02	REAR S6	324	67.5	62	16	15	5
ZR42.109.03	REAR S12	324	67.5	62	16	15	5
ZR42.109.04	REAR DDS	324	67.5	62	16	15	5

Model Detail	2.0 TWIN TURBO	Year	1989-90	Chassis	GA70		
ZR42.048.01	FRONT STANDARD	300	53.5	60	22	21	5
ZR42.048.02	FRONT S6	300	53.5	60	22	21	5
ZR42.048.03	FRONT S12	300	53.5	60	22	21	5
ZR42.048.04	FRONT DDS	300	53.5	60	22	21	5
ZR42.010.01	REAR STANDARD	307	67	62	16	15	5
ZR42.010.02	REAR S6	307	67	62	16	15	5
ZR42.010.03	REAR S12	307	67	62	16	15	5
ZR42.010.04	REAR DDS	307	67	62	16	15	5

MA70 disc

1992- SAME AS DBA713 O

1992- SAME AS DBA713 O

1992- SAME AS DBA713 O

1992- SAME AS DBA713 O

Model Detail	3.0 TURBO	Year	1989-90	Chassis	MA70		
ZR42.048.01	FRONT STANDARD	300	53.5	60	22	21	5
ZR42.048.02	FRONT S6	300	53.5	60	22	21	5
ZR42.048.03	FRONT S12	300	53.5	60	22	21	5
ZR42.048.04	FRONT DDS	300	53.5	60	22	21	5
ZR42.102.01	REAR STANDARD	291	68.5	60	18	17	5
ZR42.102.02	REAR S6	291	68.5	60	18	17	5
ZR42.102.03	REAR S12	291	68.5	60	18	17	5
ZR42.102.04	REAR DDS	291	68.5	60	18	17	5

Model Detail	2.8	Year	1982-86	Chassis	MA61		
ZR42.018.01	FRONT STANDARD	258	26	76	20	19	4
ZR42.018.02	FRONT S6	258	26	76	20	19	4
ZR42.018.03	FRONT S12	258	26	76	20	19	4
ZR42.018.04	FRONT DDS	258	26	76	20	19	4
ZR42.049.01	REAR STANDARD	266	60.5	60	18	17	4
ZR42.049.02	REAR S6	266	60.5	60	18	17	4
ZR42.049.03	REAR S12	266	60.5	60	18	17	4
ZR42.049.04	REAR DDS	266	60.5	60	18	17	4

Model Detail	3.0	Year	1993-	Chassis	JZA80		
ZR42.032.01	FRONT STANDARD	296	51	62	32	30	5
ZR42.032.02	FRONT S6	296	51	62	32	30	5
ZR42.032.03	FRONT S12	296	51	62	32	30	5
ZR42.032.04	FRONT DDS	296	51	62	32	30	5
ZR42.009.01	REAR STANDARD	307	67	62	16	15	5
ZR42.009.02	REAR S6	307	67	62	16	15	5
ZR42.009.03	REAR S12	307	67	62	16	15	5
ZR42.009.04	REAR DDS	307	67	62	16	15	5

### WINDOM

Model Detail	3.0	Year	1991-96	Chassis	VCV10		
ZR42.057.01	FRONT STANDARD	276	49.5	62	28	26	5
ZR42.057.02	FRONT S6	276	49.5	62	28	26	5
ZR42.057.03	FRONT S12	276	49.5	62	28	26	5

## TOYOTA

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5	
ZR42.056.01	REAR	STANDARD	288	65	62	10	9	5	
ZR42.056.02	REAR	S6	288	65	62	10	9	5	
ZR42.056.03	REAR	S12	288	65	62	10	9	5	
ZR42.056.04	REAR	DDS	288	65	62	10	9	5	

<b>Model Detail</b>	<b>2.5</b>	<b>Year</b>	<b>1996-00</b>	<b>Chassis</b>	<b>MCV21</b>
---------------------	------------	-------------	----------------	----------------	--------------

ZR42.057.01	FRONT	STANDARD	276	49.5	62	28	26	5	
ZR42.057.02	FRONT	S6	276	49.5	62	28	26	5	
ZR42.057.03	FRONT	S12	276	49.5	62	28	26	5	
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5	
ZR42.058.01	REAR	STANDARD	269	65	62	10	9	5	
ZR42.058.02	REAR	S6	269	65	62	10	9	5	
ZR42.058.03	REAR	S12	269	65	62	10	9	5	
ZR42.058.04	REAR	DDS	269	65	62	10	9	5	

<b>Model Detail</b>	<b>3.0</b>	<b>Year</b>	<b>1996-00</b>	<b>Chassis</b>	<b>MCV20</b>
---------------------	------------	-------------	----------------	----------------	--------------

ZR42.057.01	FRONT	STANDARD	276	49.5	62	28	26	5	
ZR42.057.02	FRONT	S6	276	49.5	62	28	26	5	
ZR42.057.03	FRONT	S12	276	49.5	62	28	26	5	
ZR42.057.04	FRONT	DDS	276	49.5	62	28	26	5	
ZR42.056.01	REAR	STANDARD	288	65	62	10	9	5	
ZR42.056.02	REAR	S6	288	65	62	10	9	5	
ZR42.056.03	REAR	S12	288	65	62	10	9	5	
ZR42.056.04	REAR	DDS	288	65	62	10	9	5	