

VOLVO

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

C30

Model Detail	2.4					Year	2006-	Chassis		
ZR44.029.01	FRONT	STANDARD	300	48.5	63.5	25	23	5	278MM OD	
ZR44.029.02	FRONT	S6	300	48.5	63.5	25	23	5	278MM OD	
ZR44.029.03	FRONT	S12	300	48.5	63.5	25	23	5	278MM OD	
ZR44.029.04	FRONT	DDS	300	48.5	63.5	25	23	5	278MM OD	
ZR44.031.01	FRONT	STANDARD	336	51.5	68	30	27	5		
ZR44.031.02	FRONT	S6	336	51.5	68	30	27	5		
ZR44.031.03	FRONT	S12	336	51.5	68	30	27	5		
ZR44.031.04	FRONT	DDS	336	51.5	68	30	27	5		
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5		
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5		
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5		
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5		

Model Detail	2.0 DIESEL TURBO					Year	2006-	Chassis		
ZR44.029.01	FRONT	STANDARD	300	48.5	63.5	25	23	5	278MM OD	
ZR44.029.02	FRONT	S6	300	48.5	63.5	25	23	5	278MM OD	
ZR44.029.03	FRONT	S12	300	48.5	63.5	25	23	5	278MM OD	
ZR44.029.04	FRONT	DDS	300	48.5	63.5	25	23	5	278MM OD	
ZR44.031.01	FRONT	STANDARD	336	51.5	68	30	27	5		
ZR44.031.02	FRONT	S6	336	51.5	68	30	27	5		
ZR44.031.03	FRONT	S12	336	51.5	68	30	27	5		
ZR44.031.04	FRONT	DDS	336	51.5	68	30	27	5		
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5		
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5		
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5		
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5		

Model Detail	2.5 T5 TURBO					Year	2006-	Chassis		
ZR44.031.01	FRONT	STANDARD	336	51.5	68	30	27	5		
ZR44.031.02	FRONT	S6	336	51.5	68	30	27	5		
ZR44.031.03	FRONT	S12	336	51.5	68	30	27	5		
ZR44.031.04	FRONT	DDS	336	51.5	68	30	27	5		
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5		
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5		
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5		
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5		

C70

Model Detail	2.0 TURBO					Year	1997-06	Chassis		
ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5		
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5		
ZR44.021.03	FRONT	S12	280	50.5	68	26	23	5		
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5		
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5		
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5		
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5		
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5		

Model Detail	2.0 T3 TURBO					Year	1997-06	Chassis		
ZR44.028.01	FRONT	STANDARD	302	50	68	26	23	5		
ZR44.028.02	FRONT	S6	302	50	68	26	23	5		
ZR44.028.03	FRONT	S12	302	50	68	26	23	5		
ZR44.028.04	FRONT	DDS	302	50	68	26	23	5		

VOLVO

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

Model Detail 2.4 145kw TURBO Year 1997-06 Chassis

ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5	
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5	
ZR44.021.03	FRONT	S12	280	50.5	68	26	23	5	
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5	
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

Model Detail 2.3 180kw T5 TURBO Year 1997-06 Chassis

ZR44.028.01	FRONT	STANDARD	302	50	68	26	23	5	
ZR44.028.02	FRONT	S6	302	50	68	26	23	5	
ZR44.028.03	FRONT	S12	302	50	68	26	23	5	
ZR44.028.04	FRONT	DDS	302	50	68	26	23	5	
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

Model Detail 2.4 Year 2006- Chassis

ZR44.029.01	FRONT	STANDARD	300	48.5	63.5	25	23	5	
ZR44.029.02	FRONT	S6	300	48.5	63.5	25	23	5	
ZR44.029.03	FRONT	S12	300	48.5	63.5	25	23	5	
ZR44.029.04	FRONT	DDS	300	48.5	63.5	25	23	5	
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5	
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5	
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5	
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5	

Model Detail 2.4 TURBO Year 2006- Chassis

ZR44.029.01	FRONT	STANDARD	300	48.5	63.5	25	23	5	
ZR44.029.02	FRONT	S6	300	48.5	63.5	25	23	5	
ZR44.029.03	FRONT	S12	300	48.5	63.5	25	23	5	
ZR44.029.04	FRONT	DDS	300	48.5	63.5	25	23	5	
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5	
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5	
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5	
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5	

Model Detail 2.4 DIESEL TURBO Year 2006- Chassis

ZR44.029.01	FRONT	STANDARD	300	48.5	63.5	25	23	5	
ZR44.029.02	FRONT	S6	300	48.5	63.5	25	23	5	
ZR44.029.03	FRONT	S12	300	48.5	63.5	25	23	5	
ZR44.029.04	FRONT	DDS	300	48.5	63.5	25	23	5	
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5	
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5	
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5	
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5	

S40

Model Detail 1.8 Year 1995-04 Chassis

VOLVO

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR44.007.01	FRONT	STANDARD	256	45.5	69	24	21.5	4	
ZR44.007.02	FRONT	S6	256	45.5	69	24	21.5	4	
ZR44.007.04	FRONT	DDS	256	45.5	69	24	21.5	4	
ZR44.027.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR44.027.02	REAR	S6	260	41	90	10	8.4	4	
ZR44.027.04	REAR	DDS	260	41	90	10	8.4	4	

Model Detail 2.0 T4 TURBO Year 1995-04 Chassis

ZR44.011.01	FRONT	STANDARD	281	46	69	24	21.5	4	
ZR44.011.02	FRONT	S6	281	46	69	24	21.5	4	
ZR44.011.03	FRONT	S12	281	46	69	24	21.5	4	
ZR44.011.04	FRONT	DDS	281	46	69	24	21.5	4	
ZR44.027.01	REAR	STANDARD	260	41	90	10	8.4	4	
ZR44.027.02	REAR	S6	260	41	90	10	8.4	4	
ZR44.027.03	REAR	S12	260	41	90	10	8.4	4	
ZR44.027.04	REAR	DDS	260	41	90	10	8.4	4	

Model Detail 2.5 T5 TURBO Year 2004- Chassis

ZR44.032.01	FRONT	STANDARD	308	65	68	20	18	5	
ZR44.032.02	FRONT	S6	308	65	68	20	18	5	
ZR44.032.03	FRONT	S12	308	65	68	20	18	5	
ZR44.032.04	FRONT	DDS	308	65	68	20	18	5	
ZR12.103.01	REAR	STANDARD	280	40.8	63.5	11	9	5	
ZR12.103.02	REAR	S6	280	40.8	63.5	11	9	5	
ZR12.103.03	REAR	S12	280	40.8	63.5	11	9	5	
ZR12.103.04	REAR	DDS	280	40.8	63.5	11	9	5	

S60

Model Detail 2.4 Year 2000-09 Chassis

ZR44.034.01	FRONT	STANDARD	286	50.5	68	26	23	5	
ZR44.034.02	FRONT	S6	286	50.5	68	26	23	5	
ZR44.034.04	FRONT	DDS	286	50.5	68	26	23	5	
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5	
ZR44.010.02	REAR	S6	288	65	68	12	10	5	
ZR44.010.04	REAR	DDS	288	65	68	12	10	5	

Model Detail 2.3 T5 TURBO Year 2000-09 Chassis

ZR44.009.01	FRONT	STANDARD	305	50	68	28	25	5	
ZR44.009.02	FRONT	S6	305	50	68	28	25	5	
ZR44.009.03	FRONT	S12	305	50	68	28	25	5	
ZR44.009.04	FRONT	DDS	305	50	68	28	25	5	
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5	
ZR44.010.02	REAR	S6	288	65	68	12	10	5	
ZR44.010.03	REAR	S12	288	65	68	12	10	5	
ZR44.010.04	REAR	DDS	288	65	68	12	10	5	

S70

Model Detail 2.4 Year 1998-00 Chassis

ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5	
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5	
ZR44.021.03	FRONT	S12	280	50.5	68	26	23	5	
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5	
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

VOLVO

PARTNUMBER POSITION TYPE DIAM HEIGHT CNTR HOLE THICKNESS MIN THICK STUD NOTES

Model Detail 2.3 T5 TURBO			Year 1998-00			Chassis		
ZR44.028.01	FRONT	STANDARD	302	50	68	26	23	5
ZR44.028.02	FRONT	S6	302	50	68	26	23	5
ZR44.028.03	FRONT	S12	302	50	68	26	23	5
ZR44.028.04	FRONT	DDS	302	50	68	26	23	5
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5

Model Detail 2.4 TURBO			Year 1998-00			Chassis		
ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5
ZR44.021.03	FRONT	S12	280	50.5	68	26	23	5
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5

S80

Model Detail 2.0 TURBO			Year 1998-06			Chassis		
ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5
ZR44.010.02	REAR	S6	288	65	68	12	10	5
ZR44.010.03	REAR	S12	288	65	68	12	10	5

Model Detail 2.4			Year 1998-06			Chassis		
ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5
ZR44.010.02	REAR	S6	288	65	68	12	10	5
ZR44.010.03	REAR	S12	288	65	68	12	10	5

Model Detail 2.5 TURBO			Year 1998-06			Chassis		
ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5
ZR44.010.02	REAR	S6	288	65	68	12	10	5
ZR44.010.03	REAR	S12	288	65	68	12	10	5

Model Detail 2.9			Year 1998-06			Chassis		
ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5
ZR44.010.02	REAR	S6	288	65	68	12	10	5
ZR44.010.03	REAR	S12	288	65	68	12	10	5

Model Detail 2.8 T6 TWIN TURBO			Year 1998-06			Chassis		
ZR44.009.01	FRONT	STANDARD	305	50	68	28	25	5
ZR44.009.02	FRONT	S6	305	50	68	28	25	5
ZR44.009.03	FRONT	S12	305	50	68	28	25	5

VOLVO

PARTNUMBER	POSITION	TYPE	DIAM	HEIGHT	CNTR HOLE	THICKNESS	MIN THICK	STUD	NOTES
ZR44.009.04	FRONT	DDS	305	50	68	28	25	5	
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5	
ZR44.010.02	REAR	S6	288	65	68	12	10	5	
ZR44.010.03	REAR	S12	288	65	68	12	10	5	
ZR44.010.04	REAR	DDS	288	65	68	12	10	5	

V70

Model Detail 2.4 Year 1997-00 Chassis

ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5	
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5	
ZR44.021.03	FRONT	S12	280	50.5	68	26	23	5	
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5	
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

Model Detail 2.3 T5 TURBO Year 1997-00 Chassis

ZR44.028.01	FRONT	STANDARD	302	50	68	26	23	5	
ZR44.028.02	FRONT	S6	302	50	68	26	23	5	
ZR44.028.03	FRONT	S12	302	50	68	26	23	5	
ZR44.028.04	FRONT	DDS	302	50	68	26	23	5	
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

Model Detail 2.4 TURBO Year 1997-00 Chassis

ZR44.021.01	FRONT	STANDARD	280	50.5	68	26	23	5	
ZR44.021.02	FRONT	S6	280	50.5	68	26	23	5	
ZR44.021.03	FRONT	S12	280	50.5	68	26	23	5	
ZR44.021.04	FRONT	DDS	280	50.5	68	26	23	5	
ZR44.022.01	REAR	STANDARD	295	72.5	68	10	8.4	5	
ZR44.022.02	REAR	S6	295	72.5	68	10	8.4	5	
ZR44.022.03	REAR	S12	295	72.5	68	10	8.4	5	
ZR44.022.04	REAR	DDS	295	72.5	68	10	8.4	5	

Model Detail 2.4 Year 2000-07 Chassis

ZR44.034.01	FRONT	STANDARD	286	50.5	68	26	23	5	
ZR44.034.02	FRONT	S6	286	50.5	68	26	23	5	
ZR44.034.04	FRONT	DDS	286	50.5	68	26	23	5	
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5	
ZR44.010.02	REAR	S6	288	65	68	12	10	5	
ZR44.010.04	REAR	DDS	288	65	68	12	10	5	

Model Detail 2.5 TURBO Year 2000-07 Chassis

ZR44.034.01	FRONT	STANDARD	286	50.5	68	26	23	5	
ZR44.034.02	FRONT	S6	286	50.5	68	26	23	5	
ZR44.034.04	FRONT	DDS	286	50.5	68	26	23	5	
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5	
ZR44.010.02	REAR	S6	288	65	68	12	10	5	
ZR44.010.04	REAR	DDS	288	65	68	12	10	5	

Model Detail 2.3 T5 TURBO Year 2000-07 Chassis

ZR44.009.01	FRONT	STANDARD	305	50	68	28	25	5	
ZR44.009.02	FRONT	S6	305	50	68	28	25	5	
ZR44.009.03	FRONT	S12	305	50	68	28	25	5	

VOLVO

<u>PARTNUMBER</u>	<u>POSITION</u>	<u>TYPE</u>	<u>DIAM</u>	<u>HEIGHT</u>	<u>CNTR HOLE</u>	<u>THICKNESS</u>	<u>MIN THICK</u>	<u>STUD</u>	<u>NOTES</u>
ZR44.009.04	FRONT	DDS	305	50	68	28	25	5	
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5	
ZR44.010.02	REAR	S6	288	65	68	12	10	5	
ZR44.010.03	REAR	S12	288	65	68	12	10	5	
ZR44.010.04	REAR	DDS	288	65	68	12	10	5	

XC70

<u>Model Detail</u>	<u>2.5 TURBO</u>	<u>Year</u>	<u>2000-</u>	<u>Chassis</u>						
ZR44.009.01	FRONT	STANDARD	305	50	68	28	25	5	305mm	
ZR44.009.02	FRONT	S6	305	50	68	28	25	5	305mm	
ZR44.009.03	FRONT	S12	305	50	68	28	25	5	305mm	
ZR44.009.04	FRONT	DDS	305	50	68	28	25	5	305mm	
ZR44.034.01	FRONT	STANDARD	286	50.5	68	26	23	5		
ZR44.034.02	FRONT	S6	286	50.5	68	26	23	5		
ZR44.034.03	FRONT	S12	286	50.5	68	26	23	5		
ZR44.034.04	FRONT	DDS	286	50.5	68	26	23	5		
ZR44.010.01	REAR	STANDARD	288	65	68	12	10	5		
ZR44.010.02	REAR	S6	288	65	68	12	10	5		
ZR44.010.03	REAR	S12	288	65	68	12	10	5		
ZR44.010.04	REAR	DDS	288	65	68	12	10	5		

XC90

<u>Model Detail</u>	<u>2.5 TURBO</u>	<u>Year</u>	<u>2002-</u>	<u>Chassis</u>						
ZR44.030.01	FRONT		316	50.4	68	28	25	5	316 x 28	
ZR44.030.02	FRONT		316	50.4	68	28	25	5	316 x 28	
ZR44.030.03	FRONT		316	50.4	68	28	25	5	316 x 28	
ZR44.030.04	FRONT		316	50.4	68	28	25	5	316 x 28	
ZR44.031.01	FRONT	STANDARD	336	51.5	68	30	27	5	336 x 30	
ZR44.031.02	FRONT	S6	336	51.5	68	30	27	5	336 x 30	
ZR44.031.03	FRONT	S12	336	51.5	68	30	27	5	336 x 30	
ZR44.031.04	FRONT	DDS	336	51.5	68	30	27	5	336 x 30	
ZR44.032.01	REAR	STANDARD	308	65	68	20	18	5		
ZR44.032.02	REAR	S6	308	65	68	20	18	5		
ZR44.032.03	REAR	S12	308	65	68	20	18	5		
ZR44.032.04	REAR	DDS	308	65	68	20	18	5		